# SAFETY DATA SHEET



Issuing Date No data available Revision Date 17-Oct-2018 Revision Number 1

# 1. PRODUCT AND COMPANY IDENTIFICATION

**Product identifier** 

Product Name
Bulk Number
Brand
AC MATTE CLAY
4703972000
Revion Professional

Other means of identification

Physical state Paste

UPC Code(s) XXXX Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use No information available

Restrictions on use This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of

the product. Please read the labeling on the consumer package for proper use of this material. For

external use only. Use only as directed.

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name Revlon

Supplier Address 2121 Route 27, Edison, NJ 08818

Supplier Phone Number (732) 287-1400

Supplier Information

Emergency telephone number

Revlon Research Center 2121 Route 27 Edison, NJ 08818 Telephone #: (732) 287-1400

Chemical Emergency Phone 703-527-3887

Number Chemtrec 1-800-424-9300

Company Emergency Phone Medical Emergencies: 303-739-1110

Number

Emergency Telephone Number Medical Emergencies: 303-739-1110 CHEMTREC: 1-800-424-9300 or 703-527-3887 (spill

related emergencies)

# 2. HAZARDS IDENTIFICATION

### Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

#### GHS Label elements, including precautionary statements

### **Emergency Overview**

The product contains no substances which at their given concentration, are considered to be hazardous to health.

Appearance No information available

Physical state Paste

Odor No information available

#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

#### **Precautionary Statements - Storage**

None

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Other information

Toxic to aquatic life with long lasting effects

Toxic to aquatic life

#### **Interactions with Other Chemicals**

No information available.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No	Weight-%	Trade Secret
Kaolin	1332-58-7	<20	-
Petrolatum	8009-03-8	<15	-
Paraffinum liquidum	8012-95-1	<5	-
D-Limonene	5989-27-5	<1	-

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret

# 4. FIRST AID MEASURES

#### 4703972000 - AC MATTE CLAY Bulk Number 4703972000

#### First aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash skin with soap and water.

Remove to fresh air. Inhalation

Rinse mouth immediately and drink plenty of water. Ingestion

Most important symptoms and effects, both acute and delayed

**Most Important Symptoms and** 

No information available.

**Effects** 

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

### Specific hazards arising from the chemical

No information available.

**Explosion Data** 

**Sensitivity to Mechanical Impact** None.

Sensitivity to Static Discharge None.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**4703972000 - AC MATTE CLAY**Bulk Number 4703972000

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation. Take

precautionary measures against static discharges. See section 8 for more information. Avoid breathing vapors or mists. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin, eyes or clothing. Remove all sources of ignition. Do not breathe vapor or

mist.

**Environmental precautions** 

**Environmental precautions**Local authorities should be advised if significant spillages cannot be contained. Do not flush

into surface water or sanitary sewer system.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Prevent product from entering drains. Take precautionary measures against static

discharges. Keep in suitable, closed containers for disposal. Take up with sand, earth or other non-combustible absorbent material. Use personal protective equipment as required.

# 7. HANDLING AND STORAGE

### Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Keep away from

open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Do not breathe vapor or mist. Ensure adequate ventilation. Remove all

sources of ignition. Avoid contact with eyes. Refer to Section 8.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed in a dry and well-ventilated place. Keep away from open

flames, hot surfaces and sources of ignition. Keep in properly labeled containers.

**Incompatible Products**None known based on information supplied.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Kaolin	TWA: 2 mg/m³ particulate matter	TWA: 15 mg/m³ total dust	TWA: 10 mg/m <sup>3</sup> total dust
1332-58-7	containing no asbestos and <1%	TWA: 5 mg/m³ respirable fraction	TWA: 5 mg/m <sup>3</sup> respirable dust
	crystalline silica, respirable	(vacated) TWA: 10 mg/m³ total	
	particulate matter	dust	
	-	(vacated) TWA: 5 mg/m <sup>3</sup>	

**4703972000 - AC MATTE CLAY**Bulk Number 4703972000

	respirable fraction	
TWA: 5 mg/m³ inhalable particulate matter excluding metal working fluids, highly & severely refined TWA: 5 mg/m³ inhalable particulate matter excluding metal working fluids	, ,	IDLH: 2500 mg/m³ TWA: 5 mg/m³ STEL: 10 mg/m³

Appropriate engineering controls

Engineering Measures Ventilation systems Ensure that eyewash stations and safety showers are close to the

workstation location

Individual protection measures, such as personal protective equipment

**Eye/face protection** No special protective equipment required.

**Skin and body protection**None under normal use conditions. None required for consumer use.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. Ensure adequate ventilation.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### **Physical and Chemical Properties**

Physical statePasteAppearanceOpaqueOdorTMS

Color Beige Odor Threshold No information available

Property Values Remarks Method

<del>pH</del> 5.5-6.5

Melting / freezing pointNo data availableNone knownBoiling point / boiling rangeNo data availableNone knownFlash Point> 100 C / 212 FCC (closed cup)Evaporation RateNo data availableNone knownFlammability (solid, gas)No data availableNone known

Flammability Limit in Air

Upper flammability limit
Lower flammability limit
No data available
No data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone known

Specific Gravity 1.00-1.15

Water Solubility
No data available
None known
Partition coefficient: n-octanol/waterNo data available
None known
Autoignition temperature
No data available
None known

**Other Information** 

VOC Content (%)

Particle Size

No data available
No data available

**Particle Size Distribution** 

# 10. STABILITY AND REACTIVITY

# Reactivity

No data available.

#### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### **Conditions to avoid**

None known based on information supplied.

#### **Incompatible materials**

None known based on information supplied.

#### **Hazardous Decomposition Products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** Specific test data for the substance or mixture is not available.

**Inhalation** Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

**Skin contact** Specific test data for the substance or mixture is not available.

**Ingestion** Specific test data for the substance or mixture is not available.

### **Component Information**

Chemical name	LD50 Oral	LD50 Dermal	Inhalation LC50
Kaolin 1332-58-7	> 5000 mg/kg ( Rat )	> 5000 mg/kg (Rat)	
Petrolatum 8009-03-8		= 3600 mg/kg ( Rabbit )	
Paraffinum liquidum 8012-95-1	> 24 g/kg (Rat)		= 2062 ppm (Rat) 4 h
D-Limonene 5989-27-5	= 4400 mg/kg (Rat) = 5200 mg/kg (Rat)	> 5 g/kg (Rabbit)	

#### Information on toxicological effects

**Symptoms** No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** No information available.

Mutagenic Effects No information available.

\_\_\_\_\_

4703972000 - AC MATTE CLAY

Bulk Number 4703972000

### Carcinogenicity

Contains no ingredient listed as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Paraffinum liquidum	A2	Group 1	Known	X
8012-95-1		Group 3		
D-Limonene		Group 3		X
5989-27-5		·		

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

Target organ effects Respiratory system. Eyes. Skin.

**Aspiration Hazard** No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)** 15,549.00 mg/kg **ATEmix (dermal)** 10,649.00 mg/kg

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Toxic to aquatic life with long lasting effects.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
D-Limonene		96h LC50: 0.619 - 0.796		
5989-27-5		mg/L (Pimephales promelas)		
		96h LC50: = 35 mg/L		
		(Oncorhynchus mykiss)		

# Persistence and Degradability

No information available.

#### **Bioaccumulation**

No information available

# Other adverse effects

No information available.

# 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

**Contaminated Packaging** Do not reuse empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
D-Limonene	Toxic
5989-27-5	

# 14. TRANSPORT INFORMATION

**DOT** Not regulated

IATA Not regulated

IMDG Not regulated

-

# 15. REGULATORY INFORMATION

# **International Inventories**

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

# SARA 311/312 Hazard Categories

Acute health hazardNoChronic Health HazardNoFire hazardNoSudden release of pressure hazardNoReactive HazardNo

# 4703972000 - AC MATTE CLAY

Bulk Number 4703972000

# **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

.

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Water			X		
7732-18-5					
Kaolin	Х	X	X		
1332-58-7					

### International Regulations

Component	Carcinogen Status	Exposure Limits
Kaolin		Mexico: TWA 10 mg/m <sup>3</sup>
1332-58-7 ( <20 )		Mexico: STEL 20 mg/m <sup>3</sup>
Paraffinum liquidum	A2	Mexico: TWA 5 mg/m <sup>3</sup>
8012-95-1 ( <5 )		Mexico: STEL 10 mg/m <sup>3</sup>

#### Canada WHMIS Hazard Class

Not determined

### **16. OTHER INFORMATION**

NFPA Health hazards 0 Flammability 1 Instability 0 Physical and

HMIS Health hazards 0 Flammability 1 Physical Hazard 0 Personal Protection

Χ

Prepared By Revlon Research Center, Edison, NJ

Revision Date 17-Oct-2018

Revision Note No information available

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

Cosmetic products are exempted from Safety Data Sheets by article 2.6 (b) of regulation (EC)n 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of chemicals (REACH) in Europe.Cosmetic products are partially exempt from Canada's Workplace Hazardous Materials Information System (WHMIS) by section C of the regulation.Cosmetic product for consumer use are exempted from labeling requirements under the United States Occupational Safety and Health Administration's Hazard Communication Standard 29 CFR 1910.1200 under section 29 CFR 1910.1200(b)(5)(iii). Cosmetics are covered by the Food and Drug Administration's Food, Drug and Cosmetic Act and Consumer Product Safety Act.

**End of Safety Data Sheet**