44-005-001



MATERIAL SAFETY DATA SHEET

1. MATERIAL NAME.

Circuito Balvanera No.3, Fraccionamiento Ind. Balvanera, Corregidora, Querétaro México CP 76900. Category: American Crew Ampoule Treatment.

Teléfono de Emergencia: 52 01 442 2 25 07 79

Ext. 222 Safety Department.

2. COMPOSITION / INFORMATION ON INGREDIENTS.

| Aqua (Water) (Eau) | CAS 7732-18-5 |
|-----------------------------------------------------------|---------------------------------------|
| Alcohol Denat UN1170 | CAS 64-17-5 OSHA PEL 1,000 ppm |
| Humulus Lupulus (Hops) Extract | CAS 8060-28-4 |
| Rosmarinus Officinalis (Rosemary) Extract | CAS 84604-14-8 |
| PEG-60 Hydrogenated Castor Oil | CAS 61788-85-0 |
| Swertia Japonica Extract | CAS 94167-11-0 |
| Fragrance | · · · · · · · · · · · · · · · · · · · |
| Silanediol Salicylate / Triethanolamine / Butylene Glycol | CAS 107-88-0 |
| Panthenol | CAS 81-13-0 |

3. HAZARD IDENTIFICATION.

This material is hazardous by OSHA Hazard Communication definition. FLAMMABLE LIQUID

HMIS: Health 1

Flammability: 3

Reactivity: 0

Carcinogen:

IARC -NO

ACIGH - NO OSHA - NO

NTP - NO

4. FIRST AID MEASURES.

Eye Contact: Thoroughly flush with water for at least 15 minutes. If discomfort continues, consult ophthalmologist.

Skin Contact: Flush affected area with plenty of soap and water.

Ingestion: If swallowed, give lukewarm water or milk. Do not induce vomiting. Obtain medical treatment if symptoms persist.

Inhalation: If symptoms are experienced, move to fresh air. Obtain medical attention if breathing difficulty persists.

5. SPECIAL FIRE FIGHTING PROCEDURES.

Flash Point: 29°C.

OSHA/NFPA Class: 2B Flammable Liquid

Autoignition Temperature: > 363 deg C

Extinguishing Media: Use dry chemical, carbon dioxide and Water.

Lower Flammable Limit: 3.3% vol Upper flammable limit: 19% vol

Protection for Firefighters: Ethanol vapors are heavier than air and may travel considerable

distance.

6. ACCIDENTAL RELEASE OR SPILL PROCEDURE.

Use proper personal protective equipment.

Spills / Leaks: Absorb spill with inhert material (e.g. vermiculite, clay, sand or earth), then place in suitable container. Remove all sources of ignition. Use a Spark-proof tool. Provide ventilation.

Disposal: Dispose of In accordance with Federal, State and Local Regulations.



NOMBRE DEL MATERIAL

Pro- You Anti-Hair Loss Treatment.

-Página 2-

7. STORAGE & HANDLING.

Store in a cool and dry area. Keep away from any heat source.

8.EXPOSURE LIMITS & PERSONAL PROTECTION MEASURES.

General room or local exhaust ventilation is all that is normally required

Avoid contact with eyes, face and skin.

Respiratory protection: Not normally required. If situation requires a resperator the resperator must

meet OSHA's 29 CFR 1910.134

Protective gloves: Wear chemical resistant gloves.

Eye Protection :Not normally requied.

9. PHISICAL & CHEMICAL PROPERTIES.

Appearance: Ambar Liquid

Odor: Rosemary Extract and weak Alcohol.

Color: Amber pH: 5.3 – 8.3 Viscosity:

Vapor Pressure:

Density: 0.945 - 0.965 gr/ml

Vapor Density: Solubility: Complete Alcohol Grade: 35 – 39

Microbial Content: 10 organisms per gram maximum

Dry Matter: 1.0 - 1.3 %

10. STABILITY & REACTIVITY.

Stability: Stable

Conditions to avoid: Avoid contact with strong oxidizers, excessive heat, sparks or open flame. Substances to avoid: Contact with acetyl chloride or other oxidizing agents may result in a violent

reaction.

Hazardous decomposition products: Not expected to decompose under normal conditions.

Hazardous polymerization: Not expected to occure Reaction with Air and Water: Not expected to react.

11. TOXICOLOGICAL INFORMATION.

Ethanol is not toxic by OSHA criteria.

12. ECOLOGICAL INFORMATION.

This material is not classified as harmful or toxic to fish, algee or aquatic plants. This material is expected to biodegrade.

13. DISPOSAL CONSIDERATIONS.

Product & packaging disposal: in accordance with EU Regulations, U.S. Federal, State or Local

Regulations.

14. TRANSPORT INFORMATION.

Sea (IMDG): Hazardous Flammable Hazard Class 3 PG III. Air (ICAO / IATA): Hazardous Flammable Hazard Class 3 PG III. Road / Rail (RID /ADR): Hazardous Flammable Hazard Class 3 PG III

Consumer Packaging Label: ORM-D
Bulk Packaging Label: Flammable Liquid 3

15. REGULATORY INFORMATION.

Australia - AICS Canada - DSL & NDSL China - IECS

European Union - EINECS, ELINCS & NLP Japan - ENCS Korea - ECL

Philippines - PICCS United States - TSCA & SARA

16. OTHER INFORMATION.

Judgements as to the suitability of information herein for purchaser's purposes are necessarily purchaser's responsibility. Therefore, although reasonable care has been taken in the preparation of such information, The Colomer Group extends no warranties, makes no representations and assumes no responsibility as to accuracy or suitability of such information for application to purchaser's intended purposes of consequenses of its use.