MATERIAL SAFETY DATA SHEET

IDENTITY (as used on label): Affirm Fiberguard Preservo Strengthening Serum

SECTION 1

MANUFACTURER: Raani Corporation

DATE ISSUED: November 3, 2005

ADDRESS: 5401 West 65th Street, Bedford Park, Illinois, 60638

EMERGENCY TELEPHONE NUMBER:

1-800-535-5053 (INFOTRAC)

TELEPHONE NUMBER FOR INFORMATION: (708) 496-8025

SECTION II - Hazardous Ingredients / Identity Information

Hazardous Components (chemical identity) OSHA PEL ACGIH TLV %w/w

None

Contain a proprietary mixture of non-hazardous ingredients in an aqueous base. This product does not contain any material listed under OSHA or EPA (CERCLA) statutes as having control limit values

SECTION III - Physical / Chemical Characteristics

Boiling Point: N/A

Specific Gravity: 0.99

Melting Point: N/A

Vapor Pressure (mm Hg): N/A

Vapor Density (air = 1): N/A

Evaporation Rate (Butyl Acetate = 1): N/A Solubility in Water: Completely disperses

Appearance and Odor: White opaque with fragrance

%Non-volatiles: 60%

SECTION IV - Fire & Explosion Hazard Data

Flash Point (Closed cup): N/A

Flammable Limits - UEL: N/A

LEL: N/A

Extinguishing Media: Foam, water or CO2 where applicable

Special Fire Fighting Procedures: None

SECTION V - Reactivity Data

STABILITY

Stable [X]

Unstable []

Incompatibility (Materials to Avoid): None known

Hazardous Decomposition or Byproducts: None known Hazardous Polymerization:

May Occur [] Will not Occur [X]

Chemicals or Conditions to Avoid: None known

Fiberguard Preservo Strengthening Serum (page#2) SECTION VI - Health Hazard Data Routes of Entry: Skin? [] Eyes? [] Inhalation? [] Ingestion? [X] Health Hazards: Acute [X] Chronic [] Carcinogenicity: NTP? Not listed IARC? Not listed OSHA Regulated? Not listed Signs & Symptoms of Exposure: None Known Medical Conditions Aggravated by Exposure: None known Emergency & First Aid Procedures: For eye contact, irrigate eye with warm water for ten minutes minimum. SECTION VII - Precautions For Safe Handling and Use If Material is Released or Spilled: Sweep or shovel spillage into appropriate waste receptacle. Wash down residue with water and/or detergent. General refuse disposal is adequate; should be acceptable to local, Waste Disposal Method: state and federal requirements. Precautions to be taken in Handling & Storage: Floors may become slippery if spilled. SECTION VIII - Control Measures

Respiratory Protection: Needed [] Not Needed [X] Ventilation: Local Needed [] Not Needed [X] Eye Protection: Needed [] Not Needed [X] Protective Gloves: Needed [] Not Needed [X] Protective Clothing: Needed [] Not Needed [X]

To the best of Raani's knowledge, this product is not regulated by CERCLA/RCRA as a However, this product has not been tested for toxicity hazardous waste or material. characteristics. DOT classification: Toiletries.

The information presented herein is believed to be factual as it has been derived from the works and opinions of persons deemed to be qualified. However, nothing contained in this document is to be taken as a warranty or representation for which Raani Corporation bears responsibility.