



# SAFETY DATA SHEET

Issue Date 15-Jun-2013

Revision Date 18-Feb-2014

Version 1

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product identifier**

**Product Name** Chi 44 Iron Guard Style & Stay Firm Hold Protecting Spray

**Other means of identification**

**Synonyms** Hair Spray

**Recommended use of the chemical and restrictions on use**

**Recommended Use** Consumer use.

**Uses advised against** All other uses

**Details of the supplier of the safety data sheet**

<b>Manufacturer Address</b>	<b>E-mail address</b>	regulatory@farouk.com
Farouk Systems Inc. 250 Pennbright Drive Houston, Texas 77090 Company Phone Number 1-800-237-9175		

**Emergency telephone number**

**Company Phone Number** 1-800-237-9175

**Emergency Telephone** Chemtrec 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

**Classification**

**OSHA Regulatory Status**

This product is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

**Label elements**

**Emergency Overview**

<b>Appearance</b> aqueous solution	<b>Physical state</b> Aerosol	<b>Odor</b> Pleasant
------------------------------------	-------------------------------	----------------------

**Hazards not otherwise classified (HNOC)**

**Other Information**

No information available

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Composition:

The Complete ingredient list for the finished product(s) is as follows:  
Alcohol Denat., Hydrofluorocarbon 152A, Octylacrylamide/Acrylates/Butylaminoethyl Methacrylate Copolymer, Aminomethyl Propanol, Simmondsia Chinensis (Jojoba) Seed Oil, Argania Spinosa (Argan) Kernel Oil, Hydrolyzed Silk, Tocopheryl (Vitamin E) Acetate, Retinyl ( Vitamin A) Palmitate, PEG-12 Dimethicone, Phenyl Trimethicone, Panthenol, Alumina, Titanium Dioxide, Fragrance (Parfum), Benzyl Benzoate, Benzyl Salicylate, Citronellol, Coumarin, Hexyl Cinnamal, Limonene, Linalool

Chemical Name	CAS No.	Weight-%
Ethanol	64-17-5	50% - 60 %
1,1-Difluoroethane (Hydrofluorocarbon 152A)	75-37-6	40% - 50%

#### 4. FIRST AID MEASURES

##### First aid measures

- General advice** When symptoms persist or in all cases of doubt seek medical advice.
- Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. If discomfort or irritation persists, seek medical attention.
- Skin Contact** If skin problems occur, discontinue use. If symptoms persist, seek medical attention.
- Inhalation** Should overexposure occur or victim show signs of immediate distress, remove victim to fresh air.
- Ingestion** Clean mouth with water and drink afterwards plenty of water.

##### Most important symptoms and effects, both acute and delayed

**Symptoms** None known.

##### Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

##### Suitable extinguishing media

CO2, dry chemical, dry sand, alcohol-resistant foam.

**Unsuitable extinguishing media** Caution: Use of water spray when fighting fire may be inefficient.

##### Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition.

##### Explosion data

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** May be ignited by heat, sparks or flames.

##### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**Flash point** No information available

#### 6. ACCIDENTAL RELEASE MEASURES

##### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Ensure adequate ventilation, especially in confined areas.

**Environmental precautions**

**Environmental precautions** Do not flush into surface water or sanitary sewer system.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). After cleaning, flush away traces with water.

**7. HANDLING AND STORAGE**

**Precautions for safe handling**

**Advice on safe handling** Keep out of Reach of Children. Avoid fire, flame or smoking during use. Do not crush, puncture or incinerate. Avoid breathing vapors or mists.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Protect from sunlight.

**Incompatible materials** Strong oxidizing agents.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters**

**Exposure Guidelines** This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethanol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>

**Appropriate engineering controls**

**Engineering Controls** None under normal use conditions.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** No special technical protective measures are necessary.

**Skin and body protection** No special technical protective measures are necessary.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on basic physical and chemical properties**

<b>Physical state</b>	Aerosol	<b>Odor</b>	Pleasant
<b>Appearance</b>	aqueous solution	<b>Odor threshold</b>	No information available
<b>Color</b>	colorless		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>pH</b>	8.6 - 9.2	
<b>Melting point/freezing point</b>	No information available	
<b>Boiling point / boiling range</b>	No information available	
<b>Flash point</b>	No information available	
<b>Evaporation rate</b>	No information available	
<b>Flammability (solid, gas)</b>	No information available	
<b>Flammability Limit in Air</b>		
<b>Upper flammability limit</b>	No information available	
<b>Lower flammability limit</b>	No information available	
<b>Vapor pressure</b>	No information available	
<b>Vapor density</b>	No information available	
<b>Specific Gravity</b>	0.83 - 0.85	
<b>Water solubility</b>	Miscible in water	
<b>Viscosity</b>	No information available	

**Other Information**

<b>Molecular weight</b>	No information available
<b>VOC Content (%)</b>	< 55
<b>Density</b>	No information available

**10. STABILITY AND REACTIVITY**

**Reactivity**

No data available

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Hazardous polymerization**      Hazardous polymerization does not occur.

**Conditions to avoid**

To avoid thermal decomposition, do not overheat. Heat, flames and sparks. Extremes of temperature and direct sunlight.

**Incompatible materials**

Strong oxidizing agents.

**Hazardous Decomposition Products**

Carbon monoxide. None known based on information supplied.

**11. TOXICOLOGICAL INFORMATION**

**Information on likely routes of exposure**

<b>Product Information</b>	Harmful by inhalation
<b>Inhalation</b>	Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal.
<b>Eye contact</b>	No data available.
<b>Skin Contact</b>	No data available.

**Ingestion** No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethanol 64-17-5	= 7060 mg/kg ( Rat )	-	= 124.7 mg/L ( Rat ) 4 h

**Information on toxicological effects**

**Symptoms** No information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** No information available.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethanol 64-17-5	A3	Group 1	Known	X

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

**Numerical measures of toxicity - Product Information**

The following values are calculated based on chapter 3.1 of the GHS document .

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethanol 64-17-5		100: 96 h Pimephales promelas mg/L LC50 static 12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min	9268 - 14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static 10800: 24 h Daphnia magna mg/L EC50

**Persistence and degradability**

No information available.

**Bioaccumulation**

No information available.

Chemical Name	Partition coefficient
Ethanol 64-17-5	-0.32

**Other adverse effects** No information available

**13. DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

**Disposal of wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging** Do not reuse container.

Chemical Name	California Hazardous Waste Status
Ethanol 64-17-5	Toxic Ignitable

### 14. TRANSPORT INFORMATION

**DOT**

Proper shipping name      Oxidizing solid, n.o.s  
Hazard Class                ORM-D  
Emergency Response Guide  
Number                        171

Proper shipping name      Aerosols,Flammable

**ICAO (air)**

UN/ID No.                    1950  
Proper shipping name      AEROSOLS  
Hazard Class                2.1  
Packing Group              Ltd. Qty.

**IATA**

UN/ID No.                    1950  
Proper shipping name      AEROSOLS, FLAMMABLE  
Hazard Class                2.1  
Packing Group              Ltd. Qty.  
ERG Code                    126

**IMDG**

UN/ID No.                    UN1950  
Proper shipping name      UN1987, Alcohols, n.o.s. Class 3, PGII  
Hazard Class                2  
Packing Group              Ltd. Qty.  
EmS-No                      F-D, S-U  
Marine pollutant          No information available  
Description                 UN1950, Aerosols, 2.1, Ltd. Qty.

**RID**

UN/ID No.                    1950  
Proper shipping name      UN1987, Alcohols, n.o.s. Class 3, PGII  
Hazard Class                2  
Packing Group              Ltd. Qty,  
Classification code        5

**ADR**

UN/ID No.                    1950  
Proper shipping name      UN1987, Alcohols, n.o.s. Class 3, PGII  
Hazard Class                2  
Packing Group              Ltd. Qty.  
Classification code        5

### 15. REGULATORY INFORMATION

**International Inventories**

**Legend:**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

**US Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

**SARA 311/312 Hazard Categories**

<b>Acute health hazard</b>	No
<b>Chronic Health Hazard</b>	No
<b>Fire hazard</b>	No
<b>Sudden release of pressure hazard</b>	No
<b>Reactive Hazard</b>	No

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

**US State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals

<b>Chemical Name</b>	<b>California Proposition 65</b>
Ethanol - 64-17-5	Carcinogen Developmental

**U.S. State Right-to-Know Regulations**

<b>Chemical Name</b>	<b>New Jersey</b>	<b>Massachusetts</b>	<b>Pennsylvania</b>
Ethanol 64-17-5	X	X	X
1,1-Difluoroethane (Hydrofluorocarbon 152A) 75-37-6	X	X	

**U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not Applicable

**16. OTHER INFORMATION**

<b><u>NFPA</u></b>	<b>Health hazards</b> 1	<b>Flammability</b> 4	<b>Instability</b> 0	<b>Physical and Chemical Properties - Personal protection</b> X
<b><u>HMIS</u></b>	<b>Health hazards</b> 0	<b>Flammability</b> 0	<b>Physical hazards</b> 0	

**Issue Date** 15-Jun-2013  
**Revision Date** 18-Feb-2014  
**Revision Note**  
 No information available

**Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**