



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 20, 2018 Revision: March 20, 2018

#### 1 Identification

· Product identifier

· Trade name: CHI Chromashine - Onyx Black

Product code: 80-5394

· Recommended use and restriction on use

· Recommended use: Hair care product

· Restrictions on use: No relevant information available.

· Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

Farouk Systems, Inc. 250 Pennbright Drive Houston, TX 77090 (281) 876-2000

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)

### 2 Hazard(s) identification

· Classification of the substance or mixture

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



GHS07

· Signal word: Warning

· Hazard statements:

H317 May cause an allergic skin reaction.

· Precautionary statements:

P261 Avoid breathing mist/vapors/spray.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves.

P302+P352 If on skin: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Other hazards There are no other hazards not otherwise classified that have been identified.

### 3 Composition/information on ingredients

(Cont'd. on page 2)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 20, 2018 Revision: March 20, 2018

Trade name: CHI Chromashine - Onyx Black

(Cont'd. of page 1)

Page: 2/9

· Chemical characterization: Mixtures

· Components:			
68439-49-6	Polyethylene glycol 1100 mono(C16-C18) ethers  Eve Dam. 1, H318	<5%	
	Eye Dam. 1, H318 Acute Tox. 4, H302		
56-81-5	glycerol	<5%	
122-99-6	2-phenoxyethanol Acute Tox. 4, H302; Eye Irrit. 2A, H319	<1%	
67-63-0	propan-2-ol      Flam. Liq. 2, H225     Eye Irrit. 2A, H319; STOT SE 3, H336	<1%	
138-86-3	limonene Flam. Liq. 3, H226 Skin Irrit. 2, H315; Skin Sens. 1, H317	<0.25%	

· Additional information: For the wording of the listed Hazard Statements, refer to section 16.

#### 4 First-aid measures

- Description of first aid measures
- After inhalation:

Unlikely route of exposure.

Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Product is manufactured for topical use. If irritation occurs, discontinue use and wash affected area with soap and water.

Seek medical treatment in case of complaints.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

May cause gastro-intestinal irritation if ingested.

Allergic reactions

· Indication of any immediate medical attention and special treatment needed:

If medical advice is needed, have product container or label at hand.

Contains limonene. May produce an allergic reaction.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

The product is not flammable.

Use fire fighting measures that suit the environment.

· For safety reasons unsuitable extinguishing agents: None.

(Cont'd. on page 3)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 20, 2018 Revision: March 20, 2018

Trade name: CHI Chromashine - Onyx Black

(Cont'd. of page 2)

Page: 3/9

· Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required.

Ensure adequate ventilation.

- · Environmental precautions No special measures required.
- · Methods and material for containment and cleaning up

Towel or mop up material and collect in a suitable container.

For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard.

Dispose of the collected material according to regulations.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- Handling
- · Precautions for safe handling: Keep out of reach of children.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

- · Information about storage in one common storage facility: No special requirements.
- · Specific end use(s) No relevant information available.

#### 8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:

56-81-5 glycerol

PEL (USA) Long-term value: 15\* 5\*\* mg/m<sup>3</sup>

mist; \*total dust \*\*respirable fraction

TLV (USA) TLV withdrawn-insufficient data human occup. exp.

EL (Canada) Long-term value: 10\* 3\*\* mg/m³

\*mist; \*\*mist, respirable

EV (Canada) Long-term value: 10 mg/m<sup>3</sup>

(Cont'd. on page 4)





### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 20, 2018 Revision: March 20, 2018

Trade name: CHI Chromashine - Onyx Black

LMDE (Mayica)	(Cont'd. of page 3				
` ,	Long-term value: 10 mg/m³				
	122-99-6 2-phenoxyethanol				
EV (Canada)	Long-term value: 141 mg/m³, 25 ppm Skin				
67-63-0 propan	67-63-0 propan-2-ol				
PEL (USA)	Long-term value: 980 mg/m³, 400 ppm				
REL (USA)	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm				
TLV (USA)	Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI				
EL (Canada)	Short-term value: 400 ppm Long-term value: 200 ppm				
EV (Canada)	Short-term value: 400 ppm Long-term value: 200 ppm				
LMPE (Mexico)	Short-term value: 400 ppm Long-term value: 200 ppm A4, IBE				
138-86-3 limone	ene				
WEEL (USA)	Long-term value: 30 ppm				
Ingredients with biological limit values:					
67-63-0 propan	67-63-0 propan-2-ol				
` '	BEI (USA) 40 mg/L				
Medium: urine					
Time: end of shift at end of workweek					
Parameter: Acetone (background, nonspecific)					

### · Exposure controls

· General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

- Wash hands before breaks and at the end of work.

   Engineering controls: No relevant information available.
- · Breathing equipment: Not required under normal conditions of use.
- · Protection of hands:

Not required under normal conditions of use.

Wear protective gloves to handle contents of damaged or leaking units.

Gloves are advised for repeated or prolonged contact.

- · Eye protection: Follow relevant national guidelines concerning the use of protective eyewear.
- · Body protection: Not required under normal conditions of use.
- · Limitation and supervision of exposure into the environment No special requirements.
- · Risk management measures No special requirements.

### 9 Physical and chemical properties

(Cont'd. on page 5)





acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 20, 2018 Revision: March 20, 2018

Trade name: CHI Chromashine - Onyx Black

		(Cont'd. of page 4		
· Information on basic physical and chemical properties				
· Appearance:				
Form:	Cream.			
Color:	Black			
· Odor:	Pleasant			
· Odor threshold:	Not determined.			
· pH-value at 25 °C (77 °F):	4.0-5.0			
<ul> <li>Melting point/Melting range:</li> </ul>	Not determined.			
<ul> <li>Boiling point/Boiling range:</li> </ul>	Not determined.			
· Flash point:	Not applicable.			
· Flammability (solid, gaseous):	Not applicable.			
· Auto-ignition temperature:	Not determined.			
· Decomposition temperature:	Not determined.			
· Danger of explosion:	Product does not present an explosion hazard.			
· Explosion limits				
Lower:	Not determined.			
Upper:	Not determined.			
· Oxidizing properties:	Non-oxidizing.			
· Vapor pressure:	Not determined.			
· Density:				
Relative density:	0.99-1.01			
Vapor density:	Not determined.			
Evaporation rate:	Not determined.			
· Solubility in / Miscibility with				
Water:	Fully miscible.			
· Partition coefficient (n-octanol/water): Not determined.				
· Viscosity				
Dynamic at 25 °C (77 °F):	4000-6000 cps (DV-I, Sp#6, 100RPM, 30sec)			
Kinematic:	Not determined.			
· Other information	No relevant information available.			

### 10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Reacts with strong oxidizing agents.

Reacts with strong alkali.

Toxic fumes may be released if heated above the decomposition point.

(Cont'd. on page 6)





acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 20, 2018 Revision: March 20, 2018

Trade name: CHI Chromashine - Onyx Black

(Cont'd. of page 5)

- · Conditions to avoid Excessive heat.
- · Incompatible materials No relevant information available.
- · Hazardous decomposition products

Under fire conditions only: Carbon monoxide and carbon dioxide Nitrogen oxides (NOx)

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification:

#### 68439-49-6 Polyethylene glycol 1100 mono(C16-C18) ethers

Oral LD50 1,260 mg/kg (rat)

- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- · On the eye: Based on available data, the classification criteria are not met.
- · Sensitization:

Sensitizing effect by skin contact is possible with prolonged exposure.

Contains limonene. May produce an allergic reaction.

· IARC (International Agency for Research on Cancer):

Present in trace quantities.

13463-67-7 titanium dioxide

2B

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Eye contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity

68439-49-6 Polyethylene glycol 1100 mono(C16-C18) ethers

LC50 0.5 mg/l (zebra fish)

(Cont'd. on page 7)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 20, 2018 Revision: March 20, 2018

Trade name: CHI Chromashine - Onyx Black

(Cont'd. of page 6)

Page: 7/9

- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes:

Negative ecological effects are, according to the current state of knowledge, not expected.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Smaller quantities can be disposed of with household waste.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information			
· UN-Number · DOT, ADR, IMDG, IATA	Not regulated.		
<ul> <li>UN proper shipping name</li> <li>DOT, ADR, IMDG, IATA</li> </ul>	Not regulated.		
· Transport hazard class(es)			
· DOT, ADR, IMDG, IATA · Class	Not regulated.		
· Packing group · DOT, ADR, IMDG, IATA	Not regulated.		
<ul> <li>Environmental hazards</li> <li>Marine pollutant:</li> </ul>	No		
· Special precautions for user	Not applicable.		
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.			



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 20, 2018 Revision: March 20, 2018

Trade name: CHI Chromashine - Onyx Black

(Cont'd. of page 7)

Page: 8/9

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

Reference to titanium dioxide is based on unbound respirable particles and is not generally applicable to product as supplied.

13463-67-7 titanium dioxide

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

Present in trace quantities.

13463-67-7 titanium dioxide

2B

NIOSH-Ca (National Institute for Occupational Safety and Health):

Present in trace quantities.

13463-67-7 titanium dioxide

60676-86-0 Silica, fused

· Canadian Domestic Substances List (DSL):

All ingredients are listed.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision March 20, 2018 / -

(Cont'd. on page 9)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 20, 2018 Revision: March 20, 2018

Trade name: CHI Chromashine - Onyx Black

(Cont'd. of page 8)

Page: 9/9

#### Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

#### Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com