CHI ENVIRO Stay Smooth Blow Out Spray

MSDS Number: 0819

Revision Date: 09/12/2012

Page 1 of 6

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group 250 Pennbright Drive Houston, Texas 77090

Contact: Regulatory Compliance Department Telephone Number: 1-800-237-9175 FAX Number: 281-885-5512 E-Mail: regulatory@farouk.com Web www.farouk.com

Product Name:	CHI ENVIRO Stay Smooth Blow Out Spray
Revision Date:	09/12/2012
MSDS Number:	0819
Synonyms:	CHI ENVIRO Stay Smooth Blow Out Spray
Product Use:	Toiletry, Cosmetic Applications

2	HAZARDS IDENTIFICATION
Route of Entry:	Inhalation Skin Eyes Ingestion
Target Organs:	None.
Inhalation:	May cause irritation in the mucous membrane.
Skin Contact:	May cause irritation to the skin.
Eye Contact:	May cause redness, itching, irritation, and slight discomfort.
Ingestion:	If swallowed, may cause irration in the mucous membrane.

3	COMPOSITION/INFORMATION ON INGREDIENTS			
Hazardous Compor	ients	CAS #	Percent	
Glyoxyloyl Carbo Glyoxyloyl Kerat	ocysteine cin Amino Acids	1268868-51-4 1269630-89-8	1 - 5 1 - 5	
Non Hazardous Co	omponents		> 95	
4 FIRST AID MEASURES				

-	TIKOT AD MERCONED
Inhalation:	Remove patient to well ventilated area. If breathing difficulties occur, seek medical attention.
Skin Contact:	Wash with soap and plenty of water. If irritation occurs, seek medical attention.
Eye Contact:	Remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. Seek medical attention if necessary.
Ingestion:	If accidently ingested, DO NOT INDUCE VOMIT. Seek medical attention.

CHI ENVIRO Stay Smooth Blow Out Spray

MSDS Number: 0819

Revision Date: 09/12/2012

Page 2 of 6

FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD: Not applicable

FLAMMABLE LIQUIDS: None.

AUTO IGNITION TEMP:

None FLAMMABLE CLASS:

None.

5

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, CO2(Carbon Dioxide), Dry Chemical, Water Fog

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7 HANDLING AND STORAGE Handling Precautions: Use appropriate personal protective equipment as specified in Section 8. Handle in a manner consistent with good household/personal techniques and practices.

Storage Requirements:

manner consistent with good household/personal techniques and practices. Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F.

8 EXPOSU	EXPOSURE CONTROLS/PERSONAL PROTECTION	
Engineering Controls:	These recommendations provide general guideance for handling this product safely. Because specific use conditions may vary, safety procedures should be developed for each specific application of this product. When developing procedures, always consider potential waste, disposal and personal safety issues.	
Protective Equipment:	EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required. SKIN: Use Rubber Gloves.	
Exposure Guidelines/Other:	RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required. EXPOSURE GUIDELINES: Overexposure is unlikely. Since all parameters cannot be foreseen, the use of engineering controls to reduce exposure may be necessary.	

CHI ENVIRO Stay Smooth Blow Out Spray

MSDS Number: 0819

Revision Date: 09/12/2012

Page 3 of 6

PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Physical State: Odor: pH: Vapor Pressure: Vapor Density: Off White Cream Cream Pleasant fragrance 1.5 - 2.0 N/A N/A

Boiling Point: Freezing/Melting Pt.: Solubility: Spec Grav./Density: Not determinated N/A Dispersible in water. 0.96 - 1.02

10

9

STABILITY AND REACTIVITY

Stability: Conditions to avoid: Materials to avoid (incompatability): Hazardous Decomposition products: Hazardous Polymerization: YES Extreme temperatures. Keep away from strong oxidizing material. None known. Will Not Occur.

11

12

TOXICOLOGICAL INFORMATION

ACUTE: DERMAL LD50: Not available. ORAL LD50: Not available. INHALATION LC50: Not available. EYE EFFECTS: This product may cause irritation to eyes if not used under normal conditions. TARGET ORGANS: NONE. SENSITIZATIONS: Not available. CARCINOGENICITY: IARC: Listed by IARC - No. NTP: Listed by NTP - No. OSHA: Listed by OSHA - No.

MUTAGENICITY: Not available. REPRODUCTIVE EFFECTS: None. TERATOGENIC EFFECTS: Not available.

ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not available. ECOTOXICOLOGICAL INFO: Not available. DISTRIBUTION: Not available. CHEMICAL FATE INFO: Not available.

CHI ENVIRO Stay Smooth Blow Out Spray

MSDS Number: 0819

Revision Date: 09/12/2012

Page 4 of 6

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:

DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant. COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components. DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14	TRANSPORT INFORMATION

DOT CLASSIFICATION: Shipping Name: Consumer Commodity Class: ORM-D

IMDG CLASSIFICATION: Shipping Name: UN3265, Corrosive Liquid, Acidic, Organic, N.O.S (Gloxyloyl Carbocysteine, Gloxyloyl Keratin Amino Acids) Class: 8 Packaging Group III, Limited Quantity

IATA CLASSIFICATION: Shipping Name: Consumer Commodity, ID 8000, Class: 9 Packaging Instruction: Y963

1-800-424-9300 Inside the United States CHEMTREC 1-703-527-3887 Outside the United States

CHI ENVIRO Stay Smooth Blow Out Spray

MSDS Number: 0819

15

Revision Date: 09/12/2012

Page 5 of 6

REGULATORY INFORMATION

UNITED STATES: SARA TITLE III (Superfund Amendments and Reauthorization Act) 311/312 HAZARD CATEGORIES

Fire: No. Pressure Generating: No. Reactivity: No. Acute: No. 313 REPORTABLE INGREDIENTS: Not applicable. TITLE III NOTES: None. CERCLA(Comprehensive Response, Compensation, and Liability Act) CERCLA RQ: None. TSCA(Toxic Substance Release Act) TSCA REGULATORY: All ingredients are not listed in the TSCA Inventory. CANADA: WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM) This product is WHMIS controlled. CANADIAN INGREDIENT DISCLOSURE LIST: None CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are not listed on the

DSL(Domestic Substance List). EUROPEAN COMMUNITY: EU REGULATORY: All intentional ingredients are not listed on the European's EINECS Inventory. STATE REGULATIONS: Not available. LOCAL REGULATIONS: Not available.

OTHER INFORMATION

Hazard Scale: 0 = Normal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe NFPA RATING:

NFPA CODES:

16

FLAMMABILITY: 0 HEALTH: 1 REACTIVITY: 0 SPECIAL: None

HMIS RATING: FLAMMABILITY: 0 HEALTH: 1 PHYSICAL HAZARD: 1 PERSONAL PROTECTION: Rubber Gloves

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

MSDS Number: 0819

CHI ENVIRO Stay Smooth Blow Out Spray

Revision Date: 09/12/2012

Page 6 of 6

END OF MSDS DOCUMENT