CHI Helmet Head Spritz

Page 1 of 5

MSDS Number: 0562 Revision Date: 03/10/2006

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems, Inc 250 Pennbright Houston, Texas 77090

Contact: EHS Department

Telephone Number: 281.876.2000 FAX Number: 281.885.5512 E-Mail: ehsdept@farouk.com Web www.farouk.com

Product Name: CHI Helmet Head Spritz

Revision Date: 03/10/2006

MSDS Number: 0562

Synonyms: Helmet Head Extra Firm Spritz
Product Use: Toiletry, Cosmetic Applications

2

COMPOSITION/INFORMATION ON INGREDIENTS

Deionized Water ≥47.7% SD Alcohol 40B ≥35.86%

3 HAZARDS IDENTIFICATION

Route of Entry: Eyes

Skin Ingestion Inhalation

Target Organs: None.

Inhalation: Misuse of this product by intentional concentration and inhalation may cause dizziness.

Skin Contact: May cause irritation or redness to the skin if not used accordingly. **Eye Contact:** May cause irritation or redness to the eyes if not used accordingly.

Ingestion: May cause irritation to the digestive tract.

4 FIRST AID MEASURES

Inhalation: Remove person from further exposure to product. Seek medical attention if necessary.

Skin Contact: Wash off with warm water and soap.

Eye Contact: Remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes.

Seek medical attention if necessary.

Ingestion: Wash mouth out and drink plenty of water. Seek medical attention if necessary.

CHI Helmet Head Spritz

Page 2 of 5

MSDS Number: 0562 Revision Date: 03/10/2006

5

FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:
121° F Closed Cup Method
FLAMMABLE LIQUIDS:
Not available.
AUTO IGNITION TEMP:
Not available
FLAMMABLE CLASS:
NFPA rating of 2.
BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke. EXTINGUISHING METHODS: Chemical type foam, CO2(Carbon Dioxide), Dry Chemical, Water Fog

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is a flammable substance. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6

ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from oxidizing materials.

7

HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8. Handle in a manner

consistent with good household/personal techniques and practices.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do

not exceed room temperature.

8

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: These recommendations provide general guideance for handling this product safely. Because

specific use conditions may vary, safety procedures should be developed for each specific application of this product. When developing procedures, always consider potential waste,

disposal and personal safety issues.

Protective Equipment: EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not

required.

SKIN: For reasonable foreseeable uses of this product, skin protection is not required.

RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not

required.

EXPOSURE GUIDELINES: Overexposure is unlikely. Since all parameters cannot be foreseen, the use of engineering controls to reduce exposure may be necessary.

CHI Helmet Head Spritz

Page 3 of 5 Revision Date: 03/10/2006

PHYSICAL AND CHEMICAL PROPERTIES

Clear to light amber colored liquid Appearance:

Physical State: Liquid **Boiling Point:** N/A Odor: Freezing/Melting Pt.: N/A Pleasant fragrance

7.5 - 8.5Solubility: pH: Soluble in water. **Vapor Pressure:** Spec Grav./Density: 0.89 - 0.93

Vapor Density:

MSDS Number: 0562

10 STABILITY AND REACTIVITY

Stability: YES

Conditions to avoid: Extreme temperatures. This product is an aerosol and should not be incinerated.

Open flame.

Materials to avoid (incompatability): Keep away from oxidizing materials and flame.

Hazardous Decomposition products: None known. **Hazardous Polymerization:** Will Not Occur.

11 **TOXICOLOGICAL INFORMATION**

ACUTE:

DERMAL LD50: Mild-moderate irritant.

ORAL LD50: >5 g/kg_oral_rat (non-toxic) Not tested on animals. INHALATION LC50: Could be harmful or fatal if misused improperly.

EYE EFFECTS: This product may cause irritation to eyes if not used under normal conditions.

Mild irritant.

TARGET ORGANS: NONE.

SENSITIZATIONS: Not available.

CARCINOGENICITY:

IARC: Listed by IARC - No. NTP: Listed by NTP - No. OSHA: Listed by OSHA - No.

MUTAGENICITY: Not available. REPRODUCTIVE EFFECTS: None.

TERATOGENIC EFFECTS: Not available.

12 **ECOLOGICAL INFORMATION**

ENVIRONMENTAL DATA: Not available. ECOTOXICOLOGICAL INFO: Not available. DISTRIBUTION: Not available. CHEMICAL FATE INFO: Not available.

CHI Helmet Head Spritz

Page 4 of 5

MSDS Number: 0562 Revision Date: 03/10/2006

13

DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:

DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant. COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.

COMPONENT WAS TE NOMBER. NO EPA Waste Numbers are applicable for this products components.

DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14

TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: Comsumer Commodity

class: ORM-D

Conforms to 173.150 (c)

IMDG CLASSIFICATION: Shipping Name: ALCOHOLS, N.O.S (ethanol) - UN1987, PG III, LIMITED

QUANTITIES

class: 3, FLAMMABLE

IATA CLASSIFICATION: Shipping Name: Consumer Commodity, ID 8000

Class: 9, Miscellaneous

Pkg Inst - 910

1-800-424-9300 1-703-527-3887

Inside the United States Outside the United States

CHEMTREC

15

REGULATORY INFORMATION

UNITED STATES:

SARA TITLE III (Superfund Amendments and Reauthorization Act) 311/312 HAZARD CATEGORIES

Fire: No.

Pressure Generating: No.

Reactivity: No.

Acute: No.

313 REPORTABLE INGREDIENTS: Not applicable.

TITLE III NOTES: None.

CERCLA(Comprehensive Response, Compensation, and Liability Act)

CERCLA RQ: None.

TSCA(Toxic Substance Release Act)

TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:

WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)

This product is WHMIS controlled.

CANADIAN INGREDIENT DISCLOSURE LIST: This product contains Ethanol, which is listed on the "Ingredient Disclosure List".

CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:

EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.

STATE REGULATIONS: Not available. LOCAL REGULATIONS: Not available.

CHI Helmet Head Spritz

Page 5 of 5

MSDS Number: 0562 Revision Date: 03/10/2006

16

OTHER INFORMATION

NFPA CODES: Hazard Scale: 0 = Normal 1 = Slight

2 = Moderate 3 = Serious

4 = Severe

NFPA RATING: FLAMMABILITY: 2 HEALTH: 1 REACTIVITY: 0 SPECIAL: None

HMIS RATING: FLAMMABILITY: 2 HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT