CHI Twisted Fabric - Satin

MSDS Number: 0081

1

Page 1 of 5 Revision Date: 02/07/2007

PRODUCT AND COMPANY IDENTIFICATION

CHI Twisted Fabric - Satin
02/07/2007
0081
CHI Twisted Fabric - Satin
Toiletry, Cosmetic Applications

2	COMPOSITION/INFORMATION ON INGREDIENTS		
SD Alcohol 40-B		9.0% - 11.0%	
Tridecyl Stearat Tridecyl Trimell Dipentaerythrity	e, iate, /l Hexacaprylate/Hexacaprate	9.06% - 11.07%	
Bis-Diglyceryl F	Polyacyladipate-2	7.53% - 9.6%	

HAZARDS IDENTIFICATION
Eyes Skin Ingestion Inhalation
None.
Misuse of this product by intentional concentration and inhalation may cause dizziness.
None.
May cause irritation or redness to the eyes if not used accordingly.
May cause irritation to the digestive tract.

4	FIRST AID MEASURES				
Inhalation:	Remove person from further exposure to product. Seek medical attention if necessary.				
Skin Contact:	None.				
Eye Contact:	Remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. Seek medical attention if necessary.				
Ingestion:	Was	h mouth out and drink plenty of water. Seek medical attention if necessary.			

CHI Twisted Fabric - Satin

MSDS Number: 0081

5

Page 2 of 5 Revision Date: 02/07/2007

FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD: >97° F FLAMMABLE LIQUIDS: Not available. AUTO IGNITION TEMP: >200° C (393°F) FLAMMABLE CLASS: NFPA rating of 3. BURNING RATE OF SOLID: Not available GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke. EXTINGUISHING METHODS: Chemical type foam, CO2(Carbon Dioxide), Dry Chemical, Water Fog HAZARDOUS COMBUSTION PRODUCTS: Fumes from flame might contain benzene and formaldehyde. FIRE FIGHTING PROCEDURES: This product is a flammable substance. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating. FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from oxidizing materials.

7 HANDLING AND STORAGE

Handling Precautions:Use appropriate personal protective equipment as specified in Section 8. Handle in a manner
consistent with good household/personal techniques and practices.Storage Requirements:Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do
not exceed room temperature.

8

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls:	These recommendations provide general guideance for handling this product safely. Because specific use conditions may vary, safety procedures should be developed for each specific application of this product. When developing procedures, always consider potential waste, disposal and personal safety issues.
Protective Equipment:	EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required. SKIN: For reasonable foreseeable uses of this product, skin protection is not required. RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.
Exposure Guidelines/Other:	EXPOSURE GUIDELINES: Overexposure is unlikely. Since all parameters cannot be foreseen, the use of engineering controls to reduce exposure may be necessary.

CHI Twisted Fabric - Satin

Page 3 of 5 Revision Date: 02/07/2007

MSDS Number: 0081

9

11

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:Opaque, tan emulsionPhysical State:PasteOdor:Pleasant floral fragrancepH:6.0-6.6Vapor Pressure:N/AVapor Density:N/A

Boiling Point:N/AFreezing/Melting Pt.:N/ASolubility:Soluble in water.

Spec Grav./Density: 0.944-0.984

10	STABILITY AND REACTIVITY	
Stability:		YES
Conditions to avoid:		Extreme temperatures, freezing and open flame.
Materials to avoid (in	compatability):	Keep away from strong acids, bases, oxidizing agents and reducing agents.
Hazardous Decompo	sition products:	Oxides of carbon, sulfur, nitrogen and phosphorus.
Hazardous Polymeriz	ation:	Will Not Occur.

TOXICOLOGICAL INFORMATION

ACUTE: DERMAL LD50: Not available. ORAL LD50: >5 g/kg oral rat (non-toxic) INHALATION LC50: Not available. EYE EFFECTS: This product may cause irritation to eyes if not used under normal conditions. TARGET ORGANS: NONE. SENSITIZATIONS: Not available. CARCINOGENICITY: IARC: Listed by IARC - No. NTP: Listed by NTP - No. OSHA: Listed by OSHA - No.

MUTAGENICITY: Not available. REPRODUCTIVE EFFECTS: None. TERATOGENIC EFFECTS: Not available.

12 ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not available. ECOTOXICOLOGICAL INFO: Not available. DISTRIBUTION: Not available. CHEMICAL FATE INFO: Not available.

CHI Twisted Fabric - Satin

Page 4 of 5 Revision Date: 02/07/2007

MSDS Number: 0081

13

DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:

DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant. COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components. DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14 TRANSPORT INFORMATION

This product is regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: Consumer Commodity Class: ORM-D

IMDG CLASSIFICATION: Shipping Name: Perfumery products w/Flammable liquid, UN1266, PG III class: 3

IATA CLASSIFICATION: Shipping Name: Consumer Commodity, ID 8000 Class: 9, Miscellaneous Pkg Inst - 910

1-800-424-9300 Inside the United States CHEMTREC 1-703-527-3887 Outside the United States

15 REGULATORY INFORMATION

US Federal Regulations TSCA (Toxic Substances Control Act) Status TSCA (UNITED STATES) The intentional ingredients of this product are listed. CERCLA RQ - 40 CFR 302.4 (a) None listed SARA 302 Components - 40 CFR 355 Appendix A None Section 311/312 Hazard Class - 40 CFR 370.2 Immediate () Delayed () Fire () Reactive () Sudden Release of Pressure () SARA 313 Components - 40 CFR 372.65 None OSHA Process Safety Management 29 CFR 1910 None listed International Regulations Inventory Status AICS (AUSTRALIA) The intentional ingredients of this product are listed. DSL (CANADA) The intentional ingredients of this product are listed. ECL (SOUTH KOREA) The intentional ingredients of this product are listed. EINECS (EUROPE) The intentional ingredients of this product are listed. ENCS (JAPAN) The intentional ingredients of this product are listed. IECSC (CHINA) The intentional ingredients of this product are listed. PICCS (PHILIPPINESS) The intentional ingredients of this product are listed.

CHI Twisted Fabric - Satin

MSDS Number: 0081

Page 5 of 5 Revision Date: 02/07/2007

State and Local Regulations California Proposition 65 None

CANADA: WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM) This product is WHMIS controlled. CANADIAN INGREDIENT DISCLOSURE LIST: Propylene Glycol. CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY: EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory. STATE REGULATIONS: Not available. LOCAL REGULATIONS: Not available.

16 **OTHER INFORMATION** NFPA CODES: Hazard Scale: 0 = Normal 1 = Slight 2 = Moderate 3 =Serious 4 = Severe NFPA RATING: FLAMMABILITY: 3 HEALTH: 1 **REACTIVITY: 0** SPECIAL: None HMIS RATING: FLAMMABILITY: 3 HEALTH: 1 PHYSICAL HAZARD: 0 PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT