

# SAFETY DATA SHEET (SDS)

**SECTION 1. IDENTIFICATION**

**IDENTITY:** COLORPHLEX COLOR STRENGTHENING ADDITIVE (STEP 1)

**MANUFACTURER'S CODE:** CPA001

**MANUFACTURER'S NAME:**

COLORPHLEX  
21900 Plummer Street  
CHATSWORTH, CA 91311

**EMERGENCY TELEPHONE:**

818-466-5647

**TELEPHONE NUMBER FOR INFORMATION:**

855-745-3948

**FAX NUMBER:**

818-717-9334

**Date Prepared :**

24-Feb-15

**SECTION 2. HAZARDS IDENTIFICATION:**

**I. EMERGENCY OVERVIEW:**

**TYPE OF HAZARD:** Not applicable.

**APPEARANCE:**

**II. POTENTIAL HEALTH EFFECTS:**

**INHALATION:** Not applicable.

**SKIN CONTACT:** May be irritating to extra-sensitive skin.

**EYE CONTACT:** May cause mechanical irritation.

**INGESTION:** Harmful if swallowed. May cause gastrointestinal irritation.

**CHRONIC EFFECTS AND MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE:**

Chronic effects and medical conditions aggravated by overexposure to this product have been not established. Unnecessary exposure to this product or any chemical should be avoided.

**SECTION 3. COMPOSITION/INFORMATION**

The identity of individual components of this mixture is proprietary information and regarded to be a trade secret. The product(s) does not contain ingredients considered hazardous as defined by OSHA, 29CFR 1910.1200 and /or WHMIS under the HPA. However, based on the health hazard determination of contained ingredients present, this mixture presents the following health hazard(s):

HAZARDOUS COMPONENTS	% RANGE	CAS NO.	OSHA PEL	ACGIH TLV
N/A	N/A	N/A		

# SAFETY DATA SHEET (SDS)

<b>MANUFACTURER'S NAME:</b>	COLORPHLEX 21900 Plummer Street CHATSWORTH CA 91311
<b>INFORMATION/EMERGENCY NO.</b>	818-466-5647
<b>NAME OF PRODUCTS:</b>	COLORPHLEX COLOR STRENGTHENING ADDITIVE (STEP 1)

## SECTION 4. FIRST AID MEASURES:

**INHALATION:** Not applicable.

**SKIN:** If irritation is experienced, wash exposed area thoroughly with water. If irritation persists, get medical assistance.

**EYES:** Flush with plenty of water for 15 minutes, if irritation persists, get medical assistance.

**INGESTION:** Do not induce vomiting, drink 3-4 glasses of water. Get prompt medical attention.

## SECTION 5. FIRE FIGHTING MEASURES:

**FLAMMABILITY CLASSIFICATION:** Not flammable **FLASH POINT:** Not applicable

**EXTINGUISHING MEDIA:** Foam, CO<sub>2</sub>, water fog, sand/earth.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Not applicable.

**SPECIAL FIRE FIGHTING PROCEDURES:** Must wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire exposed container with water spray.

## SECTION 6. ACCIDENTAL RELEASE MEASURES:

**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:** Caution! Floor may become slippery. Absorb spilled material with inert material such as sawdust, sand or earth.

**DISPOSAL METHOD:** Sweep up and dispose of in accordance with Federal, State and local regulations.

## SECTION 7. HANDLING AND STORAGE:

**USAGE PRECAUTIONS:** Use as directed.

**STORAGE PRECAUTIONS:** Protect containers against physical damage. Keep closed until used. Store in a dry place at ambient temperatures. Keep out of reach of children.

**OTHER PRECAUTION:** N/A

# SAFETY DATA SHEET (SDS)

**MANUFACTURER'S NAME:** COLORPHLEX 21900 Plummer Street CHATSWORTH CA 91311  
**INFORMATION/EMERGENCY NO.** 818-466-5647  
**NAME OF PRODUCTS:** COLORPHLEX COLOR STRENGTHENING ADDITIVE (STEP 1)

**SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION:**

**ENGINEERING CONTROL:** Not required.  
**RESPIRATION PROTECTION:** Not applicable.  
**PROTECTIVE GLOVES:** Not required.  
**EYE AND FACE PROTECTION:** Not required.  
**HYGIENIC WORK PRACTICES:** No special practices noted. No eating or drinking while working with this material.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES:**

**BOILING RANGE:** Not determined. **VAPOR DENSITY:**  X  HEAVIER \_\_\_\_\_ LIGHTER THAN AIR  
**EVAPORATION RATE:** \_\_\_\_\_ FASTER  X  SLOWER, THAN ETHER  
**APPEARANCE:** WATER-THIN LIQUID  
**ODOR/TASTE:** CHARACTERISTIC  
**SOLUBILITY IN WATER:** SOLUBLE  
**pH (range):** 5.50 - 6.50  
**Specific Gravity:** 1.00 +/- 0.02  
**VISCOSITY (range):** N/A

**SECTION 10. STABILITY AND REACTIVITY:**

**STABILITY:** \_\_\_\_\_ UNSTABLE  X  STABLE  
**INCOMPATIBILITY (MATERIALS TO AVOID):** Strong acids and oxidizing agents.  
**HAZARDOUS DECOMPOSITION PRODUCTS:** None  
**HAZARDOUS POLYMERIZATION:** \_\_\_\_\_ MAY OCCUR  X  WILL NOT OCCUR  
**CONDITIONS TO AVOID:** Extreme temperatures.

# SAFETY DATA SHEET (SDS)

<b>MANUFACTURER'S NAME:</b>	COLORPHLEX 21900 Plummer Street CHATSWORTH CA 91311
<b>INFORMATION/EMERGENCY NO.</b>	818-466-5647
<b>NAME OF PRODUCTS:</b>	COLORPHLEX COLOR STRENGTHENING ADDITIVE (STEP 1)
<b>SECTION 11. TOXICOLOGICAL INFORMATION:</b>	
<b>HEALTH WARNING:</b> Not applicable.	
<b>SECTION 12. ECOLOGICAL INFORMATION:</b>	
Avoid uncontrolled release of this material.	
<b>SECTION 13. DISPOSAL CONSIDERATIONS:</b>	
<b>WASTE DISPOSAL METHOD:</b> Collect and dispose of in accordance with Federal, State and local laws and regulations. This product is not classified as an equitable hazardous waste.	
<b>SECTION 14. TRANSPORT INFORMATION:</b>	
<b>DOT CLASSIFICATION:</b> Not regulated.	
<b>SECTION 15. REGULATORY INFORMATION:</b>	
<b>TSCA:</b> Not applicable.	
<b>SARA, Title III, Section 313 (40CFR 372):</b>	Not applicable.
<b>California Proposition 65:</b>	not applicable
<b>SECTION 16. OTHER INFORMATION:</b>	
<b>REVISION :</b>	N/A

**DISCLAIMER:**

The information contained in this Safety Data Sheet is furnished without warranty of any kind, expressed or implied. Information in this Data Sheet has been assembled by the manufacturer based on it's own studies and on the work of others, and is believed to be correct as of the date issued. However, no warranty of any kind is expressed or implied as to the accuracy, completeness, or adequacy of the information obtained herein. The manufacturer shall not be liable, regardless of fault, to the vendee, the vendee's employees, or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, or adequacy of the information herein. It is intended to assist in the normal safe usage of the product.