Schwarzkopf
ochwarzkopi
PROFESSIONAL

Page 1 of 7

BC-503

Prep	ared to OSHA, ACC, ANSI,	NOHSC, WHMI	S & 2001/58 E	C Standards	MSDS	Revision: 1.	0	MSDS R	evision Do	ate: 11/01	/2006
			1. PRO	DUCT IDE	NTIFIC	CATION					
1.1	Product Name:										
1.2	BC COLOR SAVE SPRAY CONDITIONER Chemical Name:										
	AQUEOUS SOLUTION										
1.3	Synonyms: NA										
1.4	Trade Names: NA										
1.5	Product Use:										
1.6	PROFESSIONAL OR SUNDR Distributor's Name:	Y USE ONLY									
	SCHWARZKOPF, INC.										
1.7	Distributor's Address: 6047 BRISTOL PARKWAY, S	UITE 200, CULV	ER CITY, 90230) USA							
1.8	Emergency Phone: CHEMTREC: +1 (703)	527-3887 /	+1 (800) 42	4-3887							
1.9	Business Phone: +1 (310) 641-4600	- · · · · · · ·									
			2. HAZ	ARD IDE	NTIFIC	ATION					
2.1	Hazard Identification: This product is not classifi ADG Code(Australia). co										
2.2	only as directed. Routes of Entry:		Inhalation:	NO	A	bsorption:	Y	ES	Ingestion	:	YES
2.3	EYES: Moderatel	is swallowed, n y irritating to th tating to skin.	e eyes. Symp	otoms of over	exposure	e may inclu			-		-
	INHALATION: None expe	ected.									
2.4	Symptoms of Overexposure: Overexposure in eyes mo	ay cause redno	ess, itching ar	nd watering.	Symptor	ms of skin o	verexpo	sure may	include r	edness, it	ching, and
2.5	irritation of affected areas										
2.5	Moderate irritation to eye	s. Moderate in	ritation to skin	near affected	d areas.						
2.6	Chronic Health Effects: No harmful or chronic hea	alth effects are	expected to	occur from a	sinale a	ccidental in	aestion				
2.7	Target Organs:		expected to		single u	celueinarin	igestion.				
	Eyes										
		3 CO	MPOSITIO	N & INGR	FDIFN		εΜΔΤΙά	2N			
									ITS IN AIR	(mg/m³)	
						ACGIH	– ppm	c	SHA - pp	m	OTHER
	CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.		TLV	STEL	PEL	STEL	IDLH	
WATE	R OMETHICONE	7732-18-5	ZC0110000	231-791-2	NA	NE	NE	NE	NE	NE	
	YL TRIMETHICONE	069430-24-6	GZ4063000 NA	209-139-7 NA	NA NA	NE NE	NE NE	NE NE	NE NE	NE NE	
	SILICONE-15	207574-74-1	NA	NA	NA	NE	NE	NE	NE	NE	
		79-33-4	OD3100000	201-19-2	NA	NE	NE	NE	NE	NE	
DIMETHICONOL		31692-79-2	NA	NA	NA	NE	NE	NE	NE	NE	
POLYQUATERNIUM-16 951		95144-24-4	NA	NA	NA	NE	NE	NE	NE	NE	
		81-13-0	ES4316000	201-327-3	NA	NE	NE	NE	NE	NE	
		9006-65-9	NA	NA	NA	NE	NE	NE	NE	NE	
LAUR HYDR	AURDIMONIUM YDROXYPROPYL HYDROLYZED 130381-06-5 NA NA NA NA NE										
NA =	Not Available; ND = Not De	etermined; NE	= Not Establisł	ned; C = Ceilir	ng Limit;	See Section	n 16 for A	dditional	Definition	s of Terms	Used

NOTE: All WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2004 format.



Page 2 of 7

BC-503

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC MSDS Standards

MSDS Revision: 1.0

MSDS Revision Date: 11/01/2006

	3. COMPOSITION & INGREDIENT INFORMATION – cont'd											
								EXPO		ITS IN AIR	(mg/m³)	
						ACGIH	– ppm	С	SHA - pp	m	OTHER	
	CHEMICAL NA	AME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	PEL	STEL	IDLH	
GLYC	CINE		56-40-6	MB7600000	200-272-2	NA	NE	NE	NE	NE	NE	
FRAG	RANCE (PARFU	M)	NA	NA	NA	NA	NA	NA	NA	NA	NA	
CETRI	MONIUM CHLC	ORIDE	112-02-7	NA	NA	NA	NA	NA	NA	NA	NA	
SODI	UM BENZOATE		532-32-1	DH6650000	208-534-8	NA	NA	NA	NA	NA	NA	
	IS MEDICA LIMO ON) EXTRACT	MUNC	4929-31-7	NA	284-515-8	NA	NA	NA	NA	NA	NA	
				4. F		EASU	RES					
4.1	First Aid:											
	INGESTION:				ct Chemīrec							
					stance and in					attention	n. If vomit	ing occurs
	EVEC.	-			ered (forward)			-		. 1.5	haa halalin	
	EYES:				oroughly with itation persists,				or at leas		res, noiain	ig eyella(s)
	SKIN:	•	•	•	wash affected				ter. If ir	ritation p	ersists, se	ek prompt
					ninated clothir							
	INHALATION:			ir at once.								
4.2	Medical Condition	00						HEAL	TH			1
	None reported	a by the mar	nutacturer.					FLAN	MABI	LITY		0
								REAC	CTIVITY			0
								PROT	ECTIV	E EQUI	PMENT	Α
								EYES				
				5. FIRE	FIGHTING	MEAS	SURES					
5.1	Flashpoint & Meth	od:										
5.0	NA											
5.2	Autoignition Temp	perature:		1				- 1				
5.3	Flammability Limits	s:		Lower Explo	sive Limit (LEL):		NA	Upper	Explosive	e Limit (UE	L):	NA
5.4	Fire & Explosion Ho When involve		is product ma	y decompose	to form toxic g	jases (e.	g., CO, C	D ₂ , and N	O _x).			
5.5												
	water rog, ro	am, Dry Che	mical, CO ₂									
5.6	Firefighting Proced	duros:								-	しへ	<u>v</u>
5.0			A/NIOSH app	proved self-co	ntained breat	hing app	paratus (p	oressure-d	emand)		X	Y
					well after the						\sim	
					nt fire upwind.							
					supply, or any ve pressure sel							
	protect against potential hazardous combustion or decomposition products and oxygen deficiencies.											



Page 3 of 7

BC-503

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 11/01/2006

6. ACCIDENTAL RELEASE MEASURES

6.1 Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Remove any contaminated clothing and wash thoroughly before reuse. For spills ≥ 1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid absorbent material to separate containers for proper disposal. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Do not eat, drink, or smoke while handling this product. 7.2 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive heat and open flames. 7.3 Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION 8.1 Ventilation & Engineering Controls: Use with adequate ventilation (e.g., open doors and windows, local exhaust ventilation). Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station). Use in a chemical fume hood when working with large quantities of product and provide adequate ventilation (e.g., local exhaust ventilation, fans). 8.2 Respiratory Protection No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. 8.3 Eye Protection: Avoid eye contact. Safety glasses with side shields should be used when handling large quantities (e.g., \geq 1 gallon) of this product. 8.4 Hand Protection None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., \geq 1 gallon), wear rubber or impervious plastic gloves. 8.5 Body Protection No apron required when handling small quantities. When handling large quantities (e.g., \geq 1 gallon), eye wash stations and deluge showers should be available. 9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Density: NA 92 Boiling Point: NA Melting Point: 9.3 NA 9.4 **Evaporation Rate:** NA 9.5 Vapor Pressure: NA 9.6 Molecular Weight: NA 9.7 Appearance & Color: White viscous liquid with a fresh odor. Odor Threshold 98 NE 9.9 Solubility: Soluble. 9.10 pН NΔ 9.11 Viscosity: NA 9.12 Other Information: NA



Page 4 of 7

BC-503

Prep	rred to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 MSDS Revision Date: 11/01/2006								
	10. STABILITY & REACTIVITY								
10.1	Stability: This product is stable.								
10.2									
10.3									
10.4	Conditions to Avoid: Open flames, sparks and high heat.								
10.5	Incompatible Substances: None known.								
	11. TOXICOLOGICAL INFORMATION								
11.1	Toxicity Data: The product has not been tested for specific toxicity data.								
11.2	Acute Toxicity: See section 2.5								
11.3	Chronic Toxicity: See section 2.6								
11.4	Suspected Carcinogen: No								
11.5	Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans.								
	Mutagenicity: This product is not reported to produce mutagenic effects in humans.								
	Embryotoxicity: This product is not reported to produce embryotoxic effects in humans.								
	Teratogenicity: This product is not reported to produce teratogenic effects in humans.								
	Reproductive Toxicity: This product is not reported to produce reproductive effects in humans.								
11.6	Irritancy of Product: See Section 2.3								
11.7	Biological Exposure Indices: NE								
11.8	Physician Recommendations: Treat symptomatically.								
	12. ECOLOGICAL INFORMATION								
12.1	Environmental Stability: There is no specific data available for this product.								
12.2	Effects on Plants & Animals: There is no specific data available for this product.								
12.3	Effects on Aquatic Life: There is no specific data available for this product.								
	13. DISPOSAL CONSIDERATIONS								
13.1	Waste Disposal:								
13.2	Dispose of in accordance with federal, state and local regulations. Special Considerations:								
	NA								



Page 5 of 7

BC-503

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0

MSDS Revision Date: 11/01/2006

	14. TRANSPORTATION INFORMATION	
	pasic description (proper shipping name, hazard class & division, ID Number, packing group) is shown for ea itional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.	ach mode of transportation.
14.1	49 CFR (GND): NOT REGULATED	
14.2	IATA (AIR): NOT REGULATED	
14.3	IMDG (OCN): NOT REGULATED	
14.4	TDGR (Canadian GND): NOT REGULATED	
14.5	ADR/RID (EU): NOT REGULATED	
14.6	SCT (MEXICO): NOT REGULATED	
	15. REGULATORY INFORMATION	
15.1	SARA Reporting Requirements: NA	
15.2	SARA Threshold Planning Quantity: NA	
15.3	TSCA Inventory Status: All chemical substances of this product are listed on the TSCA inventory or are otherwise exempted from in	nventory status.
15.4	CERCLA Reportable Quantity (RQ): NA	
15.5	Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchap	ter G (Cosmetics).
15.6	Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.	
15.7	State Regulatory Information: None of the ingredients in this mixture are found on any of the state criteria lists.	
15.8	67/548/EEC (European Union) Requirements: The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC.	



Page 6 of 7

BC-503

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0

MSDS Revision Date: 11/01/2006

	16. OTHER INFORMATION					
16.1	Other Information:					
	For external use only. Use only as direct	ted. Discontinue use immediately if irritation develops.				
16.2	Terms & Definitions: See page 7 of this MSDS.					
16.3	Disclaimer:					
	This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Othe government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Schwarzkopf's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are no guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.					
16.4	Prepared for: Schwarzkopf, Inc. 6047 Bristol Parkway, Suite 200 Culver City, CA 90230 USA Tel: +1 (310) 641-4600 Fax: +1 (310) 641-4601 http://www.schwarzkopf.com	Schwarzkopf				
16.5	Prepared by: ShipMate, Inc. 18436 Hawthorne Boulevard, Suite 201 Torrance, CA 90504 310-370-3600 phone 310-370-5700 fax http://www.shipmate.com	ShipMate Dungerous Goods Training & Consulting				



Page 7 of 7

BC-503

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0

HEALTH

NCD144T ONPCA Printed

NO

Gloves

00

Dust Respirator

9 1

Airline

Hood/Mask or

56

MSDS Revision Date: 11/01/2006

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number	
---------	----------------------------------	--

EXPOSURE LIMITS IN AIR:

ACGIH American Conference on Governmental Industrial Hygienists					
TLV Threshold Limit Value					
OSHA	U.S. Occupational Safety and Health Administration				
PEL	Permissible Exposure Limit				
IDLH	Immediately Dangerous to Life and Health				

FIRST AID MEASURES:


CPR	Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body


HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	
2	Moderate Hazard	REACTIVITY
3	Severe Hazard	
4	Extreme Hazard	PERSONAL PROTECTION

PERSONAL PROTECTION RATINGS:





FLAMMABILITY LIMITS IN AIR:


Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ianition source

OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA HAZARD RATINGS:

Minimal Hazard			
Slight Hazard			
Moderate Hazard			
Severe Hazard			
Extreme Hazard			
Acidic			
Alkaline			
Corrosive			
Use No Water			
Oxidizer			



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s							
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal							
ppm	Concentration expressed in parts of material per million parts							
TD _{lo}	Lowest dose to cause a symptom							
TCLo	Lowest concentration to cause a symptom							
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic							
TC, TC _o , LC _{io} , & LC _o	effects							
IARC	International Agency for Research on Cancer							
NTP	National Toxicology Program							
RTECS	Registry of Toxic Effects of Chemical Substances							
BCF	Bioconcentration Factor							
TLm	Median threshold limit							
log Kow or log Koc	Coefficient of Oil/Water Distribution							

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System						
DOT	U.S. Department of Transportation						
TC	Transport Canada						
EPA	U.S. Environmental Protection Agency						
DSL	Canadian Domestic Substance List						
NDSL	Canadian Non-Domestic Substance List						
PSL	Canadian Priority Substances List						
TSCA	U.S. Toxic Substance Control Act						
EU	European Union (European Union Directive 67/548/EEC)						
CPR	Canada's Controlled Product Regulations						

EC INFORMATION:

Via		N	Ł	8	2	×	×
С	E	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

WHMIS INFORMATION:

