

Page 1 of 7

BC-004

Prep	pared to OSHA, ACC, ANS	SI, WHMIS & 200	1/58 EC Stando	ards	MSDS R	evision: L	.1	MSDS R	evision De	ate: 05/01	/2006
			1. PRO	DUCT IDE	NTIFIC.	<u>ATION</u>					
1.1	Product Name:  BC COLOR SAVI	E TREATMEN	NT								
1.2	Chemical Name:  AQUEOUS SOLUTION										
1.3	Synonyms:										
1.4	Trade Names:										
1.5	Product Use:	ODV LICE ONLY									
1.6											
1.7	SCHWARZKOPF, INC. Distributor's Address:										
1.8	6047 BRISTOL PARKWAY  Emergency Phone:	, SUITE 200, CULV	VER CITY, 90230	USA							
	CHEMTREC: +1 (703	3) 527-3887 /	+1 (800) 42	4-3887							
1.9	Business Phone: +1 (310) 641-4600										
			2. HA	ZARD IDEN	ITIFIC A	NOITA					
2.1	Hazard Identification:	rima a imama adiark	مملوب والمثير والمراد	Far autornal		Vaan aud	of vocab	of obildre	m llaa am	du an aliva	alad
2.2	In case of eye contact, Routes of Entry:	rinse immediate	Inhalation:	NO NO		sorption:		'ES	Ingestion		YES
2.3	Effects of Exposure:		initial anoth.	, NO	710	3010111			mgosnor		120
	INGESTION: If produc	ct is swallowed,	may cause na	usea, vomiting	and/or	diarrhea.					
	EYES: Moderat	ely irritating to t	he eyes. Sym <sub>i</sub>	otoms of overe	xposure	may inclu	de redne	ss, itching	g, irritatior	and wate	ering.
	-	irritating to skin.	The product of	can cause alle	rgic skin	reactions	(e.g., ras	hes, welt:	s, dermati	tis) in som	e sensitive
	individuo										
2.4	Symptoms of Overexposure:	pected.									
2.4	Overexposure in eyes i	mav cause redr	ness itchina ai	nd waterina. S	vmptom	s of skin o	verexpo	sure mav	include r	edness it	ching and
	irritation of affected are										
2.5	Acute Health Effects:	•			-						
0.1	Moderate irritation to ey	yes. Moderate i	rritation to skin	near affected	areas.						
2.6	Chronic Health Effects:  No harmful or chronic h	ealth effects are	e expected to	occur from a s	inale aca	cidental ir	naestion				
2.7	Target Organs:	icaiiii ciiccis ait	cxpecied io	00001110111143	mgic act	ciacinai ii	igesiion.				
	Eyes										
		3. CO	<b>MPOSITIO</b>	N & INGRI	EDIENT	<b>INFO</b>	RMATIC	NC			
							EXPC	SURE LIM	ITS IN AIR	(mg/m³)	
						ACGIH	– ppm	C	SHA - pp	m	OTHER
	CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	PEL	STEL	IDLH	
WATE	ER .	7732-18-5	ZC0110000	231-791-2	NA	NE	NE	NE	NE	NE	
CETE	ARYL ALCOHOL	8005-44-5	NA	267-008-6	NA	NE	NE	NE	NE	NE	
PHEN	YL TRIMETHICONE	2116-84-9	NA	NA	NA	NA	NA	NA	NA	NA	
DISTEAROYLETHYL											
HYDROXYETHYLMONIUM		NA	NA	NA	NA	NA	NA	NA	NA	NA	
METHOSULFATE DICAPRYLYL ETHER		629-82-3	NA	211-112-6	NA	NE	NE	NE	NE	NE	
	QUATERNIUM-37	26161-33-1	KQ6300000	NA	NA		NE		1		
	PRYLATE/DICAPRATE	68583-51-7	NA	271-516-3	NA NA	NE NA	NA NA	NE NA	NE NA	NE NA	
	·		NA	NA	+				1		
	1 TRIDECETH 6	NA 112-02-7	NΔ	NA	NΑ	NE NA	NE NA	NE NA	NΕ	NE NA	

NA = Not Available; ND = Not Determined; NE = Not Established; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used NOTE: All WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2004 format.



Extinguishing Methods:

Water Fog, Foam, Dry Chemical, CO<sub>2</sub>

# **MATERIAL SAFETY DATA SHEET**

Page 2 of 7

BC-004

	OFESSIONAL									BC-00	)4
	Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 1.1 MSDS Revision Date: 05/01/2006										
	3.	COMPO	SITION &	INGREDIE	NT INF	ORMA <sup>*</sup>	TION -	cont'd	d		
							EXPO	SURE LIM	ITS IN AIR	(mg/m³)	
						ACGIH			SHA - pp		OTHER
	CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	PEL	STEL	IDLH	<b>V</b> 111211
	•						-				
CETE	ARYL GLUCOSIDE	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	NOYL PG-TRIMONIUM Dride	69537-38-8	NA	NA	NA	NA	NA	NA	NA	NA	
	OPHENONE-4	4065-45-6	DB5044300	223-772-2	NA	NA	NA	NA	NA	NA	
	UM PCA	28874-51-3	TW4000000	249-277-1	NA	NE	NA	NE	NA	NA	
	HENOL	81-13-0	ES4316000	201-327-3	NA	NA	NA	NA	NA	NA	
	OPHERYL ACETATE	79-81-2	VH6860000	201-228-5	NA	NE	NE	NE	NE	NE	
	IIUM DIOXIDE	13463-67-7	XR2275000	236-675-5	NA	(10)	NA	(10)	NA	NA.	
MICA		12001-26-2	VV8760000	NA	NA	(0.3)	NA NA	20 *	NA	NA	* mmpcf
	RANCE	NA	NA	NA	NA	NA	NA NA	NA	NA.	NA NA	mmper
	OXYETHANOL	122-99-6	KM0350000	204-589-7	NA	NA	NA	NA	NA	NA	
	YLPARABEN	99-76-3	DH2450000	202-785-7	NA	NE	NE	NE	NE	NE	
	200 (RED 33)	3567-66-6	QJ6197000	222-656-9	NA	NE	NE	NE	NE	NE	
	725 (VIOLET 2)	81-48-1	CB7700000	201-353-5	NA	NA	NA	NA	NA	NA	
0.00	725 (1101112)	01 40 1	657766666	201 000 0	IVA	IVA	IVA	1173	I IVA	IVA	
						1			l		
			/ E	IRST AID A	AEACII	DEC					
4.1	First Aid:		7. 1	IKSI AID N	ILAJU	KLJ					
		NDUCE VOMI	TING. Contac	ct Chemīrec	at 703-5	27-3887 d	or the ne	arest Poi	ison Con	trol Cente	er or local
				istance and in					attentio	n. If vomit	ing occurs
	=			vered (forward)			=				
				noroughly with				or at leas	t 15 minu	tes, holdin	g eyelid(s)
	= = = = = = = = = = = = = = = = = = =	=	-	itation persists wash affected				lor If in	ritation n	oreiete ee	ak prompt
				minated clothi						CI31313, 3C	ek pionipi
		ctim to fresh a			•			,			
4.2	Medical Conditions Aggravated b	y Exposure:					HEAL	ТН			1
	None reported by the ma	nufacturer.						MABI	IITV		0
										_	
								TIVITY			0
							PROT	ECTIV	E EQU	PMENT	Α
							EYES				
			5. FIRI	EFIGHTING	MEAS	SURES					
5.1	Flashpoint & Method:										
5.2	Autoignition Temperature:										
	NA		<u> </u>				1				
5.3	Flammability Limits:		Lower Explo	sive Limit (LEL)		NA	Upper	Explosive	Limit (UE	EL):	NA
5.4	Fire & Explosion Hazards:	is product ma	ıv decembere	to form toxic	nases (c	a CO C	O. and N	2.1		•	

When involved in a fire, this product may decompose to form toxic gases (e.g., CO, CO<sub>2</sub>, and NO<sub>x</sub>).

5.6 Firefighting Procedures:

As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies.



9.10

9.11

9.12

рΗ

Viscosity:

Other Information:

NA

NA

NA

## MATERIAL SAFETY DATA SHEET

Page 3 of 7

**BC-004** 

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 1.1 MSDS Revision Date: 05/01/2006 6. ACCIDENTAL RELEASE MEASURES 6.1 Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Remove any contaminated clothing and wash thoroughly before reuse. For spills ≥ 1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid absorbent material to separate containers for proper disposal. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Work & Hygiene Practices: Do not eat, drink, or smoke while handling this product. 7.2 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive heat and open flames. 7.3 Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION 8.1 Ventilation & Engineering Controls: Use with adequate ventilation (e.g., open doors and windows, local exhaust ventilation). Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station). Use in a chemical fume hood when working with large quantities of product and provide adequate ventilation (e.g., local exhaust ventilation, fans). 8.2 No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. 8.3 Avoid eye contact. Safety glasses with side shields should be used when handling large quantities (e.g., ≥ 1 gallon) of this product. 8.4 None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g.,  $\geq 1$  gallon), wear rubber or impervious plastic gloves. 8.5 No apron required when handling small quantities. When handling large quantities (e.g., ≥ 1 gallon), eye wash stations and deluge showers should be available. 9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Density: NA 92 Boiling Point: NA 9.3 Meltina Point: NA 9.4 Evaporation Rate: NA 9.5 Vapor Pressure: NA 9.6 Molecular Weight: 9.7 Appearance & Color: White viscous liquid with a fresh odor. 9.8 Odor Threshold: NE 9.9 Solubility: Soluble.



Page 4 of 7

**BC-004** 

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 1.1 MSDS Revision Date: 05/01/2006 10. STABILITY & REACTIVITY 10.1 Stability: This product is stable. Hazardous Decomposition Products: 10.2 Oxides of carbon (CO,  $CO_2$ ) and sulfur ( $SO_2$ ). 10.3 Hazardous Polymerization: Will not occur. 10.4 Conditions to Avoid: Open flames, sparks and high heat. 10.5 Incompatible Substances: None known. 11. TOXICOLOGICAL INFORMATION 11.1 Toxicity Data: The product has not been tested for specific toxicity data. 11.2 Acute Toxicity: See section 2.5 11.3 Chronic Toxicity: See section 2.6 11.4 Suspected Carcinogen: No 11.5 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans. This product is not reported to produce mutagenic effects in humans. This product is not reported to produce embryotoxic effects in humans. This product is not reported to produce teratogenic effects in humans. Reproductive Toxicity: This product is not reported to produce reproductive effects in humans. 11.6 Irritancy of Product: See Section 2.3 11.7 Biological Exposure Indices: NE 11.8 Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: There is no specific data available for this product. 12.2 Effects on Plants & Animals: There is no specific data available for this product. 12.3 There is no specific data available for this product. 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Dispose of in accordance with federal, state and local regulations. 13.2 Special Considerations: NA



Page 5 of 7

BC-004

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 1			MSDS Revision Date: 05/01/2006				
	14. TRANSPORTATION	N INFORMATION					
	pasic description (proper shipping name, hazard class & division, ID N itional descriptive information may be required by 49 CFR, IATA/ICAC		shown for each mode of transportation.				
14.1	49 CFR (GND): Not regulated						
14.2	IATA (AIR): NOT REGULATED						
14.3							
14.4	TDGR (Canadian GND): NOT REGULATED						
14.5	ADR/RID (EU): NOT REGULATED						
14.6	SCT (MEXICO): NOT REGULATED						
	15. REGULATORY I	NFORMATION					
15.1	SARA Reporting Requirements: NA						
15.2	SARA Threshold Planning Quantity: NA						
15.3	TSCA Inventory Status:  All chemical substances of this product are listed on the TSCA inven	ntory or are otherwise exen	npted from inventory status.				
15.4	CERCLA Reportable Quantity (RQ): NA						
15.5							
15.6	Other Canadian Regulations:  This product has been classified according to the hazard criteria of the information required by the CPR. The components of this product five components of this product are listed on the Priorities Substan	uct are listed on the DSL/N					
15.7	State Regulatory Information:  No components of this product are listed on the California Proposition	on 65 lists.					
15.8	67/548/EEC (European Union) Requirements:  The primary components of this product are not listed in Annex I of E	EU Directive 67/548/EEC.					



310-370-3600 phone

http://www.shipmate.com

310-370-5700 fax

## **MATERIAL SAFETY DATA SHEET**

Page 6 of 7

**BC-004** 

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 1.1 MSDS Revision Date: 05/01/2006 16. OTHER INFORMATION Other Information: For external use only. Use only as directed. Discontinue use immediately if irritation develops. 16.2 See page 7 of this MSDS. 16.3 Disclaimer: This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Schwarzkopf's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. 16.4 Prepared for: Schwarzkopf, Inc. 6047 Bristol Parkway. Suite 200 Culver City, CA 90230 USA Schwarzkopf Tel: +1 (310) 641-4600 Fax: +1 (310) 641-4601 http://www.schwarzkopf.com Prepared by: ShipMate, Inc. 18436 Hawthorne Boulevard, Suite 201 Torrance, CA 90504





Page 7 of 7

**BC-004** 

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.1

MSDS Revision Date: 05/01/2006

### **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

### **GENERAL INFORMATION:**

CAS No.	Chemical Abstract Service Number

### **EXPOSURE LIMITS IN AIR:**

ACGIH American Conference on Governmental Industrial Hygienists	
TLV Threshold Limit Value	
OSHA U.S. Occupational Safety and Health Administration	
PEL Permissible Exposure Limit	
IDLH	Immediately Dangerous to Life and Health

### FIRST AID MEASURES:

Cardiopulmonary resuscitation - method in which a person	
whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.	and breathing to circulate blood and provide oxygen to the


## HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

#### **HEALTH, FLAMMABILITY & REACTIVITY RATINGS:**

Minimal Hazard		
1	Slight Hazard	
2 Moderate Hazard		
3	Severe Hazard	
4	Extreme Hazard	



### PERSONAL PROTECTION RATINGS:







Vapor Respirator



Respirator









Full Face Airline
Respirator Hood/Mask or

Note: the dotted circle indicates that this respiratory protective equipment is required for high concentrations or for large volume spills or releases of product.

### FLAMMABILITY LIMITS IN AIR:


Autoignition Temperature				
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source			
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source.			

### OTHER STANDARD ABBREVIATIONS:

NA	Not Available	
NR	NR No Results	
NE	Not Established	
ND	Not Determined	
ML Maximum Limit		
SCBA	Self-Contained Breathing Apparatus	

### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
OX	Oxidizer



### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the			
LD <sub>50</sub>	exposed animals s			
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the			
LC50	exposed animal			
	Concentration expressed in parts of material per million			
ppm	parts			
TD <sub>Io</sub>	Lowest dose to cause a symptom			
TCLo	Lowest concentration to cause a symptom			
TD <sub>Io</sub> , LD <sub>Io</sub> , & LD <sub>o</sub> or	Lowest dose (or concentration) to cause lethal or toxic			
TC, TCo, LCio, & LCo	effects			
IARC	International Agency for Research on Cancer			
NTP	National Toxicology Program			
RTECS	Registry of Toxic Effects of Chemical Substances			
BCF	Bioconcentration Factor			
TLm	Median threshold limit			
log Kow or log Koc	Coefficient of Oil/Water Distribution			

### **REGULATORY INFORMATION:**

WHMIS	Canadian Workplace Hazardous Material Information System	
DOT	U.S. Department of Transportation	
TC	TC Transport Canada	
EPA U.S. Environmental Protection Agency		
DSL Canadian Domestic Substance List		
NDSL Canadian Non-Domestic Substance List		
PSL Canadian Priority Substances List		
TSCA U.S. Toxic Substance Control Act		
EU	European Union (European Union Directive 67/548/EEC)	
CPR Canada's Controlled Product Regulations		

### EC INFORMATION:

T.		*	*		<b>9</b>	×	X
С	E	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

### WHMIS INFORMATION:

$\oslash$				<u>(T)</u>	<b>®</b>		R
Α	В	С	D1	D2	D3	E	F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive