

Page 1 of 7

BC-011

Prep	ared to OSHA, ACC, ANSI	, whmis & 200 i	1/58 EC Stando	ards	MSDS R	evision: I	.1	MSDS R	evision Do	ate: 05/01	/2006
			1. PRO	DUCT IDEN	NTIFIC	<u>ATION</u>					
1.1	Product Name:										
	BC MOISTURE KIC	CK SHAMP	00								
1.2	Chemical Name: AQUEOUS SOLUTION										
1.3	Synonyms: NA										
1.4	Trade Names: NA										
1.5	Product Use: PROFESSIONAL OR SUNDRY USE ONLY										
1.6	Distributor's Name: SCHWARZKOPF, INC.										
1.7	Distributor's Address: 6047 BRISTOL PARKWAY,	SUITE 200, CUL\	/ER CITY, 90230) USA							
1.8	Emergency Phone: CHEMTREC: +1 (703)	527-3887 /	+1 (800) 42	4-3887							
1.9	Business Phone: +1 (310) 641-4600	, ,	(000) 1=								
	1 (010) 011 1000										
			2 ΗΔ7	ZARD IDEN	TIFICA	MOITA					
2.1	Hazard Identification:		2. 11/4/	LAKE IELI		· · · · · · ·					
	In case of eye contact, r	inse immediate	ely with water.	For external u	se only.	Keep out	of reach	of childre	n. Use or	nly as dire	cted.
2.2	Routes of Entry:		Inhalation:	NO	Ab	sorption:	Y	ES	Ingestion	1:	YES
2.3	Effects of Exposure: INGESTION: If product	ا ام میروالمیرو ما			and/an	d: a la a. a.					
		is swallowed, it ly irritating to the					ıda radna	ss itahina	a irritation	and wat	orina
					-	-			-		-
	SKIN: May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals.										
	INHALATION: None expected.										
2.4	Symptoms of Overexposure:										
	Overexposure in eyes m irritation of affected area										
2.5	Acute Health Effects: Moderate irritation to eye	es Moderate i	rritation to skin	near affected	areas						
2.6	Chronic Health Effects:	es. Moderate i	illidiloli lo skili	near aneciea	uieus.						
	No harmful or chronic he	ealth effects are	e expected to	occur from a s	ingle ac	cidental ir	ngestion.				
2.7	Target Organs: Eyes										
		3. CO	MPOSITIO	N & INGRE	DIENT	INFO	RMATIC	NC			
							EXPO	SURE LIMI	TS IN AIR	(mg/m³)	
				1		ACGIH	l – ppm		SHA - pp		OTHER
	CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	PEL	STEL	IDLH	
WATE	R	7732-18-5	ZC0110000	231-791-2	NA	NE	NE	NE	NE	NE	
SODI	JM LAURETH SULFATE	9004-82-4	LE1250000	221-416-0	NA	NE	NE	NE	NE	NE	
PEG-7	7 GLYCERYL COCOATE	68201-46-7	MA6870000	NA	NA	NA	NA	NA	NA	NA	
SODIUM COCOAMPHODIACETATE		68650-39-5	NA	NA	NA	NA	NA	NA	NA	NA	
COCOGLUCOSIDE		27836-64-2	NA	NA	NA	NA	NA	NA	NA	NA	
ACRYLATES COPOLYMER		NA	NA	NA	NA	NA	NA	NA	NA	NA	
	BARBADENSIS (ALOE) EXTRACT	85507-69-3	NA	287-390-8	NA	NE	NE	NE	NE	NE	
GUAR	R HYDROXYPROPYL ONIUM CHLORIDE	65497-29-2	NA	NA	NA	NA	NA	NA	NA	NA	
	HENOL	81-13-0	ES4316000	201-327-3	NA	NA	NA	NA	NA	NA	

NA = Not Available; ND = Not Determined; NE = Not Established; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used NOTE: All WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2004 format.



Page 2 of 7

BC-011

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.1

MSDS Revision Date: 05/01/2006

3. COMPOSITION & I	INGREDIENT INFORMATION – cont'd	
--------------------	---------------------------------	--

					EXPOSURE LIMITS IN AIR (mg/m³)					
					ACGIH – ppm OSHA - ppm OTH				OTHER	
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	PEL	STEL	IDLH	
NIACINAMIDE	98-92-0	Q\$3675000	NA	NA	NE	NE	NE	NE	NE	
FRAGRANCE	NA	NA	NA	NA	NA	NA	NA	NA	NA	
MICA	12001-26-2	VV8760000	NA	NA	(0.3)	NA	20 *	NA	NA	* mmpcf
SILICA	7631-86-9	VV7565000	231-545-4		(10)	NA	(6)	NA	NA	
CARBOMER	9003-04-7	WD6826000	NA	NA	NA	NA	NA	NA	NA	
CITRIC ACID	77-92-9	GE7350000	201-069-1	NA	NA	NA	NA	NA	NA	
SODIUM BENZOATE	532-32-1	DH6650000	208-534-8	NA	NA	NA	NA	NA	NA	
PROPYLENE GLYCOL	57-55-6	TY2000000	200-338-0	NA	NE	NE	NE	NE	NE	
SODIUM CHLORIDE	7647-14-5	NA	231-598-3	NA	NE	NA	NE	NA	NA	
BENZOPHENONE-4	4065-45-6	DB5044300	223-772-2	NA	NA	NA	NA	NA	NA	
PHENOXYETHANOL	122-99-6	KM0350000	204-589-7	NA	NA	NA	NA	NA	NA	
METHYLDIBROMO- GLUTARONITRILE	35691-65-7	MA5599000	252-681-0	NA	NA	NA	NA	NA	NA	
CI 77891 (TiO ₂)	5858-81-1	NA	227-497-9	≤ 1.0	(10)	NA	(10)	NA	NA	
CI 42090 (BLUE 1)	3844-45-9	BQ4725000	223-339-8	≤ 1.0	NE	NE	NE	NE	NE	
CI 47005 (YELLOW 10)	8004-92-0	GC5796000	305-879-5	≤ 1.0	NA	NA	NA	NA	NA	
CI 77288 (Cr ₂ O ₃)	1308-38-9	GB6475000	215-160-9							
CITRONELLOL	106-22-9	RH3400000	203-375-0	≤ 0.1	NA	NA	NA	NA	NA	
HEXYL CINNAMAL	101-86-0	GD6560000	202-983-3	≤ 0.1	NA	NA	NA	NA	NA	
BUTYLPHENYL METHYLPROPIONAL	NA	NA	NA	≤ 0.1	NA	NA	NA	NA	NA	
HYDROXYISOHEXYL 3- CYCLOHEXENE CARBOXALDEHYDE	NA	NA	NA	≤ 0.1	NA	NA	NA	NA	NA	
LINALOOL	78-70-6	RG5775000	201-134-4	≤ 0.1	NA	NA	NA	NA	NA	

4. FIRST AID MEASURES

4.1 First Aid:

SKIN:

INGESTION: DO NOT INDUCE VOMITING. Contact ChemTrec at 703-527-3887 or the nearest Poison Control Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs

spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.

EYES: If product gets in the eyes, flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding

 $\hbox{ eyelid(s) open to ensure complete flushing. } \\ \hbox{ If irritation persists, seek medical attention.} \\$

Remove contaminated clothing and wash affected areas with soap and water. If irritation persists, seek prompt

medical attention. Do not wear contaminated clothing until after it has been properly cleaned.

INHALATION: Remove victim to fresh air at once.

4.2 Medical Conditions Aggravated by Exposure:

None reported by the manufacturer.

HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
PROTECTIVE EQUIPM	ENT A
FYFS	



showers should be available.

MATERIAL SAFETY DATA SHEET

Page 3 of 7

BC-011

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 1.1 MSDS Revision Date: 05/01/2006 5. FIREFIGHTING MEASURES Flashpoint & Method: 5.1 5.2 Autoignition Temperature: NA Flammability Limits: 5.3 NA Lower Explosive Limit (LEL): Upper Explosive Limit (UEL): NA Fire & Explosion Hazards: 5.4 When involved in a fire, this product may decompose to form toxic gases (e.g., CO, CO₂, and NO_x). 5.5 Extinguishing Methods: Water Fog, Foam, Dry Chemical, CO₂ Firefighting Procedures: As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES 6.1 Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Remove any contaminated clothing and wash thoroughly before reuse. For spills ≥ 1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid absorbent material to separate containers for proper disposal. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Do not eat, drink, or smoke while handling this product. 7.2 Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive heat and open flames. 7.3 Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION Use with adequate ventilation (e.g., open doors and windows, local exhaust ventilation). Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station). Use in a chemical fume hood when working with large quantities of product and provide adequate ventilation (e.g., local exhaust ventilation, fans). 8.2 No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. Eve Protection: 8.3 Avoid eye contact. Safety glasses with side shields should be used when handling large quantities (e.g., ≥ 1 gallon) of this product. 8.4 None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon), wear rubber or impervious plastic gloves. 8.5

No apron required when handling small quantities. When handling large quantities (e.g., ≥ 1 gallon), eye wash stations and deluge



10.4

10.5

Conditions to Avoid:

Incompatible Substances: **None known.**

Open flames, sparks and high heat.

MATERIAL SAFETY DATA SHEET

Page 4 of 7

BC-011

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 1.1 MSDS Revision Date: 05/01/2006 9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Density: NA 9.2 Boiling Point: NA 9.3 Melting Point: NΑ 9.4 Evaporation Rate: NA 9.5 Vapor Pressure: NA 9.6 Molecular Weight: NA 9.7 Appearance & Color: White viscous liquid with a fresh odor. 9.8 Odor Threshold: Solubility: 9.9 Soluble. 9.10 NA 9.11 Viscosity: NA 9.12 Other Information: NA 10. STABILITY & REACTIVITY 10.1 Stability: This product is stable. 10.2 Hazardous Decomposition Products: Oxides of carbon (CO, CO₂) and sulfur (SO₂). Hazardous Polymerization: 10.3 Will not occur.

	11. TOXICOLOGICAL INFORMATION
11.1	Toxicity Data: The product has not been tested for specific toxicity data.
11.2	Acute Toxicity: See section 2.5
11.3	Chronic Toxicity: See section 2.6
11.4	Suspected Carcinogen: No
11.5	Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans.
	Mutagenicity: This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity: This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity: This product is not reported to produce teratogenic effects in humans.
	Reproductive Toxicity: This product is not reported to produce reproductive effects in humans.
11.6	Irritancy of Product: See Section 2.3
11.7	Biological Exposure Indices: NE
11.8	Physician Recommendations: Treat symptomatically.



Page 5 of 7

BC-011

Prep	ared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 1.1 MSDS Re	evision Date: 05/01/2006			
	12. ECOLOGICAL INFORMATION				
12.1	Environmental Stability: There is no specific data available for this product.				
12.2	Effects on Plants & Animals: There is no specific data available for this product.				
12.3	Effects on Aquatic Life: There is no specific data available for this product.				
	13. DISPOSAL CONSIDERATIONS				
13.1	Waste Disposal: Dispose of in accordance with federal, state and local regulations.				
13.2	Special Considerations: NA				
	14. TRANSPORTATION INFORMATION				
	pasic description (proper shipping name, hazard class & division, ID Number, packing group) is shown for ectional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.	ach mode of transportation.			
14.1	49 CFR (GND): NOT REGULATED				
14.2	IATA (AIR): NOT REGULATED				
14.3	IMDG (OCN): NOT REGULATED				
14.4	TDGR (Canadian GND): NOT REGULATED				
14.5	ADR/RID (EU): NOT REGULATED				
14.6	SCT (MEXICO): NOT REGULATED				
	15. REGULATORY INFORMATION				
15.1	SARA Reporting Requirements: NA				
15.2	SARA Threshold Planning Quantity: NA				
15.3	TSCA Inventory Status: All chemical substances of this product are listed on the TSCA inventory or are otherwise exempted from in	nventory status.			
15.4	CERCLA Reportable Quantity (RQ): NA				
15.5	Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchap	oter G (Cosmetics).			
15.6	Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.	, ,			
15.7	State Regulatory Information: No components of this product are listed on the California Proposition 65 lists.				
15.8	67/548/EEC (European Union) Requirements: The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC.				



Page 6 of 7

BC-011

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 1.1 MSDS Revision Date: 05/01/2006 16. OTHER INFORMATION Other Information: For external use only. Use only as directed. Discontinue use immediately if irritation develops. 16.2 See page 7 of this MSDS. 16.3 Disclaimer: This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Schwarzkopf's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. 16.4 Prepared for: Schwarzkopf, Inc. 6047 Bristol Parkway, Suite 200 Culver City, CA 90230 USA Schwarzkopf Tel: +1 (310) 641-4600 Fax: +1 (310) 641-4601







Page 7 of 7

BC-011

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.1

MSDS Revision Date: 05/01/2006

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	ACGIH American Conference on Governmental Industrial Hygienists		
TLV	Threshold Limit Value		
OSHA	U.S. Occupational Safety and Health Administration		
PEL	Permissible Exposure Limit		
IDLH	Immediately Dangerous to Life and Health		

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.


HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	
1	1 Slight Hazard	
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	



PERSONAL PROTECTION RATINGS:









Face Shield & Eve Protection









O Dust & Vapor Vapor Respirator Respirator

Full Face Respirator

Airline Hood/Mask or



Note: the dotted circle indicates that this respiratory protective equipment is required for high concentrations or for large volume spills or releases of product.

FLAMMABILITY LIMITS IN AIR:


Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source.

OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA HAZARD RATINGS:

0	Minimal Hazard				
1	Slight Hazard				
2	Moderate Hazard				
3	Severe Hazard				
4	Extreme Hazard				
ACD	Acidic				
ALK	Alkaline				
COR	Corrosive				
₩	Use No Water				
OX	Oxidizer				



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the					
LD30	exposed animals s					
1.0	Lethal concentration (gases) which kills 50% of the					
LC ₅₀	exposed animal					
	Concentration expressed in parts of material per million					
ppm	parts					
TD _{Io}	Lowest dose to cause a symptom					
TCLo	Lowest concentration to cause a symptom					
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic					
TC, TCo, LCio, & LCo	effects					
IARC	International Agency for Research on Cancer					
NTP	National Toxicology Program					
RTECS	Registry of Toxic Effects of Chemical Substances					
BCF	Bioconcentration Factor					
TLm	Median threshold limit					
log Kow or log Koc	Coefficient of Oil/Water Distribution					

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System			
DOT	U.S. Department of Transportation			
TC	Transport Canada			
EPA	U.S. Environmental Protection Agency			
DSL	Canadian Domestic Substance List			
NDSL	Canadian Non-Domestic Substance List			
PSL	Canadian Priority Substances List			
TSCA	U.S. Toxic Substance Control Act			
EU	EU European Union (European Union Directive 67/548/EEC)			
CPR	Canada's Controlled Product Regulations			

EC INFORMATION:

		*	*			×	X
С	E	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

WHMIS INFORMATION:

\oslash				(T)	®		
Α	В	С	D1	D2	D3	E	F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive