

Page 1 of 6

IG-003

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 MSDS Revision Date: 01/01/2006 PRODUCT IDENTIFICATION 1.1 IGORA OXIGENTA (10/20 VOLUME) 1.2 Chemical Name: HYDROGEN PEROXIDE SOLUTION 1.3 Synonyms: NA Trade Names: ΝΔ 1.5 Product Use: PROFESSIONAL OR SUNDRY USE ONLY 1.6 Distributor's Name: SCHWARZKOPF, INC. 1.7 Distributor's Address: 6047 BRISTOL PARKWAY, SUITE 200, CULVER CITY, 90230 USA 1.8 CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-3887 1.9 Business Phone: +1 (310) 641-4600 2. HAZARD IDENTIFICATION Hazard Identification: 2.1 May be irritating to the eyes. Prolonged skin contact may cause skin irritation. 22 Routes of Entry: Ingestion: Inhalation: YES Absorption: 2.3 Effects of Exposure: May cause irritation in mouth and throat. Swallowing may cause evolution of oxygen which may cause injury by INGESTION: distention of the esophagus or stomach. May cause nausea, vomiting and diarrhea. SKIN & EYES: May cause irritation, redness, stinging and tearing. INHALATION: Prolonged exposure may cause irritation in nose and throat with chest discomfort, coughing and difficulty breathing. 2.4 Symptoms of Overexposure: Contact may cause mild eye irritation including stinging, watering and redness. May cause redness or itching on the skin at the contact site. 2.5 Acute Health Effects: None reported by the manufacturer. 2.6 Chronic Health Effects: No harmful or chronic health effects are expected to occur from a single accidental ingestion. No known sensitizing effect. 2.7 Target Organs: Eyes & skin. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) ACGIH - ppm OSHA - ppm **OTHER % EINECS No.** CHEMICAL NAME(S) CAS No. RTECS No. TLV STEL PEL STEL IDLH **HYDROGEN PEROXIDE 50%** 7722-84-1 MX0887000 NA ≤ 12.0 (1.4)NA (1.4)NA NA NA = Not Available; ND = Not Determined; NE = Not Established; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used NOTE: All WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2004 format.



Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MATERIAL SAFETY DATA SHEET

MSDS Revision: 1.0

Page 2 of 6

IG-003

MSDS Revision Date: 01/01/2006

4. FIRST AID MEASURES 4.1 First Aid: INGESTION: If ingested, do not induce vomiting. Drink plenty of water or milk. If the patient is vomiting, continue to offer plenty of water or milk. Never give water or milk to an unconscious person. If large quantities are ingested, contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time and amount of the substance that was swallowed. Get medical attention immediately. If product is in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open and close EYES: eyelid(s) to ensure thorough irrigation. If problem persists, consult a physician. SKIN: If redness, dryness or other signs of irritation to the skin develop, remove contaminated clothing and wash affected skin areas with plenty of warm water and soap. If irritation persists, consult a physician. INHALATION: Remove victim to fresh air at once. Give oxygen as necessary. 4.2 Medical Conditions Aggravated by Exposure: HEALTH 1 None known **FLAMMABILITY** 0 REACTIVITY 0 PROTECTIVE EQUIPMENT В **SKIN EYES** 5. FIREFIGHTING MEASURES Flashpoint & Method: NA 5.2 Autoianition Temperature: NA 5.3 Flammability Limits: Lower Explosive Limit (LEL): NA Upper Explosive Limit (UEL): NA 5.4 Will not burn, but decomposition, which may be caused by heat, will release oxygen which will increase the explosive limit range and burning rate of flammable vapors. 5.5 Use only large quantities of water. Flood with water and use water spray to cool fire-exposed containers and structures. 5.6 Firefighting Procedures: As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fireexposed surfaces and to protect personnel. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous decomposition products. 6. ACCIDENTAL RELEASE MEASURES 6.1 Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. Small Spills: Wear appropriate protective equipment including gloves and protective eyewear. Use a non-combustible material such as vermiculite or sand to soak up the product and place into a container for later disposal.

Large Spills: Keep incompatible materials (e.g., organics such as oil) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk.

Wear appropriate protective equipment including respiratory protection as conditions warrant.



Page 3 of 6

IG-003

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 MSDS Revision Date: 01/01/2006 7. HANDLING & STORAGE INFORMATION Work & Hygiene Practices: 7.1 Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Avoid contact with flammable or combustible materials. Avoid contamination from any source, including metals, dust and organic materials. Keep bulk covered. Use chemical goggles if eye contact is possible. Wash unintentional residues with soap and warm water. 72 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Avoid temperatures above 120 °F. Keep away from incompatible substances. Protect containers from physical damage. To avoid unintentional spraying keep cap in place when not in use. Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION Ventilation & Engineering Controls: General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Respiratory Protection: None required if used in a well-ventilated area. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrants a respirator's use. 8.3 Avoid eye contact. Use approved safety glasses or goggles. 8.4 Hand Protection: Rubber or latex gloves. 8.5 Body Protection: Avoid contact with skin, eyes and clothing. 9. PHYSICAL & CHEMICAL PROPERTIES Density: 1.01 - 1.059.2 Boiling Point: NA 9.3 Meltina Point: 0°C **Evaporation Rate:** NA 9.5 Vapor Pressure: ND 9.6 Molecular Weight: NA 9.7 Appearance & Color: Opaque, white liquid 9.8 Odor Threshold: ND 9.9 Solubility: Soluble in water 3.2 - 3.49.11 Viscosity: Slightly viscous 9.12 Other Information: NA 10. STABILITY & REACTIVITY 10.1 Stable under normal conditions; unstable with heat or contamination. Liberation of oxygen gas may result in dangerous pressures. 10.2 Hazardous Decomposition Products: Oxides of carbon (CO, CO₂) and sulfur (SO₂). Liberation of gas may result in dangerous pressures. 10.3 Hazardous Polymerization: Will not occur. Conditions to Avoid: Open flames, sparks, high heat, incompatible substances and direct sunlight. 10.5 Incompatible Substances: Oxidizing & reducing agents, organics, some acids, flammable materials.



Page 4 of 6

IG-003

Prep	ared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 MSDS Revision Date: 01/01/2006
	11. TOXICOLOGICAL INFORMATION
11.1	Toxicity Data: The product has not been tested for specific toxicity data.
11.2	Acute Toxicity: See section 2.5
11.3	Chronic Toxicity: See section 2.6
11.4	Suspected Carcinogen: NO
11.5	Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans.
	Mutagenicity: This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity: This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity: This product is not reported to produce teratogenic effects in humans.
	Reproductive Toxicity:
11.6	This product is not reported to produce reproductive effects in humans. Irritancy of Product:
11.7	See Section 2.3 Biological Exposure Indices:
11.8	NE Physician Recommendations:
11.0	Treat symptomatically.
	12. ECOLOGICAL INFORMATION
12.1	Environmental Stability: There is no specific data available for this product.
12.2	Effects on Plants & Animals: There is no specific data available for this product.
12.3	Effects on Aquatic Life: There is no specific data available for this product.
	13. DISPOSAL CONSIDERATIONS
13.1	Waste Disposal: Dispose of in accordance with federal, state and local regulations.
13.2	Special Considerations: U.S. EPA Characteristic Waste: D003 (characteristic - reactive)
	14. TRANSPORTATION INFORMATION
	pasic description (proper shipping name, hazard class & division, ID Number, packing group) is shown for each mode of transportation. tional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.
14.1	49 CFR (GND): NOT REGULATED
14.2	IATA (AIR): NOT REGULATED
14.3	IMDG (OCN): NOT REGULATED
14.4	TDGR (Canadian GND): NOT REGULATED
14.5	ADR/RID (EU): NOT REGULATED
14.6	SCT (MEXICO): NOT REGULATED



Page 5 of 6

IG-003

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 MSDS Revision Date: 01/01/2006 15. REGULATORY INFORMATION SARA Reporting Requirements: 15.1 NA SARA Threshold Planning Quantity: 15.2 NA 15.3 TSCA Inventory Status: All chemical substances of this product are listed on the TSCA inventory or are otherwise exempted from inventory status. 15.4 CERCLA Reportable Quantity (RQ): 15.5 Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics) Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. 15.7 State Regulatory Information: The components of this product are not listed on the California Proposition 65 lists or other state criteria lists. 15.8 67/548/EEC (European Union) Requirements: The primary component of this product is listed in Annex I of EU Directive 67/548/EEC: Hydrogen Peroxide: Harmful (Xi), Corrosive (C): R: 8-22-41. Contact with combustible material may cause fire. Harmful if swallowed. Risk of serious damage to the eyes. S: 3-28-37-39-45. Keep in a cool place. After contact with skin, wash immediately with plenty of soap and water. Wear suitable gloves. Wear eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label whenever possible.) 16. OTHER INFORMATION 16.1 Other Information: For external use only. Use only as directed. Discontinue use immediately if irritation develops. 16.2 Terms & Definitions See page 6 of this MSDS. 16.3 This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Schwarzkopf's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. 16.4 Prepared for: Schwarzkopf, Inc. 6047 Bristol Parkway, Suite 200 Culver City, CA 90230 USA Schwarzkopf Tel: +1 (310) 641-4600 Fax: +1 (310) 641-4601 http://www.schwarzkopf.com 16.5 Prepared by: ShipMate, Inc. 18436 Hawthorne Boulevard, Suite 201 Torrance, CA 90504 310-370-3600 phone 310-370-5700 fax Training & Consulting http://www.shipmate.com



Page 6 of 6

IG-003

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 01/01/2006

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists			
TLV	TLV Threshold Limit Value			
OSHA U.S. Occupational Safety and Health Administration				
PEL Permissible Exposure Limit				
IDLH Immediately Dangerous to Life and Health				

FIRST AID MEASURES:


HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard					
1 Slight Hazard						
2	2 Moderate Hazard					
3 Severe Hazard						
4	Extreme Hazard					



PERSONAL PROTECTION RATINGS:









Respirator





Full Suit **@ Full Face** Respirator



Airline

Hood/Mask or

Note: the dotted circle indicates that this respiratory protective equipment is required for high concentrations or for large volume spills or releases of product.

Face Shield &

FLAMMABILITY LIMITS IN AIR:


Autoignition Temperature Minimum temperature required to initiate combustion in with no other source of ignition					
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source				
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source.				

OTHER STANDARD ABBREVIATIONS:

NA	Not Available			
NR	NR No Results			
NE	NE Not Established			
ND	ND Not Determined			
ML	Maximum Limit			
SCBA	SCBA Self-Contained Breathing Apparatus			

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
OX	Oxidizer



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the					
LD30	exposed animals s					
1.0	Lethal concentration (gases) which kills 50% of the					
LC ₅₀	exposed animal					
	Concentration expressed in parts of material per million					
ppm	parts					
TD _{Io}	Lowest dose to cause a symptom					
TCLo	Lowest concentration to cause a symptom					
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic					
TC, TCo, LCio, & LCo	effects					
IARC	International Agency for Research on Cancer					
NTP	National Toxicology Program					
RTECS	Registry of Toxic Effects of Chemical Substances					
BCF	Bioconcentration Factor					
TLm	Median threshold limit					
log Kow or log Koc	Coefficient of Oil/Water Distribution					

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System			
DOT	U.S. Department of Transportation			
TC	Transport Canada			
EPA	U.S. Environmental Protection Agency			
DSL	DSL Canadian Domestic Substance List			
NDSL	Canadian Non-Domestic Substance List			
PSL Canadian Priority Substances List				
TSCA U.S. Toxic Substance Control Act				
EU European Union (European Union Directive 67/548/EEC)				
CPR Canada's Controlled Product Regulations				

EC INFORMATION:

		*	*		9	×	X
С	E	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

WHMIS INFORMATION:

\oslash				<u>(T)</u>	®		R
Α	В	С	D1	D2	D3	E	F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive