

# MATERIAL SAFETY DATA SHEET

Page 1 of 3

Prepared to OSHA, ACC, ANSI and WHMIS Standards

Date prepared: 3/1/06

Revision No: 1

## 1. PRODUCT INFORMATION

1.1	<b>Product Name:</b> Curly curl Reactivator
1.2	<b>Product Identification</b> 124-46C
1.3	<b>Product Use:</b> Hair Care
1.4	<b>Manufacturer's Name:</b> 2-2-0 LABORATORIES
1.5	<b>Manufacturer's Address:</b> 2375 THIRD STREET, RIVERSIDE, CA 92507
1.6	<b>Emergency Phone:</b> (800) 424-9300
1.7	<b>Business Phone:</b> TEL: (951) 683-2912 FAX: (951) 683-0952

## 2. COMPOSITION / INGREDIENT INFORMATION

CHEMICAL NAMES	CAS NO.	%	EXPOSURE LIMITS IN AIR		OTHER
			TLV ppm	PEL ppm	
<i>NO HAZARDOUS / CARCINOGENIC MATERIALS PRESENT</i>					

## 3. HAZARD INFORMATION

3.1	<b>Routes of Entry:</b>	Skin	X	Inhalation		EYES	X	Ingestion	X
3.2	<b>Effects of Exposure</b>	INGESTION: May cause gastrointestinal irritation EYES: Mild to moderate irritation SKIN: Mild to moderate irritation. Prolonged or repeated contact may cause localized redness or rash INHALATION: May cause irritation to the upper respiratory tract							

## 4. FIRST AID MEASURES

4.1	<b>First Aid:</b>	DO NOT INDUCE VOMITING. Drink enough water to dilute. Consult physician immediately INGESTION: EYES: Flush eyes with plenty of water to ensure complete flushing. If irritation persists, seek medical attention SKIN: Wash thoroughly with mild soap and water. If irritation persists, seek medical attention INHALATION: If affected, remove victim to fresh air at once. If breathing is difficult, seek medical attention
4.2	<b>Medical Conditions Aggravated by Exposure:</b>	Pre-existing respiratory and skin disorder

124-46C

# MATERIAL SAFETY DATA SHEET

Page 2 of 3

Prepared to OSHA, ACC, ANSI and WHMIS Standards

Date prepared: 3/1/06

Revision No: 1

## 5. FIREFIGHTING MEASURES

5.1	<b>Flashpoint &amp; Method:</b> 120 °F TCC
5.2	<b>Flammability Classification:</b> Moderately Combustible
5.3	<b>Extinguishing Methods:</b> CO <sub>2</sub> , Foam, Dry Chemical, and Water Spray
5.4	<b>Fire fighting Procedures:</b> Fire should be fought from a safe distance. As in any fire, wear self-contained breathing apparatus and full protective clothing
5.5	<b>Fire or Explosion Hazards:</b> None expected.

## 6. ACCIDENTAL RELEASE MEASURES

6.1	<b>Spills</b> Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment.  For small spills (e.g., <1 gallon) wear appropriate personal equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.  For spills $\geq$ 1 gallon, deny entry to all unprotected individuals. Contain spill with inert material (e.g., sand or earth). Transfer product to containers for recovery or proper disposal. Remove contaminated clothing promptly and wash affected areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.
6.2	<b>Waste Disposal Method:</b> Dispose of in accordance with federal, state or local regulations

## 7. HANDLING & STORAGE INFORMATION

7.1	<b>Work and Hygiene Practices:</b> Wash hands thoroughly after using this product and before eating, drinking, or smoking
7.2	<b>Storage and Handling</b> Keep away from excessive heat. Do not store in damaged or unmarked containers or storage devices.  For warehouse storage, pallets and cases should be placed to avoid damage or rupture from material handling equipment.

## 8. EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1	<b>Ventilation:</b> Use with adequate ventilation
8.2	<b>Respiratory:</b> None required, when used with adequate ventilation
8.3	<b>Personal Protective Equipment:</b> None required under normal conditions of use. When handling large quantities (e.g., $\geq$ 1 gallon), wear protective eyeglasses, gloves, boot, and apron per OSHA regulations (29 CFR 1910.133)

## 9. PHYSICAL & CHEMICAL PROPERTIES

9.1	<b>Appearance &amp; Color:</b>	2 -Phase (Water and Oil) clear liquid
9.2	<b>Odor:</b>	Characteristic
9.3	<b>pH:</b>	3.7
9.4	<b>Specific Gravity:</b>	1.00

124-46C

# MATERIAL SAFETY DATA SHEET

Page 3 of 3

Prepared to OSHA, ACC, ANSI and WHMIS Standards

Date prepared: 3/1/06

Revision No: 1

## 10. STABILITY & REACTIVITY

<b>10.1</b>	<b>Stability:</b>	Stable under normal conditions of use
<b>10.2</b>	<b>Hazardous Decomp. Products:</b>	Irritating vapors and toxic gases when involved in fire
<b>10.3</b>	<b>Hazardous Polymerization:</b>	Will not occur
<b>10.4</b>	<b>Conditions to Avoid:</b>	None known
<b>10.5</b>	<b>Incompatible Substances:</b>	Strong oxidizing agents

## 11. TRANSPORTATION INFORMATION

<b>11.1</b>	<b>SHIPPING NAME:</b> NOT HAZARDOUS TOILETRY	
<b>11.2</b>	<b>HAZARD CLASS:</b> NOT REGULATED	
<b>11.3</b>	<b>UN/NA NUMBER:</b> N/A	

## 12. OTHER INFORMATION

<b>12.1</b>	Hazardous Material Identification System (HMIS) Health Hazard: 0 Flammability Hazard: 2 Reactivity Hazard: 0 PPE Rating: B	National Fire Protection Association (NFPA) Ratings: Health: 0 Fire: 2 Reactivity: 0
<b>12.2</b>	<b>Disclaimer:</b> This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR § 1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of 2-2-0 Laboratories' knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided.	
<b>12.3</b>	<b>Prepared for:</b> SEXY HAIR CONCEPTS 9232 Eton Avenue Chatsworth, CA 91311 800.848.3383	
<b>12.4</b>	<b>Prepared by:</b> 2-2-0 Laboratories 2375 Third Street Riverside, CA 92507 951-683-2912 Phone 951-683-0952 Fax	

124-46C