

MATERIAL SAFETY DATA SHEET (MSDS)

PRODUCT IDENTITY (as indicated on label)

PRODUCT CODE

Boy Toys

HA33801

Section 1 Company Identification

Distributor's Name TIGI International Limited	Emergency Telephone Number (214) 273-2252
Address (Number, Street, City, State, and ZIP Code) 2311 Midway Rd Carrollton, TX 75006	Telephone Number for Information (214) 273-2252
	Date Prepared 7/23/02

Section 2 Hazardous Ingredients/Identity Information

Hazardous Components [Specific Chemical Identity: Common Name(s)]	CAS Number	Vapor Pressure	OSHA PEL	ACGIH TLV

Section 3 Hazards Identification

EMERGENCY OVERVIEW Type of Hazard:

POTENTIAL HEALTH EFFECTS

Inhalation: Intentional inhalation of vapors can cause nasal and respiratory irritation: dizziness, weakness, nausea, headache, possible unconsciousness and even asphyxiation
 Skin Contact: Practically non-irritating to the skin. Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dryness. Skin Absorption: none to Slight
 Eye Contact: May cause mild to severe eye irritation
 Ingestion: None known at this time.
 Chronic Effects and Medical Conditions Aggravated By Overexposure: None known at this time

Section 4 First Aid Measures

INHALATION: Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. Get medical attention.
SKIN: Thoroughly wash exposed area. If irritation persists, seek medical attention
EYES: Flush with copious amounts of water for 15 minutes. If irritation persists, seek medical attention
INGESTION: DO NOT induce vomiting. Get medical attention IMMEDIATELY.

Section 5 Fire Fighting Measures

FLAMMABILITY CLASSIFICATION: Non-Flammable

FLASH POINT: N/E

UNUSUAL FIRE AND EXPLOSION HAZARDS: Aerosols will burst at temperatures above 130°C (55°C). containers exposed to intense heat from fires must be cooled with water to prevent vapor pressure build up which could result in container rupture

SPECIAL FIRE FIGHTING PROCEDURES: Use Self-contained breathing apparatus. Water may be used on containers exposed to intense heat to prevent vapor pressure build up and container rupture. Keep containers cooled with water and remove them from danger as soon as possible. If aerosols are bursting, stay clear until bursting is completed. Aerosols can be projectiles when bursting.
NFPA 30B Storage Classification of Aerosol: Level 2

MATERIAL SAFETY DATA SHEET (MSDS)

PRODUCT IDENTITY (as indicated on label)

PRODUCT CODE

Boy Toys

HA33801

Section 6 Accidental Release Measures

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Contain Spill. Scoop or mop and place product in containers for disposal.

DISPOSAL METHOD: Dispose of according to federal, state and locals regulations. Disposal should be carried out under EPA state and federal laws

Section 7 Handling and Storage

USAGE PRECAUTIONS: Product is Pressurized. Do not puncture or burn even after use. Use with adequate ventilation.

STORAGE PRECAUTIONS: Keep containers cool in temperatures below 120°F. Keep containers dry, closed and upright when not in use.

OTHER PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Avoid contact with eyes. Maintain personal hygiene and good housekeeping .

Section 8 Exposure Controls and Personal Protection

RESPIRATION CONTROL: If used with adequate ventilation, no protective equipment is necessary. In enclosed spaces if exposure limits are exceeded use a NIOSH approved cartridge respirator.

VENTILATION: A well ventilated room with adequate air circulation.

PROTECTIVE GLOVES: Wear chemical resistant gloves and other clothing as required to minimize prolonged or repeated contact with skin.

EYE AND FACE PROTECTION: Chemical goggles if likelihood of eye contact

HYGENIC WORK PRACTICES: Wash well with soap and water after use of product.

Section 9 Physical and Chemical Properties

BOILING RANGE: N/A	VAPOR DENSITY(Concentrate): <input checked="" type="checkbox"/> HEAVIER <input type="checkbox"/> LIGHTER, THAN AIR (= 1)	
PERCENT VOLATILE PER VOLUME: 0%	EVAPORATION RATE(concentrate): (n-Butyl Acetate = 1) Greater than 1	
pH: 6.5 - 7.5	WEIGHT PER GALLON: 8.39	SPECIFIC GRAVITY: 1.008 (H ₂ O=1)
SOLUBILITY IN WATER: Partly soluble		VISCOSITY: 800,000- 1,200,000

APPEARANCE: pearly yellow gel
ODOR: characteristic

MATERIAL SAFETY DATA SHEET (MSDS)

PRODUCT IDENTITY (as indicated on label)

PRODUCT CODE

Boy Toys

HA33801

Section 10 Stability and Reactivity

STABILITY Unstable
 Stable

HAZARDOUS POLYMERIZATION May Occur
 Will Not Occur

INCOMPATIBILITY (*Materials to Avoid*) Strong oxidizing agents, strong acids and bases

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon Dioxide, Carbon Monoxide and other unidentified organic compounds may be formed during combustion.

CONDITIONS TO AVOID: High temperatures above 120°F, Open flames, sparks

Section 11 Toxicological Information

No definite information available on carcinogenicity, mutagenicity, target organs or developmental toxicity.

Section 12 Ecological Information

Product is in recyclable aluminum container

Section 13 Disposal Considerations

Dispose in accordance with federal, state and local regulations. Disposal should be carried out under EPA state and federal laws.

Section 14 Transport Information

1. DOT: Shipping name – Consumer Commodity Hazard Class – ORM-D
2. IMDG (by water overseas) Shipping name: Aerosols Class: 2 UN No.: 1950 Label: None
IMDG code: Page 2102
3. IATA (by air) Shipping name: Consumer Commodity Class: 9 ID No.: 8000
Label: Miscellaneous dangerous goods

Section 15 Regulatory Information

SARA Hazard Category: This material has been reviewed according to the EPA Hazard Categories promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered to meet the following categories: NONE

SARA, Title III, Section 313 (40CFR 372): There are no Chemicals subject to reporting in Section 313 of Title III.

California Proposition 65: The following statement is made in compliance with the California Safe Drinking and Toxic Enforcement Act of 1988: This material does not contain any chemicals known to the State of California to cause cancer

Section 16 Other Information

HAZARD RATING: Non- Flammable

REVISION DATE: 7/23/02

Date Issued: 7/23/02

Page 3 of 3