

MATERIAL SAFETY DATA SHEET 2

TIGI Linea, LP  
2311 Midway Rd.  
Carrollton, TX 75006

Information #: (972) 931-1567  
Emergency #: (800) 424-9300

TIGI, CATWALK SPRITZ AND SHINE (55%VOC)

Latest Revision Date...03/18/05

Print Date.....07/21/05

SECTION 1

PRODUCT IDENTIFICATION

PRODUCT NAME OR NUMBER..... TIGI175  
TRADE NAME OR CHEMICAL NAME... TIGI, CATWALK SPRITZ AND SHINE (55%VOC)  
SYNONYMS..... NA  
FORMULA..... TIGI7501 (L33964-C4) NON-AEROSOL  
CHEMICAL FAMILY..... NA  
MOLECULAR WEIGHT..... NA  
NFPA..... NA  
HMIS RATING..... HEALTH=1; FLAMMABILITY=4; REACTIVITY=0

SECTION 2

HAZARDOUS INGREDIENTS / HAZARD DATA

CHEMICAL NAME(S)	CAS NUMBER	% WT	TLV-TWA	REL	SEC. 313
POLYQUATERNIUM-11	53633-54-8	5	1000 ppm	1000 ppm	No
ETHANOL	64-17-5	51	1000 ppm	1000 ppm	No

Information for mixtures is based on constituent MSDS which are available upon request. (Minus Proprietary Trade Names).

SECTION 3

PHYSICAL DATA

BOILING/MELTING POINT @760 mm Hg... NA  
pH..... @25°C = 8.05 - 8.65  
VAPOR PRESSURE mm Hg @20°C..... CAN PRESSURE NOT TO EXCEED 180 psig @ 131°F  
VAPOR DENSITY (Air = 1)..... >1  
PERCENT VOLATILE BY WEIGHT (% )..... (55%VOC)  
SPECIFIC GRAVITY OR BULK DENSITY... @ 25°C = 0.85 - 0.95  
SOLUBILITY IN WATER..... SOLUBLE  
EVAPORATION RATE (Bulc = 1)..... >1  
APPEARANCE..... MILK THIN LIQUID WHITE  
ODOR..... CHARACTERISTIC  
INTENSITY..... ND

SECTION 4

FIRE AND EXPLOSION HAZARD DATA

FLASH POINT °F (Test Method)..... -30°F YCC (PROPELLANT ONLY); CONCENTRATE 36°F (KPA METHOD 1010)  
AUTOIGNITION TEMPERATURE..... NA  
FLAMMABILITY LIMITS IN AIR (% V)... LEL=1.8%; UEL=9.5%  
EXTINGUISHING MEDIA..... CARBON DIOXIDE, FOAM, DRY CHEMICAL, WATER  
SPECIAL FIRE FIGHTING PROCEDURES... KEEP TEMPERATURE OF CONTAINERS BELOW 120°F BY SPRAYING WITH WATER UNTIL THE FIRE HAS BEEN EXTINGUISHED.  
UNUSUAL FIRE & EXPLOSION HAZARDS... CONTAINERS MAY RUPTURE AND RELEASE FLAMMABLE LIQUIDS AND/OR GASSES IF EXPOSED TO HEAT OF FIRE.

TIGI CATWALK SPRITZ AND SHINE (55%VOC)

-----  
**SECTION 5                    HEALTH HAZARD DATA \* EFFECTS OF OVEREXPOSURE**  
-----

SKIN CONTACT.....None known.  
EYE CONTACT.....Direct contact of product with eyes may cause irritation, and may result in irreversable damage.  
INHALATION.....None known.  
INGESTION.....If ingested may cause nausea and vomiting. If in aerosol form ingestion not likely  
CHRONIC EFFECTS  
OF OVEREXPOSURE....None known.  
TOXICOLOGICAL  
TEST DATA.....No results available.

-----  
**SECTION 6                    EMERGENCY AND FIRST AID PROCEDURES**  
-----

SKIN.....Wash excess material from skin with soap and water.  
EYES.....Flush eyes with generous amounts of water for at least 15 minutes. Consult a physician if irritation occurs or worsens.  
INGESTION...Product is not likely to be ingested. If this occurs, treat symptomatically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions.  
INHALATION...Move to fresh air. Aid in breathing, if necessary, and get immediate medical attention.

-----  
**SECTION 7                    REACTIVITY DATA**  
-----

PRODUCT STABILITY..... STABLE  
Conditions to Avoid..... DO NOT STORE CONTAINERS IN DIRECT SUNLIGHT OR WHERE CONDITIONS WILL HEAT THEM ABOVE 120 F.  
CHEMICAL INCOMPATIBILITY..... DO NOT MIX WITH STRONG OXIDIZERS.  
HAZARDOUS DECOMPOSITION PRODUCTS... NORMAL PRODUCTS OF COMBUSTION.  
HAZARDOUS POLYMERIZATION..... WILL NOT OCCUR.  
Conditions to Avoid..... NONE KNOWN.  
CORROSIVE TO METAL..... NO.  
OXIDIZER..... NA

-----  
**SECTION 8                    SPECIAL PROTECTION INFORMATION**  
-----

RESPIRATORY PROTECTION.....None required.  
VENTILATION.....Normal ventilation.  
PROTECTIVE CLOTHING.....Not necessary except as good industrial practice.  
EYE PROTECTION.....Not necessary except as good industrial practice.  
OTHER PRECAUTIONS.....Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed.

-----  
**SECTION 9                    ENVIRONMENTAL DATA**  
-----

ENVIRONMENTAL TOXICITY DATA..... NA  
SPILL OR LEAK PROCEDURES..... LEAKING CANS SHOULD BE PLACED IN OPEN CONTAINERS, OUTDOORS, AWAY FROM ANY SOURCE OF IGNITION, UNTIL ALL PRESSURE HAS BEEN RELEASED.  
HAZARDOUS SUBSTANCE SUPERFUND... NA  
WASTE DISPOSAL METHOD..... BURY OR INCINERATE IN APPROVED DISPOSAL FACILITIES AND IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.  
HAZARDOUS WASTE 40CFR261..... D001  
CONTAINER DISPOSAL..... EMPTY CONTAINERS MAY BE DISPOSED OF AS NORMAL REFUSE. PLEASE RECYCLE WHENEVER POSSIBLE.

-----  
**SECTION 10                    SHIPPING DATA - HIGHWAY**  
-----

D.O.T. PROPER SHIPPING NAME..... CONSUMER COMMODITY

TIGI CATWALK SPRITZ AND SHINE (55%VOC)

SECTION 10

SHIPPING DATA - HIGHWAY

CONT'D

HAZARDOUS SUBSTANCE 49CFR CERCLA... NA  
D.O.T. HAZARD CLASS..... ORM-D  
D.O.T. LABELS REQUIRED..... NONE  
D.O.T. PLACARDS REQUIRED..... NONE  
POISON CONSTITUENT..... NONE  
BILL OF LADING DESCRIPTION..... CONSUMER COMMODITY ORM-D  
EMERGENCY RESPONSE GUIDE NUMBER.... NAERG #171  
EMERGENCY TELEPHONE NUMBER..... CHEMTREC (800) 424-9300  
UN/NA CODE..... NONE

SECTION 11

SHIPPING DATA - IATA (AIR)

IATA PROPER SHIPPING NAME..... DOMESTIC: CONSUMER COMMODITY; EXPORT: FLAMMABLE LIQUID, N.O.S., UN1993  
IATA HAZARD CLASS..... 3  
IATA LABELS REQUIRED - PRIMARY..... DOMESTIC: CONSUMER COMMODITY ORM-D-AIR; EXPORT: FLAMMABLE LIQUID, N.O.S.  
IATA LABELS REQUIRED - SECONDARY... NA  
BILL OF LADING DESCRIPTION..... DOMESTIC: CONSUMER COMMODITY ORM-D-AIR, 9, ID8000; EXPORT: AEROSOLS, FLAMMABLE,  
N.O.S., 2.1, UN1950  
UN/NA CODE..... DOMESTIC: NONE; EXPORT: UN1950  
PACKING INSTRUCTION..... DOMESTIC: 910; EXPORT: 203/Y203 AUTHORIZATION: LTD.QTY.  
EMERGENCY RESPONSE GUIDE NUMBER.... 126  
EMERGENCY RESPONSE TELEPHONE NO.... CHEMTREC (800) 424-9300

SECTION 12

SHIPPING DATA - IMDG (WATER)

IMDG PROPER SHIPPING NAME..... FLAMMABLE LIQUID, N.O.S., 3, U.N. 1993, PG II  
IMDG HAZARD CLASS..... 3  
IMDG LABELS REQUIRED - PRIMARY..... HOLLOW DIAMOND SYMBOL WITH UN 1993 MARKED AT ITS CENTER  
IMDG LABELS REQUIRED - SECONDARY... NONE  
IMDG PLACARDS REQUIRED..... NONE  
BILL OF LADING DESCRIPTION..... FLAMMABLE LIQUID, N.O.S., 3, UN1993  
MARINE POLLUTANT..... NO  
EMERGENCY RESPONSE GUIDE NUMBER.... 128  
EMS NUMBER..... P-R, S-E  
MFAG NUMBER.....  
EMERGENCY TELEPHONE NUMBER..... CHEMTREC (800) 424-9300

IMDG PAGE NUMBER..... 97 (2004 IMDG CODE, SOFT COVER)  
UN CODE..... UN1993

SECTION 13

ADDITIONAL INFORMATION

This Material Safety Data Sheet (MSDS) has been prepared in compliance with OSHA Hazard Communication Standard 29CFR 1910.1200. The information contained herein is, to the best of our knowledge and belief, accurate and reliable as of the date issued. We do not however, warrant or guarantee the accuracy or reliability, nor shall we be liable for any loss or damage arising out of the use thereof. The information is offered for the user's consideration and examination, and it is the user's responsibility to satisfy himself that it is suitable and complete for his particular use.

ABBREVIATIONS: NA (N/A): NOT AVAILABLE  
UNK: UNKNOWN  
NE (N/E): NOT ESTABLISHED  
ND (N/D): NOT DETERMINED