Page 1 of 4

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

TRADE NAME: Fantastic Style Thermal Guard

MANUFACTURER'S NAME: EMERGENCY #: (800) 584-8038 - 24 hours

Zotos International Inc

INFORMATION #: (203) 656-7859 (8:30 am– 5:00 pm)

ADDRESS (NUMBER, STREET, CITY, STATE, & ZIP CODE):

100 Tokeneke Road Darien, CT 06820

PREPARED: 6/10/08 CURRENT MSDS UPDATE:

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME(S) CAS NUMBER TLV-TWA PEL

Ethanol 64-17-5 1000 PPM 1000 PPM

SECTION 3. HAZARDS IDENTIFICATION

Physical/chemical hazards: The data available do not support any physical or chemical hazard. **Human health hazards:** The data available do not support any adverse human health hazard.

Environmental hazards: The data available do not support any environmental hazard.

SECTION 4. FIRST-AID MEASURES

Effects and symptoms

Inhalation: No specific effects and/or symptoms have been reported or known. **Ingestion:** No specific effects and/or symptoms have been reported or known. **Skin contact:** Prolonged or repeated exposure may be irritating (redness, pain).

Eye contact Prolonged or repeated exposure may be irritating (redness, tears and pain).

First-aid measures

Inhalation: None Known.

Ingestion: Product is not likely to be ingested. If this occurs, treat symptomatically. Never give anything

Page 2 of 4

by mouth to an unconscious person. Call a physician.

Skin contact: Remove contaminated clothing. Wash off with plenty of water and soap.

Eye contact: Avoid spraying in eyes. Accidental introduction into eye can result into moderate irritation. Immediately wash out with plenty of water with the eyelid held wide open for at least 15 minutes.

Consult a doctor in the event of any complaints.

Protection of first-aiders: Avoid exposure. Use appropriate protection (see section 8).

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable: All types of extinguishing agent permitted. Dike fire control water for later disposal.

Special fire-fighting procedures: Since all pressurized aerosol cans may explode when exposed to excessive heat protect from excessive heat with water spray.

Protection of fire-fighters: Burning may produce: toxic and/or corrosive vapours/gases. Wear

suitable protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Flammable. Do not use near flame or while smoking.

Environmental precautions: Leaking cans should be placed in open containers outdoors from any source of ignition, until all pressure has been released.

Methods for cleaning up: Seal leak if possible without risk. Prevent dispersion. Collect spilled material in sealable containers. Wash away remainder with plenty of water.

SECTION 7. HANDLING AND STORAGE

Handling: When handling the product, allow for materials and conditions which should be avoided (see Section 10). Avoid contact with skin and eyes.

Specific use(s): Not available.

Storage: Store in dry area at normal temperatures. Avoid storing at high temperature or near heat source. Avoid freezing temperatures.

Packaging materials

Suitable: Not available.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering measures: Ventilation recommended.

Hygiene measures: When using do not eat, drink or smoke. Follow good housekeeping

practices.

Page 3 of 4

Personal Protective Equipment

Respiratory system: With sufficient ventilation, extraction or closed system, breathing

apparatus not necessary.

Other protective equipment: Not available.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:Clear liquidColor:Slightly yellowOdor:Fragranced

Molecular weight: N/A.

Boiling point: N/A

Melting point: N/A

Density: 1.1 - 2.1

Vapour density (air=1): N/A

Vapor pressure: Can pressure not to exceed 139 psig @ 131°F (55°C)

Specific gravity (H2O=1): 0.9085+/-0.0050

Solubility in water: Soluble
Octanol/water partition: N/A
pH: 7.5-8.5
Flash point: 23° C

SECTION 10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Hazardous Reactions: Not available.

Chemical Incompability: Do not mix with strong oxidizers

Hazardous Decomposition Products: Normal products of combustion.

Corrosive to Metal: No.

SECTION 11.TOXICOLOGICAL INFORMATION

Acute toxicity: N/A

Dermal: Repeated exposure may cause skin dryness or cracking.

Eye irritation: Direct contact of product with eyes may cause irritation, and may result in irreversible

damage.

SECTION 12. ECOLOGICAL INFORMATION

No ecological information is known on the product.

Rarely presents a problem when used according to directions. This product is safe for its intended use.

SECTION 13. DISPOSAL CONSIDERATIONS

Page 4 of 4

Methods of disposal: Bury or incinerate in approved disposal facilities and in accordance with all Federal, State and Local Regulations.

Contaminated packaging: Keep waste packaging separate. Because of possible pollution, remove as industrial waste or hazardous waste. Empty containers may be disposed of as normal refuse. Recycle whenever possible. Before offering for recycling empty the can by using the product according to the label. (Do not puncture).

SECTION 14. TRANSPORT INFORMATION		
DOT Class: Exempt	Red Label:	Consumer Commodity ORM-D X
Oxidizer	UN No 1993	
SECTION 15. REGULATORY I	NFORMATION	
California Safe Drinking Water an This Material is not known to cont toxics under California Proposition SECTION 16. SUPPLIER INFO	ain any chemicals current n 65 at levels which would	ly listed as carcinogens or reproductive

The information contained herein is, to the best of our knowledge and belief, accurate and reliable as of the date issued. We do not however, warrant or guarantee the accuracy or reliability, nor shall we be liable for any loss or damage arising out of the use thereof. The information is offered for the user's consideration and examination, and it is the user's responsibility to satisfy himself that it is suitable and complete for his particular use.

Abbreviations:

Na (N/A): Not Available UNK: Unknown NE (N/E):Not Established ND (N/D):Not Determined