ASSURED PACKAGING INC 6080 Vipond Drive Mississauga, Ontario L5T 2V4, Canada 905-565-1410

# PRODUCT: 1000024743 10.6oz Flow Finishing Spray Strong Hold

## SECTION 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER'S NAME AND ADDRESS MANUFACTURER .....

Assured Packaging Inc 6080 Vipond Drive Mississauga, Ontario

L5T 2V4 905-565-1410

1000024743 10.6oz Flow Finishing Spray Strong Hold

PRODUCT NAME.....CHEMICAL FAMILY..... ALCOHOL.

MOLECULAR WEIGHT..... NOT APPLICABLE. CHEMICAL FORMULA...... NOT APPLICABLE.

TRADE NAMES & SYNONYMS RECOMMENDED PRODUCT USES..... PERSONAL CARE.

FORMULA/LAB BOOK #..... 34577.

# SECTION 02: HAZARDS IDENTIFICATION



HAZARD CLASSIFICATION..... Warning. Warning SIGNAL WORD.....

HAZARD STATEMENTS ..... H223 FLAMMABLE AEROSOL. H229 PRESSURIZED CONTAINER: MAY BURST IF

HEATED. H302 HARMFUL IF SWALLOWED. H320 CAUSES EYE IRRITATION. H332

HARMFUL IF INHALED.

PRECAUTIONARY STATEMENTS..... P101 IF MEDICAL ADVICE IS NEEDED, HAVE PRODUCT CONTAINER OR LABEL AT HAND. P102 KEEP OUT OF REACH OF CHILDREN. P103 READ LABEL BEFORE USE.

OTHER HAZARDS..... No additional information available.

SECTION 03: COMPOSITION/INFORMATION INGREDIENTS						
HAZARDOUS INGREDIENTS	CAS#	WT. %				
ETHANOL (Ethyl Alcohol) 1,1-DIFLUOROETHANE	64-17-5 75-37-6	40-70 30-60				

## **SECTION 04: FIRST AID MEASURES**

EMERGENCY FIRST AID PROCEDURE .... IN CASE OF EYE CONTACT, FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR

AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION. FOR SKIN, WASH

THOROUGHLY WITH SOAP AND WATER. IF AFFECTED BY INHALATION OF VAPOUR

OR SPRAY MIST, REMOVE TO FRESH AIR. IF SWALLOWED; DO NOT INDUCE

VOMITING, GET MEDICAL ATTENTION.

## **SECTION 05: FIRE FIGHTING MEASURES**

FLAMMABILITY.... FLAMMABLE

IF YES, UNDER WHICH CONDITIONS?.....

SPECIÁL PROCEDURES.....

EXCESSIVE HEAT, SPARKS AND OPEN FLAME.
WATER FROM FOGGING NOZZLES MAY BE USED TO COOL CLOSED CONTAINERS
TO PREVENT BUILD-UP IF EXPOSED TO EXTREME TEMPERATURES. FULL
PROTECTIVE EQUIPMENT INCLUDING SELF CONTAINED BREATHING APPARTATUS SHOULD BE WORN IN A FIRE INVOLVING THIS MATERIAL.

**EXPLOSION DATA** 

SENSITIVITY TO STATIC DISCHARGE. NOT APPLICABLE. SENSITIVITY TO IMPACT..... NOT APPLICABLE.

EXTINGUISHING MEDIA...... WATER, CARBON DIOXIDE, DRY CHEMICAL, FOAM.

HAZARDOUS COMBUSTION

## PRODUCT: 1000024743 10.6oz Flow Finishing Spray Strong Hold

## SECTION 05: FIRE FIGHTING MEASURES

HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION PRODUCTS.....

IS INCOMPLETE.

AEROSOL FLAME PROJECTION

CLASSIFIED AS:.....>45cm.

NOT DETERMINED. FLASHBACK.....

## SECTION 06: ACCIDENTAL RELEASE MEASURES

REMOVE ALL SOURCES OF IGNITION. USE AN INERT ABSORBENT MATERIAL, AND

NON-SPARKING TOOLS. VENTILATE AREA. PREVENT FROM ENTERING A

WATERCOURSE.

#### SECTION 07: HANDLING AND STORAGE

STORAGE NEEDS.....ENGINEERING CONTROLS..... KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAMES.

VENTILATION - LOCAL (MECHANICAL IF USED INDOORS ON A CONTINUOUS

BASIS).

HANDLING PROCEDURES AND ..... STORÉ IN A COOL, WELL VENTILATED AREA NOT TO EXCEED 50 DEG C.

**EQUIPMENT** 

SYNERGISTIC MATERIALS...... NONE KNOWN.

### SECTION 08: EXPOSURE CONTROLS/PERSONAL PROTECTION

	ACGIH TLV		OSHA PEL		1	NIOSH
INGREDIENTS	TWA	STEL	PEL	STEL	REL	

ETHANOL (Ethyl Alcohol) 1000 ppm

1.1-DIFLUOROETHANE 1000

GLOVES/ TYPE..... NONE REQUIRED FOR NORMAL APPLICATION OF AEROSOL PRODUCTS WHERE

MINIMAL SKIN CONTACT IS EXPECTED.

NOT NORMALLY REQUIRED. RESPIRATORY/TYPE..... NOT NORMALLY REQUIRED. EYE/TYPE..... .....

FOOTWEAR/TYPE..... NOT REQUIRED. OTHER/TYPE...... NOT REQUIRED.

#### SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE...... AEROSOL.

APPEARANCE...... CLEAR, PALE YELLOW LIQUID.

ODOR...... FRAGRANT. ODOR THRESHOLD......NOT AVAILABLE. pH.....7.0-9.0.

n-BUTYL ACETATE = 1 UPPER FLAMMABLE LIMIT...... 19.

(% BY VOLUME)

LOWER FLAMMABLE LIMIT...... 3.3.

(% BY VOLUME)

VAPOUR PRESSURE(PSIG)-AEROSOL..... 45-55.

@ 20 C

VAPOUR DENSITY (AIR=1)..... GREATER THAN 1.

(BY WEIGHT)

SPECIFIC GRAVITY (AEROSOL)...... 0.76-0.80. SPECIFIC GRAVITY (LIQUID)...... 0.84-0.88.

AUTO IGNITION TEMPERATURE (°C)....... LOWEST KNOWN VALUE IS 422 (ETHANOL).

(BY WEIGHT).

### **SECTION 10: STABILITY AND REACTIVITY**

HAZARDOUS PRODUCTS OF

DECOMPOSITION..... HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION

IS INCOMPLETE. CHEMICAL STABILITY:

YES...... UNDER NORMAL CONDITIONS.

## PRODUCT: 1000024743 10.6oz Flow Finishing Spray Strong Hold

### SECTION 10: STABILITY AND REACTIVITY

NO. WHICH CONDITIONS?...... NOT APPLICABLE.

COMPATIBILITY WITH OTHER

SUBSTANCES:

HAZARDOUS POLYMERIZATION...... WILL NOT OCCUR.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

**INGREDIENTS** LC50 LD50

ETHANOL (Ethyl Alcohol) 31,623 ppm (4 hr) INHAL - RAT 7060 mg/kg ORAL - RAT

383000 ppm (4 hr) INHAL - RAT NOT AVAILABLE 1,1-DIFLUOROETHANE

ROUTE OF ENTRY:

INHALATION..... INHALATION OF SOLVENTS MAY CAUSE IRRITATION. PROPELLANT IS A SIMPLE

ASPHYXIANT.

INGESTION..... MAY CAUSE HEADACHE, NAUSEA, VOMITING AND WEAKNESS.

EYE CONTACT..... MAY CAUSE IRRITATION.

MAY CAUSE IRRITATION TO SENSITIVE SKIN. SKIN CONTACT.....

SKIN ABSORPTION..... ETHANOL CAN BE ABSORBED IN TOXIC AMOUNTS, ESPECIALLY FROM PROLONGED OR REPEATED EXPOSURE.

EFFECTS OF ACUTE EXPOSURE.....

ETHANOL-LONG TERM REPEATED ORAL EXPOSURE MAY RESULT IN THE DEVELOPMENT OF PROGRESSIVE LIVER INJURY WITH FIBROSIS.

EFFECTS OF CHRONIC EXPOSURE....... SOLVENTS MAY CAUSE DEFATTING DERMATITIS

IRRITANCY OF MATERIAL...... SKIN/EYE IRRITANT.

CARCINOGENICITY OF MATERIAL..... THE INGREDIENTS OF THIS PRODUCT ARE NOT LISTED AS CARCINOGENS BY NTP, (NATIONAL TOXICOLOGY PROGRAM), NOT REGULATED AS CARCINOGENS

BY OSHA, (OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION), AND HAVE NOT BEEN EVALUATED BY IARC, (INTERNATIONAL AGENCY FOR RESEARCH ON CANCER), NOR BY ACGIH (AMERICAN CONFERENCE OF GOVERNMENTAL

INDUSTRÍAL HYGIENISTS)

NO INFORMATION IS AVAÍLABLE AND NO ADVERSE MUTAGENIC EFFECTS ARE MUTAGENICITY.....

ANTICIPATED

NO INFORMATION IS AVAILABLE AND NO ADVERSE TERATOGENIC EFFECTS ARE TERATOGENICITY.....

ANTICIPATED.

NO INFORMATION IS AVAILABLE AND NO ADVERSE REPRODUCTIVE EFFECTS ARE REPRODUCTIVE EFFECTS.....

ANTICIPATED.

SENSITIZING CAPABILITY OF MATERIAL. UNKNOWN.

## **SECTION 12: ECOLOGICAL CONSIDERATIONS**

ENVIRONMENTAL...... NOT AVAILABLE.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL..... DO NOT PUNCTURE OR INCINERATE CONTAINERS, EVEN WHEN EMPTY. DISPOSE OF IN ACCORDANCE WITH LOCAL, PROVINCIAL AND FEDERAL REGULATIONS.

### **SECTION 14: TRANSPORTATION INFORMATION**

T.D.G. CLASSIFICATION...... AEROSOL LIMITED QUANTITY: CLASS 2.1, UN 1950.

D.O.T. CLASSIFICATION...... CONSUMER COMMODITY, ORM-D.

### **SECTION 15: REGULATORY INFORMATION**

#### CANADIAN REGULATIONS:

WHMIS CLASSIFICATION..... A,B5,D2B. CNFC SECTION 3.3.5.... LEVEL 2.

ALL SUBSTANCES IN THIS PRODUCT ARE LISTED ON THE CANADIAN DOMESTIC CEPA (Canadian Environmental Protection ... Act)

SUBSTANCES LIST (DSL) OR ARE NOT REQUIRED TO BE LISTED.

#### U.S. REGULATIONS:

HMIS RATING HEALTH...... 1 SLIGHT HAZARD HMIS RATING FLAMMABILITY...... 3 SERIOUS HAZARD. HMIS RATING REACTIVITY..... 1 SLIGHT HAZARD. HMIS RATING PERSONAL PROTECTION.. B.

NFPA CODE 30B..... LEVEL 2.

## PRODUCT: 1000024743 10.6oz Flow Finishing Spray Strong Hold

### **SECTION 15: REGULATORY INFORMATION**

SARA 313 INFORMATION:.... THIS PRODUCT CONTAINS NO INGREDIENTS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND

COMMUNITY RIGHT-TO-KNOW ACT OF 1986 AND OF 40 CFR 372. . CAS #:

THE FOLLOWING STATEMENT IS MADE IN ORDER TO COMPLY WITH THE CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986: CALIFORNIA PROPOSITION 65:.....

. WARNING: THIS PRODUCT DOES NOT INTENTIONALLY CONTAIN ANY CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE

CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

CHEMICAL NAME:

. N/A.

TSCA (Toxic Substances Control Act)......... ALL COMPONENT OF THIS PRODUCT ARE LISTED ON THE TSCA INVENTORY. ANY

IMPURITIES PRESENT IN THIS PRODUCT ARE EXEMPT FROM LISTING.

## **SECTION 16: OTHER INFORMATION**

NOTICE FROM ASSURED PACKAGING INC THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET IS PROVIDED BY ASSURED PACKAGING INC. FREE OF CHARGE. WHILE BELIEVED TO BE RELIABLE,

IT IS INTENDED FOR USE BY SKILLED PERSONS AT THEIR OWN RISK. ASSURED PACKAGING INC. ASSUMES NO RESPONSIBILITY FOR EVENTS RESULTING OR DAMAGES INCURRED FROM ITS USE. THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED HEREIN AND DOES NOT RELATE TO USE IN COMBINATION WITH ANY OTHER

MATERIAL OR IN ANY PROCESS.

PREPARED BY..... Regulatory Affairs

PREPARATION DATE ..... JUN12/15