KIK CUSTOM PRODUCTS

# SAFETY DATA SHEET

Page **1** of **7** 

	Prepared to OSHA, ACC, ANS	I, NOHSC, WHN	/IIS, 2001/58 & 1272/200	08/EC Standards	SDS Revision: 1.0	SDS Revision Date: 10/4/2016
		1	. PRODUCT & C	COMPANY I	DENTIFICATION	
1.1	Product Name:	HangMan	Dry Shampoo			
1.2	Chemical Name:	-				
1.3		-	n Dry Shampoo			
1.4	Trade Names:	Dry Shampoo				
L.5	Product Uses/ Restrictions	Professional a	ind Cosmetic Use			
L.6	Distributor's Name:					
1.7			dler Road, Gainesville, GA 30507 USA			
1.8			EL: +1 (800) 255-3924			
1.9	Business Phone / Fax:	+1 (770) 534-0	0300 / +1 (770) 534-8954	4		
			2. HAZARDS	S IDENTIFIC	ATION	
2.1	Hazard Identification:	This product i			and as DANGEROUS GOOD	DS according to the
			criteria of NOHSC: 1088 (			
		WARNING!	LAMMABLE AEROSOL.	PRESSURIZED CO	NTAINER: MAY BURST IF	HEATED. HIGHLY
		FLAMMABLE	LIQUID AND VAPOR. CA	AUSES EYE IRRITA	TION.	
			Level 1 Aerosol; Catego			
				nable Aerosol. H2	29–Pressurized container:	may burst if
			– Causes eye irritation. v Statement (P):			
				aces snarks oner	flames and other ignition	
		Smoking.	iway noni neat, not suna			
		-	t spray on an open flame	or other ignition	source.	
			t pierce or burn, even aft	-		
		P261 – avoid	breathing vapors/spray.			
			nly in well-ventilated area			
			IF INHALED; Remove per	son to fresh air a	nd keep comfortable for b	reathing.
P305+P351+338 – IF INEYES; Rinse cautiously with water for several minutes. Remove co						
				utiously with wate		nove contact lenses,
		if present, cor	ntinue rinsing.		r for several minutes. Ren	nove contact lenses,
		if present, cor P337+P313 –	ntinue rinsing. If eye irritation persists:	Get medical advid	r for several minutes. Ren e/attention.	
		if present, cor P337+P313 – P410+P412 –	ntinue rinsing. If eye irritation persists: Protect from sunlight. Do	Get medical advid o no expose to te	r for several minutes. Ren re/attention. mperature exceeding 48°C	C (120 °F).
		if present, cor P337+P313 – P410+P412 –	ntinue rinsing. If eye irritation persists: Protect from sunlight. Do	Get medical advid o no expose to te	r for several minutes. Ren e/attention.	C (120 °F).
		if present, cor P337+P313 – P410+P412 – P501 – Dispos	ntinue rinsing. If eye irritation persists: Protect from sunlight. Do e of contents/container	Get medical advic o no expose to te to licensed and p	r for several minutes. Ren re/attention. mperature exceeding 48°C	C (120 °F). ling facility.
Su	bstance / Chemical Name(s)	if present, cor P337+P313 – P410+P412 – P501 – Dispos <b>3.</b>	ntinue rinsing. If eye irritation persists: Protect from sunlight. Do e of contents/container	Get medical advic o no expose to te to licensed and p	er for several minutes. Ren re/attention. mperature exceeding 48°C ermitted disposal or recyc	C (120 °F). ling facility.
	bstance / Chemical Name(s) UOROETHANE (R-152a)	if present, cor P337+P313 – P410+P412 – P501 – Dispos <b>3.</b>	ntinue rinsing. If eye irritation persists: Protect from sunlight. Do the of contents/container	Get medical advic o no expose to te to licensed and p & INGRED	er for several minutes. Ren re/attention. mperature exceeding 48°C ermitted disposal or recyc IENT INFORMATI	C (120 °F). ling facility.
DIFL		if present, cor P337+P313 – P410+P412 – P501 – Dispos <b>3.</b> CAS No.	ntinue rinsing. If eye irritation persists: Protect from sunlight. Do se of contents/container COMPOSITION EINECS No.	Get medical advic o no expose to te to licensed and p & INGRED %	er for several minutes. Ren re/attention. mperature exceeding 48°C ermitted disposal or recyc IENT INFORMATI	C (120 °F). ling facility.
DIFL Dime	UOROETHANE (R-152a)	if present, cor P337+P313 – P410+P412 – P501 – Dispos <b>3.</b> CAS No. 75-37-6	ntinue rinsing. If eye irritation persists: Protect from sunlight. Do se of contents/container COMPOSITION EINECS No. 200-866-1	Get medical advic o no expose to te to licensed and p & INGRED % 40 – 60	er for several minutes. Ren mperature exceeding 48°C ermitted disposal or recyc IENT INFORMATI Other Flam. Gas 1; H220	C (120 °F). ling facility.
DIFLI Dime	UOROETHANE (R-152a) ethyl Ether	if present, cor P337+P313 – P410+P412 – P501 – Dispos <b>3.</b> <b>CAS No.</b> 75-37-6 115-10-6	ntinue rinsing. If eye irritation persists: Protect from sunlight. Do se of contents/container COMPOSITION EINECS No. 200-866-1 204-065-8 200-578-6	Get medical advic o no expose to te to licensed and p & <b>&amp; INGRED</b> % 40 – 60 15 - 40 20 - 40	er for several minutes. Ren mperature exceeding 48°C ermitted disposal or recyce IENT INFORMATI Other Flam. Gas 1; H220 Press. Gas 1; Flam. Gas Flam. Liq. 2; H225	C (120 °F). ling facility.
DIFLI Dime Etha	UOROETHANE (R-152a) ethyl Ether nol (SD Alcohol 40B)	if present, cor P337+P313 – P410+P412 – P501 – Dispos <b>3.</b> <b>CAS No.</b> 75-37-6 115-10-6	ntinue rinsing. If eye irritation persists: Protect from sunlight. Do se of contents/container COMPOSITION EINECS No. 200-866-1 204-065-8 200-578-6 4. FIRST	Get medical advic o no expose to te to licensed and p <b>&amp; INGRED</b> <b>%</b> 40 – 60 15 - 40 20 - 40 <b>AID MEASU</b>	r for several minutes. Ren mperature exceeding 48°C ermitted disposal or recyc EENT INFORMATI Other Flam. Gas 1; H220 Press. Gas 1; Flam. Gas Flam. Liq. 2; H225 JRES	C (120 °F). ling facility.
DIFLI Dime Etha	UOROETHANE (R-152a) ethyl Ether	if present, cor P337+P313 – P410+P412 – P501 – Dispos <b>3.</b> <b>CAS No.</b> 75-37-6 115-10-6	ntinue rinsing. If eye irritation persists: Protect from sunlight. Do se of contents/container COMPOSITION EINECS No. 200-866-1 204-065-8 200-578-6 A. FIRST If ingested, do not induc	Get medical advic o no expose to ter to licensed and p <b>&amp; INGRED</b> <b>%</b> 40 – 60 15 - 40 20 - 40 <b>AID MEASL</b> ce vomiting! If pr	er for several minutes. Ren mperature exceeding 48°C ermitted disposal or recyc EENT INFORMATI Other Flam. Gas 1; H220 Press. Gas 1; Flam. Gas Flam. Liq. 2; H225 JRES oduct has been swallowed	c (120 °F). ling facility.
DIFLI Dime Etha	UOROETHANE (R-152a) ethyl Ether nol (SD Alcohol 40B)	if present, cor P337+P313 – P410+P412 – P501 – Dispos <b>3.</b> <b>CAS No.</b> 75-37-6 115-10-6	ntinue rinsing. If eye irritation persists: Protect from sunlight. Do se of contents/container COMPOSITION EINECS No. 200-866-1 204-065-8 200-578-6 A. FIRST If ingested, do not induced IMMEDIATELY. If the paragenetic set of the set	Get medical advic o no expose to ter to licensed and p <b>&amp; INGRED</b> % 40 – 60 15 - 40 20 - 40 AID MEASL ce vomiting! If pr atient is vomiting	er for several minutes. Ren mperature exceeding 48°C ermitted disposal or recyc EENT INFORMATI Other Flam. Gas 1; H220 Press. Gas 1; Flam. Gas Flam. Liq. 2; H225 JRES oduct has been swallowed continue to offer water of	c (120 °F). ling facility. ION s 1; H220 d, drink plenty of water or milk or milk. Never give water or milk to a
DIFLI Dime Etha	UOROETHANE (R-152a) ethyl Ether nol (SD Alcohol 40B)	if present, cor P337+P313 – P410+P412 – P501 – Dispos <b>3.</b> <b>CAS No.</b> 75-37-6 115-10-6 64-17-5	ntinue rinsing. If eye irritation persists: Protect from sunlight. Do se of contents/container COMPOSITION EINECS No. 200-866-1 204-065-8 200-578-6 A. FIRST If ingested, do not induced IMMEDIATELY. If the para unconscious person. Co	Get medical advic o no expose to ter to licensed and p <b>&amp; INGRED</b> <b>%</b> 40 – 60 15 - 40 20 - 40 <b>AID MEASL</b> ce vomiting! If pr atient is vomiting pontact the neares	r for several minutes. Ren re/attention. mperature exceeding 48°C ermitted disposal or recyc IENT INFORMATI Other Flam. Gas 1; H220 Press. Gas 1; H220 Press. Gas 1; Flam. Gas Flam. Liq. 2; H225 JRES oduct has been swallowed continue to offer water of t Poison Control Center or	c (120 °F). ling facility. ION s 1; H220 d, drink plenty of water or milk or milk. Never give water or milk to a
DIFLI Dime Etha	UOROETHANE (R-152a) ethyl Ether nol (SD Alcohol 40B)	if present, cor P337+P313 – P410+P412 – P501 – Dispos <b>3.</b> <b>CAS No.</b> 75-37-6 115-10-6 64-17-5	ntinue rinsing. If eye irritation persists: Protect from sunlight. Do se of contents/container COMPOSITION EINECS No. 200-866-1 204-065-8 200-578-6 A. FIRST If ingested, do not induced IMMEDIATELY. If the para unconscious person. Co	Get medical advic o no expose to ter to licensed and p <b>&amp; INGRED</b> <b>%</b> 40 – 60 15 - 40 20 - 40 <b>AID MEASL</b> ce vomiting! If pr atient is vomiting pontact the neares	r for several minutes. Ren re/attention. mperature exceeding 48°C ermitted disposal or recyc IENT INFORMATI Other Flam. Gas 1; H220 Press. Gas 1; H220 Press. Gas 1; Flam. Gas Flam. Liq. 2; H225 JRES oduct has been swallowed continue to offer water of t Poison Control Center or	c (120 °F). ling facility. ION s 1; H220 d, drink plenty of water or milk r milk. Never give water or milk to an local emergency number. Provide an
DIFL Dime Etha	UOROETHANE (R-152a) ethyl Ether nol (SD Alcohol 40B)	if present, cor P337+P313 – P410+P412 – P501 – Dispos <b>3.</b> <b>CAS No.</b> 75-37-6 115-10-6 64-17-5	ntinue rinsing. If eye irritation persists: Protect from sunlight. Do se of contents/container <b>COMPOSITION</b> EINECS No. 200-866-1 204-065-8 200-578-6 <b>4. FIRST</b> If ingested, do not induce IMMEDIATELY. If the para unconscious person. Co estimate of the time at swallowed.	Get medical advic o no expose to ter to licensed and p <b>&amp; INGRED</b> <b>%</b> 40 – 60 15 - 40 20 - 40 <b>AID MEASL</b> ce vomiting! If pr atient is vomiting pontact the neares which the materi	r for several minutes. Ren re/attention. mperature exceeding 48°C ermitted disposal or recyc EENT INFORMATI Other Flam. Gas 1; H220 Press. Gas 1; H220 Press. Gas 1; Flam. Gas Flam. Liq. 2; H225 JRES oduct has been swallowed continue to offer water of t Poison Control Center or al was ingested and the ar	c (120 °F). ling facility. ION s 1; H220 d, drink plenty of water or milk r milk. Never give water or milk to an local emergency number. Provide an
DIFLI Dime Etha	UOROETHANE (R-152a) ethyl Ether nol (SD Alcohol 40B)	if present, cor P337+P313 – P410+P412 – P501 – Dispos <b>3.</b> <b>CAS No.</b> 75-37-6 115-10-6 64-17-5	ntinue rinsing. If eye irritation persists: Protect from sunlight. Do se of contents/container <b>COMPOSITION</b> EINECS No. 200-866-1 204-065-8 200-578-6 <b>4. FIRST</b> If ingested, do not induc IMMEDIATELY. If the pa unconscious person. Co estimate of the time at swallowed. If irritation occurs & pro washing of the affected	Get medical advic o no expose to ter to licensed and p <b>&amp; INGRED</b> <b>%</b> 40 – 60 15 - 40 20 - 40 <b>AID MEASL</b> ce vomiting! If pr atient is vomiting ontact the neares which the materi	r for several minutes. Ren re/attention. mperature exceeding 48°C ermitted disposal or recyce IENT INFORMATI Other Flam. Gas 1; H220 Press. Gas 1; H220 Press. Gas 1; Flam. Gas Flam. Liq. 2; H225 IRES oduct has been swallowed continue to offer water of t Poison Control Center or al was ingested and the ar n, rinse thoroughly with Iu of soap and water. Remo	c (120 °F). ling facility. ION s 1; H220 d, drink plenty of water or milk or milk. Never give water or milk to an local emergency number. Provide an nount of the substance that was ukewarm water, followed by a thorouve contaminated clothing and wash
DIFLI Dime Etha	UOROETHANE (R-152a) ethyl Ether nol (SD Alcohol 40B)	if present, cor P337+P313 – P410+P412 – P501 – Dispos <b>3.</b> <b>CAS No.</b> 75-37-6 115-10-6 64-17-5	ntinue rinsing. If eye irritation persists: Protect from sunlight. Do se of contents/container <b>COMPOSITION</b> EINECS No. 200-866-1 204-065-8 200-578-6 <b>4. FIRST</b> If ingested, do not induce IMMEDIATELY. If the paral unconscious person. Co estimate of the time at swallowed. If irritation occurs & pro- washing of the affected thoroughly before ruse.	Get medical advic o no expose to ter to licensed and p <b>&amp; INGRED</b> % 40 – 60 15 - 40 20 - 40 <b>AID MEASL</b> ce vomiting! If pr atient is vomiting ontact the neares which the materi oduct is on the ski area with plenty . If irritation, redu	r for several minutes. Ren re/attention. mperature exceeding 48°C ermitted disposal or recyce <b>IENT INFORMATI</b> Other Flam. Gas 1; H220 Press. Gas 1; H220 Press. Gas 1; Flam. Gas Flam. Liq. 2; H225 <b>JRES</b> oduct has been swallowed a continue to offer water of t Poison Control Center or al was ingested and the ar n, rinse thoroughly with IL of soap and water. Remo ness or swelling persists, co	c (120 °F). ling facility. ION s 1; H220 d, drink plenty of water or milk or milk. Never give water or milk to an local emergency number. Provide an nount of the substance that was ukewarm water, followed by a thorouve contaminated clothing and wash onsult a physician immediately.
DIFLI Dime	UOROETHANE (R-152a) ethyl Ether nol (SD Alcohol 40B)	if present, cor P337+P313 – P410+P412 – P501 – Dispos <b>3.</b> <b>CAS No.</b> 75-37-6 115-10-6 64-17-5 <u>Ingestion:</u> <u>Skin:</u>	ntinue rinsing. If eye irritation persists: Protect from sunlight. Do se of contents/container <b>COMPOSITION</b> EINECS No. 200-866-1 204-065-8 200-578-6 <b>4. FIRST</b> If ingested, do not induc IMMEDIATELY. If the pa unconscious person. Co estimate of the time at swallowed. If irritation occurs & pro washing of the affected thoroughly before ruse. If product get in the eye	Get medical advic o no expose to ter to licensed and p <b>&amp; INGRED</b> % 40 – 60 15 - 40 20 - 40 <b>AID MEASL</b> ce vomiting! If pr atient is vomiting ontact the neares which the materi oduct is on the ski l area with plenty . If irritation, reduces, flush with copi	r for several minutes. Ren re/attention. mperature exceeding 48°C ermitted disposal or recyce IENT INFORMATI Other Flam. Gas 1; H220 Press. Gas 1; H220 Press. Gas 1; Flam. Gas Flam. Liq. 2; H225 IRES oduct has been swallowed continue to offer water of t Poison Control Center or al was ingested and the ar n, rinse thoroughly with lu of soap and water. Remo ness or swelling persists, co ous amounts of lukewarm	c (120 °F). ling facility. ION d, drink plenty of water or milk or milk. Never give water or milk to an local emergency number. Provide an nount of the substance that was ukewarm water, followed by a thorou ve contaminated clothing and wash onsult a physician immediately.
DIFLI Dime Etha	UOROETHANE (R-152a) ethyl Ether nol (SD Alcohol 40B)	if present, cor P337+P313 – P410+P412 – P501 – Dispos <b>3.</b> <b>CAS No.</b> 75-37-6 115-10-6 64-17-5	ntinue rinsing. If eye irritation persists: Protect from sunlight. Do se of contents/container <b>COMPOSITION</b> EINECS No. 200-866-1 204-065-8 200-578-6 <b>4. FIRST</b> If ingested, do not induc IMMEDIATELY. If the pa unconscious person. Co estimate of the time at swallowed. If irritation occurs & pro washing of the affected thoroughly before ruse. If product get in the eye and lower eyelid(s) whil	Get medical advic o no expose to ter to licensed and p <b>&amp; INGRED</b> % 40 – 60 15 - 40 20 - 40 <b>AID MEASL</b> ce vomiting! If pr atient is vomiting ontact the neares which the materi oduct is on the ski l area with plenty . If irritation, reduces, flush with copi	r for several minutes. Ren re/attention. mperature exceeding 48°C ermitted disposal or recyce IENT INFORMATI Other Flam. Gas 1; H220 Press. Gas 1; H220 Press. Gas 1; Flam. Gas Flam. Liq. 2; H225 IRES oduct has been swallowed continue to offer water of t Poison Control Center or al was ingested and the ar n, rinse thoroughly with lu of soap and water. Remo ness or swelling persists, co ous amounts of lukewarm	c (120 °F). ling facility. ION s 1; H220 d, drink plenty of water or milk or milk. Never give water or milk to a local emergency number. Provide a nount of the substance that was ukewarm water, followed by a thorouve contaminated clothing and wash onsult a physician immediately.
DIFLI Dime Etha	UOROETHANE (R-152a) ethyl Ether nol (SD Alcohol 40B)	if present, cor P337+P313 – P410+P412 – P501 – Dispos <b>3.</b> <b>CAS No.</b> 75-37-6 115-10-6 64-17-5 Ingestion: <u>Skin:</u> <u>Eyes:</u>	ntinue rinsing. If eye irritation persists: Protect from sunlight. Do se of contents/container <b>COMPOSITION</b> EINECS No. 200-866-1 204-065-8 200-578-6 <b>4. FIRST</b> If ingested, do not indue IMMEDIATELY. If the pa unconscious person. Co estimate of the time at swallowed. If irritation occurs & pro washing of the affected thoroughly before ruse. If product get in the eye and lower eyelid(s) whil medical attention.	Get medical advic o no expose to ter to licensed and p <b>&amp; INGRED</b> % 40 – 60 15 - 40 20 - 40 AID MEASL ce vomiting! If pr atient is vomiting ontact the neares which the materi oduct is on the ski l area with plenty . If irritation, reduces, flush with copile le flushing to ensu	r for several minutes. Ren mperature exceeding 48°C ermitted disposal or recyc EENT INFORMATI Other Flam. Gas 1; H220 Press. Gas 1; H220 Press. Gas 1; Flam. Gas Flam. Liq. 2; H225 JRES oduct has been swallowed continue to offer water of t Poison Control Center or al was ingested and the ar n, rinse thoroughly with Iu of soap and water. Remo ness or swelling persists, co ous amounts of lukewarm ure thorough irrigation. If	c (120 °F). ling facility. ION d, drink plenty of water or milk or milk. Never give water or milk to a local emergency number. Provide a nount of the substance that was ukewarm water, followed by a thorouve contaminated clothing and wash onsult a physician immediately.
DIFL Dime Etha	UOROETHANE (R-152a) ethyl Ether nol (SD Alcohol 40B) First Aid:	if present, cor P337+P313 – P410+P412 – P501 – Dispos <b>3.</b> <b>CAS No.</b> 75-37-6 115-10-6 64-17-5 <u>Ingestion:</u> <u>Skin:</u>	ntinue rinsing. If eye irritation persists: Protect from sunlight. Do se of contents/container <b>COMPOSITION</b> <b>EINECS No.</b> 200-866-1 204-065-8 200-578-6 <b>4. FIRST</b> If ingested, do not induce IMMEDIATELY. If the para unconscious person. Co estimate of the time at swallowed. If irritation occurs & pro- washing of the affected thoroughly before ruse. If product get in the eye and lower eyelid(s) whil medical attention. Remove victim to fresh	Get medical advic o no expose to ter to licensed and p & INGRED % 40 – 60 15 - 40 20 - 40 AID MEASL ce vomiting! If pr atient is vomiting ontact the neares which the materi oduct is on the ski l area with plenty . If irritation, reduces a flush with copi le flushing to ensu- air and keep com	r for several minutes. Ren merature exceeding 48°C ermitted disposal or recyc EENT INFORMATI Other Flam. Gas 1; H220 Press. Gas 1; H220 Press. Gas 1; Flam. Gas Flam. Liq. 2; H225 JRES oduct has been swallowed continue to offer water of t Poison Control Center or al was ingested and the ar n, rinse thoroughly with Iu of soap and water. Remo ness or swelling persists, co ous amounts of lukewarm ure thorough irrigation. If fortable for breathing.	C (120 °F). ling facility. ION S 1; H220 d, drink plenty of water or milk or milk. Never give water or milk to a local emergency number. Provide a nount of the substance that was ukewarm water, followed by a thorou ve contaminated clothing and wash onsult a physician immediately. water for at least 15 minutes. Raise problems persist seek immediate
DIFLI Dime Etha	UOROETHANE (R-152a) ethyl Ether nol (SD Alcohol 40B)	if present, cor P337+P313 – P410+P412 – P501 – Dispos <b>3.</b> <b>CAS No.</b> 75-37-6 115-10-6 64-17-5 Ingestion: <u>Skin:</u> <u>Eyes:</u>	ntinue rinsing. If eye irritation persists: Protect from sunlight. Do se of contents/container <b>COMPOSITION</b> <b>EINECS No.</b> 200-866-1 204-065-8 200-578-6 <b>4. FIRST</b> If ingested, do not induce IMMEDIATELY. If the para unconscious person. Co estimate of the time at swallowed. If irritation occurs & pro- washing of the affected thoroughly before ruse. If product get in the eye and lower eyelid(s) while medical attention. Remove victim to fresh- If product is swallowed,	Get medical advic o no expose to ter to licensed and p & INGRED % 40 – 60 15 - 40 20 - 40 AID MEASL ce vomiting! If pr atient is vomiting ontact the neares which the materi oduct is on the ski l area with plenty . If irritation, reduces a flush with copi le flushing to ensu- air and keep com	r for several minutes. Ren merature exceeding 48°C ermitted disposal or recyc EENT INFORMATI Other Flam. Gas 1; H220 Press. Gas 1; H220 Press. Gas 1; Flam. Gas Flam. Liq. 2; H225 JRES oduct has been swallowed continue to offer water of t Poison Control Center or al was ingested and the ar n, rinse thoroughly with Iu of soap and water. Remo ness or swelling persists, co ous amounts of lukewarm ure thorough irrigation. If fortable for breathing.	c (120 °F). ling facility. ION d, drink plenty of water or milk or milk. Never give water or milk to a local emergency number. Provide a nount of the substance that was ukewarm water, followed by a thorouve contaminated clothing and wash onsult a physician immediately.
DIFL Dime Etha	UOROETHANE (R-152a) ethyl Ether nol (SD Alcohol 40B) First Aid:	if present, cor P337+P313 – P410+P412 – P501 – Dispos <b>3.</b> <b>CAS No.</b> 75-37-6 115-10-6 64-17-5 Ingestion: <u>Skin:</u> <u>Eyes:</u> Inhalation:	ntinue rinsing. If eye irritation persists: Protect from sunlight. Do se of contents/container <b>COMPOSITION</b> <b>EINECS No.</b> 200-866-1 204-065-8 200-578-6 <b>4. FIRST</b> If ingested, do not indue IMMEDIATELY. If the pa unconscious person. Co estimate of the time at swallowed. If irritation occurs & pro washing of the affected thoroughly before ruse. If product get in the eye and lower eyelid(s) whil medical attention. Remove victim to fresh If product is swallowed, depression.	Get medical advice o no expose to ter to licensed and p & INGRED % 40 – 60 15 - 40 20 - 40 AID MEASL ce vomiting! If pr atient is vomiting ontact the neares which the materi oduct is on the ski l area with plenty . If irritation, redu es, flush with copi le flushing to ensu- air and keep com , may cause nause	r for several minutes. Ren re/attention. mperature exceeding 48°C ermitted disposal or recyc <b>ENT INFORMATI</b> Other Flam. Gas 1; H220 Press. Gas 1; H220 Press. Gas 1; Flam. Gas Flam. Liq. 2; H225 <b>JRES</b> oduct has been swallowed continue to offer water of t Poison Control Center or al was ingested and the ar n, rinse thoroughly with lu of soap and water. Remo ness or swelling persists, co ous amounts of lukewarm are thorough irrigation. If fortable for breathing. ea, vomiting and/or diarrh	c (120 °F). ling facility.

Page **2** of **7** 

#### SAFETY DATA SHEET

KIK CUSTOM PRODUCTS

l	Prepared to OSHA, ACC, ANS	I, NOHSC, WH	AIS, 2001/58 & 1272/2008/EC Standards SDS R	evision: 1.0 SDS Revision Da	ate: 10/4/2016
		Eyes:	Moderately irritating to the eyes.		
		Inhalation:	Vapors of this product may be moderately irritating to respiratory system. Symptoms of overexposure can in difficulty breathing. Inhalation of concentrated vapors drowsiness, dizziness, headaches, nausea).	clude coughing, wheezing, na	sal congestion, and
4.3	Symptoms of Overexposure	Ingestion:	May cause nausea, vomiting and/or diarrhea and cent	ral nervous system depressior	۱.
		<u>Skin:</u>	Prolonged contact with skin may result in bleaching ar skin reactions (e.g., rashes, welts, dermatitis) in some overexposure may include redness, itching, and irritati	sensitive individuals. Sympton	-
		Eyes:	Overexposure in eyes, may cause redness, itching and may cause mild eye irritation including stinging, water	watering (risk of serious dama ing and redness.	
		Inhalation:	Symptoms of overexposure can include coughing, whe		
1.4	Acute Health Effects:		tation to eyes and skin near affected areas. Additional	y, high concentrations of vapo	rs can cause
			lizziness, headaches and nausea.		
4.5	Chronic Health Effects:	irritating to sl symptoms in allergic derma		vstem. Overexposure may trig	gger asthma-like
4.6	Target Organs:		spiratory system.		
1.7	Medical Conditions		hazards may be delayed. Most common symptoms	HEALTH	1
	Aggravated by Exposure		ing properties to eyes, respiratory system and skin.	FLAMMABILITY	3
		-	atological conditions (such as eczema) and respiratory uch as bronchial asthma and/or bronchitis) may be	PHYSICAL HAZARDS	0
		exacerbated.	ich as bronchial aschina and/or bronchitis/ may be	PROTECTIVE EQUIPMENT	В
			5. FIREFIGHTING MEASURES		
		uninvolved co bursting. If a and release fl	sol (NFPA 30B). Aerosols may burst at temperatures about a solution of the sol	projectile hazards when e. Containers may rupture e heat of fire. Keep	
5.2	Extinguishing Methods:		pam, CO <sub>2</sub> , Dry Chemical		
5.3	Firefighting Procedures:	demand_and water spray t runoff from fi natural water pressure self-	wear MSHA/NIOSH approved self-contained breathing I full protective gear. Keep containers cool until well aft o cool fire-exposed surfaces and to protect personnel. I're control or dilution from entering sewers, drains, drin way. Firefighters must use full bunker gear including N contained breathing apparatus to protect against poter ition products and oxygen deficiencies.	Fight fire is out. Use Fight fire upwind. Prevent king water supply, or any IOSH-approved positive	
			6. ACCIDENTIAL RELEASE MEASUR	ES	
6.1	Spills:	Equipment (P Small spills W combustible r not use water (e.g., plastic b Large spills: K release. Isola	ng any spill or leak, individuals involved in spill cleanup	must wear appropriate Persor og gloves and protective eyew luct and place into a container . Sweep up material using nor ainer or plastic liner within and way from spill. Stay upwind a ponnel out of area. Stop spill or	ear. Use a non- r for later disposal. I n-sparking materials other container. nd away from spill o r release if it can be
		7.	HANDLING AND STORAGE INFORM	ATION	
7.1	Work & Hygiene Practices	Do not eat, de container(s).	rink, or smoke while handling this product. Contents un When used as intended, no additional protective equip	der pressure. Handle as to av ment is necessary. Use chem	
		contact is pos	sible. Wash unintentional residues with soap and warn	n water.	

KIK CUSTOM PRODUCTS
CUSTOM PRODUCTS

Page **3** of **7** 

7.2	Storage and Handling:	Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Avoid temperatures above 120 °F (48°C). Keep away from incompatible substances. Protect containers from physical damage. To avoid unintentional spraying, keep cap in place when not in use. Storage level 1.									
7.3	Special Precautions:	Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.									
		8. EXPOSURE CO	ONTRO	)LS & P	ERSON		DTECT	ON			
8.1	8.1	Exposure Limits:	AC	GIH		NOHSC	1		OSHA		OTHER
		Ppm (mg/m³)	TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDL H	
		Ethanol (SD Alcohol 40B)	1000	3000	1000	1800	NF	1000	1900	330 0	
		DIMETHYL ETHER	NA	NA	400	760	NF	NA	NA	NA	
		DIFLUOROETHANE (R- 152a)	1000	NA	1000	NA	NA	NE	NA	NA	
8.2	Ventilation & Engineering Controls	General mechanical (e.g., fa exhaust ventilation to effec product.									
8.3	Respiratory Protection:	No special respiratory prote handling. In instances when protection is needed, use o	No special respiratory protection is required under typical circumstances of use or handling. In instances where dusts of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of								
8.4	Eye Protection:	None required under normable used when handling or u	al conditio	ns of use.	Avoid eye						20
8.5	Hand Protection:	None required under normal conditions of use. However, may cause skin irritation is some sensitive individuals. When handling large quantities (e.g., $\geq 1$ gallon (3.8 L)), wear rubber, hitrile or impervious plastic gloves.									
8.6	Body Protection:	No apron required when handling small quantities. When handling large quantities (e.g., ≥ 5 lbs.), eye wash station and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.									
		9. PHYSIC	CAL &	CHEMI	CAL PR	OPERT	IES				
9.1	Appearance:	Aerosol, misty spray									
9.2	Odor:	Fresh odor									
9.3	Odor Threshold	NA									
9.4	pH:	NA									
9.5	Melting/Freezing Point	NA									
9.6	Initial Boiling Point/ Boiling Range:	NA									
9.7	Flashpoint:	-30 °F (-34 °C) TCC for prope	ellant only	· 35 6 °F / 2	<sup>0</sup> C) ΕΡΔ m	ethod 101	Concenti	rate onl	V		
9.7 9.8	Upper/Lower Flammability	NA		, 55.0°F (Z	CJ LFA III				у		
9.9	limits Vapor Pressure:	@ 20 °C (68° F) – Can press	ire not to	exceed 18	) nsig	5 °C (131 °I	F) 12 4 har				
	Vapor Density	>1			2 2 3 6 7 6 7		, 12. <del>4</del> 001				
	Relative Density:	0.80-0.90									
	Solubility:	Insoluble									
	Partition Coefficient (log Pow):	NA									
9.14	Autoignition Temperature:	NA									
	Decomposition Temperature.	NA									
0.4.0	Viscosity:	Aerosol at ambient tempera	ature								
9.16											



Page 4 of 7

KIK – B9785B

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 10/4/2016

		10. STABILITY & REACTIVITY				
	Stability:	Stable at normal temperatures.				
10.2	Hazardous Decomposition Products:	Oxides of carbon (CO, CO <sub>2</sub> ) and sulfur (SO <sub>2</sub> )				
10.3	Hazardous Polymerization:	Will not occur.				
10.4	Conditions to Avoid	Excessive heat, direct sunlight, flames, heat sources and incompatible substances.				
10.5	Incompatible Substances	Mixture with strong acids, alkalis or oxidizers.				
		11. TOXICOLOGICAL INFORMATION				
11.1	Routes of Entry:	Inhalation: YES Absorption: YES Ingestion: YES				
11.2	Toxicity Data:	This product was not tested on animals.				
	Acute Toxicity:	See Section 4.4				
		See Section 4.5				
	Suspected Carcinogen:	NA				
	Reproductive Toxicity:	This product is not reported to cause reproductive toxicity in humans.				
-	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.				
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.				
	Teratogenicity:	This product is not report to cause teratogenic effects in humans.				
	Reproductive Toxicity:	This product is not report to cause reproductive effects in humans.				
11.7	Irritancy of Product:	See Section 4.3				
	Biological Exposure Indices:	NA				
11.9	Physician Recommendations:	Treat symptomatically.				
		12. ECOLOGICAL INFORMATION				
12.1	Environmental Stability:	There is no specific data available for this product.				
	Effects on Plants & Animals					
		The product itself has not been tested as a whole. There is no specific data available for this product.				
12.5	Lifects on Aquatic Life.					
		13. DISPOSAL CONSIDERATIONS				
13.1	Waste Disposal:	Review current local, state and federal laws, codes, statutes and regulations to determine current status and				
		appropriate disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with				
		local, state and federal laws and regulations. Contact the appropriate agency for specific information. A licensed faci				
		or waste hauler must provide treatment, transport, storage and disposal of hazardous waste.				
13.2	Special Considerations:	U.S. EPA Hazardous Waste – Characteristic – Ignitable (D001)				
		14. TRANSPORTATION INFORMATION				
14.1	49 CFR (GND):	UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL < 1.0 L); or				
17.I		CONSUMER COMMODITY, ORM-D (IP VOL $\leq$ 1.0 L) – until 12/31/2020				
14 2	IATA (AIR)	UN1950, AEROSOLS, FLAMMABLE, 2.1 (LTD QTY, IP VOL $\leq$ 0.5 L); or				
17.2		ID8000, CONSUMER COMMODITY, ORM-D (IP VOL $\leq 0.5$ I; b)				
14 २	IMDG (OCN):	UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL $\leq$ 1.0 L)				
	TDGR (Canadian GND):	UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL $\leq$ 1.0 L); or				
±7.4		MARK PACKAGE "LIMITED QUANTITY", "LTD QTY", OR "QUANT LTÉE" OR "QUANTITÉ LIMITÉE"				
14 5	ADR/RID (EU):	UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL $\leq$ 1.0 L)				
	SCT (MEXICO):	UN1950, AEROSOLES, 2.1 (LTD QTT, IP VOL $\leq$ 1.0 L) UN1950, AEROSOLES, 2.1 (CANTIDAD LIMITADA, IP VOL $\leq$ 1.0 L)				
	ADGR (AUS):	$(101330, ALNOSOLLS, 2.1) (CANTIDAD LINITADA, IF VOL \leq 1.0 L)$				
14./	ADUK (AUS):	UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL < 1.0 L)				



Page **5** of **7** 

KIK – B9785B

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0 SDS Revision Date: 10/4/2016

		15. REGULATORY INFORMATION			
15.1	SARA Reporting Requirements:	This product does not contain any substance subject to SATA Title III, section 313 reporting requirements.			
15.2	SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.			
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.			
15.4	CERCLA Reportable Quantity (RQ):	Ethanol: 2270 kg; 5000 lbs			
15.5	Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G. (Cosmetics)			
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of the product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substance List. WHMIS Class B5 (Flammable Aerosol)			
15.7	State Regulatory Information:	<u>Ethanol:</u> is found on the following state criteria lists FL, MA, MN, NJ, PA, and WA <u>Dimethyl Ether</u> can be found on the following state criteria lists: MA, MN, PA, WA and NJ			
		No other ingredients of this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substance List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). Difluoroethane can be found on the following state criteria lists: MA and NJ. No other ingredients of this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substance List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI). Minnesota Hazardous Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (MI), Minnesota Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MA), Michigan Critical Substances List (NY), Pennsylvania Right to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).			
13.8	Other Requirements:	The primary components of this product are listed in Annex I of EU Directive 67/548/EEC: <u>Dimethyl Ether</u> : Flammable (F+). Risk Phrases (R) 12 – Highly Flammable. Safety Phrases (S): 2-6-16 –Keep out of reach of children. Keep cool store below 120 0F (48.8 0C). Keep away from sources of ignition – No smoking. <u>Ethanol</u> : Flammable (F). Risk Phrases (R): 11 – Flammable. Safety Phrase (S): 2-7-16 – Keep out of reach of children. Keep container tightly closed. Keep away from sources of ignition – No smoking			
		16. OTHER INFORMATION			
16.1	Other Information:	WARNING! FLAMMABLE AEROSOL. PRESSURIZED CONTAINER: MAY BURST IF HEATED, HIGHLY FLAMMABLE LIQUID AND VAPORS. CAUSES EYE IRRITATION. Keep away from heat, hot surfaces, sparks open flames and other ignition sources. No Smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing vapor/spray. Wash thoroughly with soap and water after handling. Use only in a well ventilated area. Wear eye protection. Protect from sunlight. Do not expose to temperature exceeding 48°C (120°F). IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. KEEP PRODUCT LOCKED-UP AND OUT OF REACH OF CHILDREN.			
16.2		See last page of this Safety Data Sheet.			
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the base of KIK Custom Product's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials			



Page **6** of **7** 

	Prepared to OSHA, ACC, ANS	I, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards	SDS Revision: 1.0 SDS Revision Date: 10/4/2016
		all component properties must be considered. Data may edition.	be changed from time to time. Be sure to consult the latest
16.4	4 Prepared By:	KIK Custom Products 2030 Old Candler Road Gainesville, GA 30507 USA http://www.kikcorp.com	KIK CUSTOM PRODUCTS

Flammable	Explosive	Oxidizer
Pressurized	Corrosive	Toxic
Harmful/Irritating	Health Hazard	Environment
Face Shield and Protective Eyewear	Apron	Dust Mask
Scuba	Protective Clothing	Full Suit



Page **7** of **7** 

KIK – B9785B

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0 SDS Revision Date: 10/4/2016

Boots	Safety Glasses	Gloves
Full Face Respirator	Reactive	Irritant / Harmful
Biohazard	Oxidizing	Flammable
Infectious	Corrosive	Compressed
Toxic	Irritation	