

Material Safety Data Sheet



It's a 10 Whipped Styling Balm - BOV

1. Product and company identification

Product name	: It's a 10 Whipped Styling Balm - BOV
Manufacturer	: Zotos International, INC 100 Tokeneke Road, Darien, CT 06820 www.zotos.com
Validation date	: 7/29/2014.
In case of emergency	(800) 584-8038 [24 Hours]
Telephone number	(203) 656-7859 [8:30 a.m. - 5:00 p.m.]
Transportation Emergency	Contact: CHEMTREC 1-800-424-9300 [US/Canada 24 Hours]
Product type	: Liquid.

2. Hazards identification

Emergency overview

NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. Heating may cause an explosion.

Color	: White. Off-white.
Odor	: Fragrance-like.
Hazard statements	: MAY CAUSE EYE AND SKIN IRRITATION.
Precautionary measures	: Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.
OSHA/HCS status	: None.

Potential acute health effects

Inhalation	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Skin	: Moderately irritating to the skin.
Eyes	: Moderately irritating to eyes.

Potential chronic health effects

Chronic effects	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
Over-exposure signs/ symptoms	: None identified.
Medical conditions aggravated by over- exposure	: None.

See toxicological information (Section 11)

3. Composition/information on ingredients

United States

Name	CAS number	%
propane-1,2-diol	57-55-6	5.00
decamethylcyclopentasiloxane	541-02-6	3.85
Siloxanes and Silicones, di-Me	63148-62-9	1.50

Canada

Name	CAS number	%
propane-1,2-diol	57-55-6	5.00
decamethylcyclopentasiloxane	541-02-6	3.85
Siloxanes and Silicones, di-Me	63148-62-9	1.50
butane-1,3-diol	107-88-0	0.15

Mexico

Name	CAS number	UN number	%	IDLH	Classification			
					H	F	R	Special
Siloxanes and Silicones, di-Me	63148-62-9	UN3082	1.50	-	2	0	0	-
propane-1,2-diol	57-55-6	Not available.	5.00	-	2	1	0	-
decamethylcyclopentasiloxane	541-02-6	Not available.	3.85	-	1	2	0	-

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

- Eye contact** : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. May cause eye irritation.
- Skin contact** : Prolonged or repeated contact with skin or mucous membrane may result in irritation symptoms, such as redness, blistering, dermatitis etc. Discontinue use of product. Apply cold compresses to affected areas to relieve any discomfort. Seek medical attention if irritation persists.
- Inhalation** : Move affected person to fresh air.
- Ingestion** : Have conscious person drink several glasses of water or milk. Do not induce vomiting. Get medical attention if adverse health effects persist or are severe.
- Protection of first-aiders** : Use suitable protective equipment (section 8).
- Notes to physician** : Treat symptomatically.

5. Fire-fighting measures

- Flammability of the product** : In a fire or if heated, a pressure increase will occur and the container may burst.
- Extinguishing media** : Extinguish fire using an agent suitable for the surrounding fire. Dike liquid for later disposal.
- Special exposure hazards** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special fire-fighting procedures** : None.

5. Fire-fighting measures

Hazardous thermal decomposition products : Decomposition products may include the following materials:
 carbon dioxide
 carbon monoxide
 metal oxide/oxides

Special protective equipment for fire-fighters : No special recommendations.

6. Accidental release measures

Personal precautions : Do not touch or walk through spilled material. Keep container closed.

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for cleaning up : Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Place spilled material in an appropriate container for disposal. After contact with skin, wash immediately with plenty of water.

7. Handling and storage

Handling : Avoid contact with skin and eyes. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10).

Storage : Keep container tightly closed. Store in a dry place.

8. Exposure controls/personal protection

United States

Ingredient	Exposure limits
propane-1,2-diol	AIHA WEEL (United States, 10/2011). TWA: 10 mg/m ³ 8 hours.

Canada

Occupational exposure limits		TWA (8 hours)			STEL (15 mins)			Ceiling			Notations
Ingredient	List name	ppm	mg/m ³	Other	ppm	mg/m ³	Other	ppm	mg/m ³	Other	
propane-1,2-diol	ON 1/2013	-	10	-	-	-	-	-	-	-	[a]
		50	155	-	-	-	-	-	-	-	[b]
	US AIHA 10/2011	-	10	-	-	-	-	-	-	-	

Form: [a]Aerosol only. [b]Vapour and aerosol.

Mexico

Occupational exposure limits

No exposure limit value known.

Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

Engineering measures : In case of insufficient ventilation, wear suitable respiratory equipment.

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

8. Exposure controls/personal protection

Personal protection

- Respiratory** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
- Hands** : Wear suitable gloves.
- Eyes** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
- Skin** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
- Other protection** : Not available.

9. Physical and chemical properties

- Physical state** : Liquid. [Viscous liquid.]
- Flash point** : Closed cup: Not applicable.
- Color** : White. Off-white.
- Odor** : Fragrance-like.
- pH** : 3 to 4.5
- Boiling/condensation point** : >100°C (>212°F)
- Relative density** : 0.99 to 1.1
- Aerosol product**
- Type of aerosol** : Spray
- Heat of combustion** : 1.642 kJ/g

10. Stability and reactivity

- Chemical stability** : Stable under recommended storage and handling conditions (see Section 7).
- Conditions to avoid** : No specific data.
- Incompatible materials** : No specific data.
- Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.
- Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.

11. Toxicological information

United States

Acute toxicity

Product/ingredient name	Result	Dose	Exposure
propane-1,2-diol	LD50 Dermal	20800 mg/kg	-
	LD50 Oral	20 g/kg	-
decamethylcyclopentasiloxane	LD50 Oral	>24134 mg/kg	-

- Conclusion/Summary** : Not available.

Chronic toxicity

11. Toxicological information

Conclusion/Summary : Not available.

Irritation/Corrosion

Product/ingredient name	Result	Score	Exposure	Observation
Siloxanes and Silicones, di-Me	Eyes - Mild irritant	-	1 hours 100 milligrams	-
	Eyes - Mild irritant	-	24 hours 100 microliters	-
	Eyes - Moderate irritant	-	24 hours 100 microliters	-
propane-1,2-diol	Skin - Mild irritant	-	24 hours 500 microliters	-
	Eyes - Mild irritant	-	24 hours 500 milligrams	-
	Eyes - Mild irritant	-	100 milligrams	-
	Skin - Moderate irritant	-	96 hours 30 Percent continuous	-
decamethylcyclopentasiloxane	Skin - Mild irritant	-	168 hours 500 milligrams	-
	Skin - Moderate irritant	-	72 hours 104 milligrams Intermittent	-
	Skin - Mild irritant	-	96 hours 30 Percent	-
	Eyes - Mild irritant	-	24 hours 500 milligrams	-
	Skin - Mild irritant	-	24 hours 500 milligrams	-

Conclusion/Summary : Not available.

Sensitizer

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : No carcinogenic effect.

Mutagenicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Canada

Acute toxicity

Product/ingredient name	Result	Dose	Exposure
propane-1,2-diol	LD50 Dermal	20800 mg/kg	-
	LD50 Oral	20 g/kg	-
decamethylcyclopentasiloxane	LD50 Oral	>24134 mg/kg	-
butane-1,3-diol	LD50 Dermal	>20 g/kg	-
	LD50 Oral	18610 mg/kg	-

Conclusion/Summary : Not available.

Chronic toxicity

Conclusion/Summary : Not available.

11. Toxicological information

Irritation/Corrosion

Product/ingredient name	Result	Score	Exposure	Observation
Siloxanes and Silicones, di-Me	Eyes - Mild irritant	-	1 hours 100 milligrams	-
	Eyes - Mild irritant	-	24 hours 100 microliters	-
	Eyes - Moderate irritant	-	24 hours 100 microliters	-
propane-1,2-diol	Skin - Mild irritant	-	24 hours 500 microliters	-
	Eyes - Mild irritant	-	24 hours 500 milligrams	-
	Eyes - Mild irritant	-	100 milligrams	-
	Skin - Moderate irritant	-	96 hours 30 Percent continuous	-
decamethylcyclopentasiloxane	Skin - Mild irritant	-	168 hours 500 milligrams	-
	Skin - Moderate irritant	-	72 hours 104 milligrams Intermittent	-
	Skin - Mild irritant	-	96 hours 30 Percent	-
butane-1,3-diol	Eyes - Mild irritant	-	24 hours 500 milligrams	-
	Skin - Mild irritant	-	24 hours 500 milligrams	-
	Eyes - Mild irritant	-	500 milligrams	-
	Skin - Mild irritant	-	24 hours 500 milligrams	-

Conclusion/Summary : Not available.

Sensitizer

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Mutagenicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Mexico

Acute toxicity

Product/ingredient name	Result	Dose	Exposure
propane-1,2-diol	LD50 Dermal	20800 mg/kg	-
	LD50 Oral	20 g/kg	-
decamethylcyclopentasiloxane	LD50 Oral	>24134 mg/kg	-

11. Toxicological information

Conclusion/Summary : Not available.

Chronic toxicity

Conclusion/Summary : Not available.

Irritation/Corrosion

Product/ingredient name	Result	Score	Exposure	Observation
Siloxanes and Silicones, di-Me	Eyes - Mild irritant	-	1 hours 100 milligrams	-
	Eyes - Mild irritant	-	24 hours 100 microliters	-
	Eyes - Moderate irritant	-	24 hours 100 microliters	-
	Skin - Mild irritant	-	24 hours 500 microliters	-
propane-1,2-diol	Eyes - Mild irritant	-	24 hours 500 milligrams	-
	Eyes - Mild irritant	-	100 milligrams	-
	Skin - Moderate irritant	-	96 hours 30 Percent continuous	-
	Skin - Mild irritant	-	168 hours 500 milligrams	-
decamethylcyclopentasiloxane	Skin - Moderate irritant	-	72 hours 104 milligrams	-
	Skin - Mild irritant	-	96 hours 30 Percent	-
	Eyes - Mild irritant	-	24 hours 500 milligrams	-
	Skin - Mild irritant	-	24 hours 500 milligrams	-

Conclusion/Summary : Not available.

Sensitizer

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Mutagenicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

12. Ecological information

THE FOLLOWING DATA IN THIS SECTION IS SOURCED FROM PUBLICLY AVAILABLE DATABASES AND NOT THE REPRESENTATION OF ANY DATA COLLECTED BY ZOTOS INTERNATIONAL OR ITS AFFILIATES.

Ecotoxicity : No known significant effects or critical hazards.

United States

Aquatic ecotoxicity

12. Ecological information

Product/ingredient name	Result	Species	Exposure
Siloxanes and Silicones, di-Me	Acute LC50 44.5 ppm Fresh water	Daphnia - Daphnia magna - Instar	48 hours
propane-1,2-diol	Acute LC50 3160 µg/l Fresh water Acute EC50 110 ppm Fresh water Acute LC50 1000 mg/l Marine water Acute LC50 710000 µg/l Fresh water	Fish - Ictalurus punctatus Daphnia - Daphnia magna Crustaceans - Chaetogammarus marinus - Young Fish - Pimephales promelas	96 hours 48 hours 48 hours 96 hours

Conclusion/Summary : Not available.

Persistence/degradability

Conclusion/Summary : Not available.

Canada

Aquatic ecotoxicity

Product/ingredient name	Result	Species	Exposure
Siloxanes and Silicones, di-Me	Acute LC50 44.5 ppm Fresh water	Daphnia - Daphnia magna - Instar	48 hours
propane-1,2-diol	Acute LC50 3160 µg/l Fresh water Acute EC50 110 ppm Fresh water Acute LC50 1000 mg/l Marine water Acute LC50 710000 µg/l Fresh water	Fish - Ictalurus punctatus Daphnia - Daphnia magna Crustaceans - Chaetogammarus marinus - Young Fish - Pimephales promelas	96 hours 48 hours 48 hours 96 hours

Conclusion/Summary : Not available.

Persistence/degradability

Conclusion/Summary : Not available.

Mexico

Aquatic ecotoxicity

Product/ingredient name	Result	Species	Exposure
Siloxanes and Silicones, di-Me	Acute LC50 44.5 ppm Fresh water	Daphnia - Daphnia magna - Instar	48 hours
propane-1,2-diol	Acute LC50 3160 µg/l Fresh water Acute EC50 110 ppm Fresh water Acute LC50 1000 mg/l Marine water Acute LC50 710000 µg/l Fresh water	Fish - Ictalurus punctatus Daphnia - Daphnia magna Crustaceans - Chaetogammarus marinus - Young Fish - Pimephales promelas	96 hours 48 hours 48 hours 96 hours

Conclusion/Summary : Not available.

Persistence/degradability

Conclusion/Summary : Not available.

13. Disposal considerations

Waste disposal : Dispose of according to all federal, state and local applicable regulations.

Contaminated packaging : Waste must be disposed of according to applicable regulations. This material and its container must be disposed of as hazardous waste.

Waste residues information : Waste must be disposed of according to applicable regulations. This material and its container must be disposed of as hazardous waste.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification		Bag on valve with compressed air		-		
TDG Classification		Bag on valve with compressed air		-		
Mexico Classification		Bag on valve with compressed air		-		
ADR/RID Class		Bag on valve with compressed air		-		
IMDG Class		Bag on valve with compressed air		-		
IATA-DGR Class		Bag on valve with compressed air		-		

PG* : Packing group

15. Regulatory information

United States

HCS Classification : Irritating material
Target organ effects

U.S. Federal regulations : TSCA : Exempt

SARA 302/304: No products were found.

SARA 311/312 Hazards identification: Immediate (acute) health hazard, Delayed (chronic) health hazard

Clean Water Act (CWA) 311: sodium hydroxide

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Not listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

State regulations

Massachusetts : None of the components are listed.

New York : None of the components are listed.

New Jersey : The following components are listed: PROPYLENE GLYCOL; 1,2-PROPANEDIOL

Pennsylvania : The following components are listed: 1,2-PROPANEDIOL

California Prop. 65

CALIFORNIA PROPOSITION 65: The following statement is made in order to comply with the California Safe Drinking Water and Toxic Enforcement Act of 1986. This product is not known to the State of California to cause cancer.

15. Regulatory information

United States inventory (TSCA 8b) : Not determined.

Canada

WHMIS (Canada) : Class D-2B: Material causing other toxic effects (Toxic).

Canadian lists

Canadian NPRI : None of the components are listed.


CEPA Toxic substances : None of the components are listed.

Canada inventory : Not determined.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Mexico

Classification :



International regulations

Chemical Weapons Convention List Schedule I Chemicals : Not listed

Chemical Weapons Convention List Schedule II Chemicals : Not listed

Chemical Weapons Convention List Schedule III Chemicals : Not listed

16. Other information

Hazardous Material Information System (U.S.A.) :

Health	2
Flammability	0
Physical hazards	0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.) :



16. Other information

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Date of printing : 7/29/2014.
Date of issue : 7/29/2014.
Date of previous issue : No previous validation.
Version : 0.01
Prepared by : Regulatory Affairs Group
✔ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.