

Platinum Silkening Mist N/C

Page 1 of 4

MSDS Number: 18400 Revision Date: 06 Jan. 06'

# 1

#### PRODUCT AND COMPANY IDENTIFICATION

#### **Manufacturer**

Kenra, LTD.

6501 Julian Avenue Indianapolis, IN 46219

Contact: Customer Service

**Telephone Number:** 1-800-428-8073 **FAX Number:** 317-351-1329 **E-Mail:** customerservice@kenra.com

Web www.kenra.com

Product Name: Platinum Silkening Mist N/C

Revision Date: 06 Jan. 06'
MSDS Number: 18400
Product Code: 18400

Chemical Family: Personal Care Product

Synonyms: Styling Aid Internal ID: Retail MSDS

Product Use: Hair Care Product

**Emergency Phone Contact: Poison Control: 1.800.222.1222** 

#### 2

#### **COMPOSITION/INFORMATION ON INGREDIENTS**

#### Ingredients:

Cas #	Chemical Name	Perc.
74986	Propane	<6%
75285	Isobutane	<30%
64175	Ethanol	<32%

#### 3 HAZARDS IDENTIFICATION

Route of Entry: Inhalation, skin, eye, ingestion.

Target Organs: Not applicable.

**Inhalation:** Mist may cause irritation to respiratory tract. **Skin Contact:** May cause irritation to sensitive individuals.

**Eye Contact:** Direct contact may cause irritation, and may result in irreversible damage.

**Ingestion:** May cause irritation to mouth, throat, and stomach.

# MSDS Material Safety Data Sheet platimum

Platinum Silkening Mist N/C

Page 2 of 4

MSDS Number: 18400 Revision Date: 06 Jan. 06'

# 4 FIRST AID MEASURES

**Inhalation:** Remove to ventilated area if in respiratory distress. Consult physician if problem persists.

**Skin Contact:** Rinse with water. Consult physician if problem persists.

**Eye Contact:** Rinse with water for 15 minutes. Consult physician if problem persists.

**Ingestion:** Consult physician. Never give fluids or induce vomiting.

# 5 FIRE FIGHTING MEASURES

Flash Point: -30 F Propellant, 36 F Concentrate (EPA Method 1010)

Flash Point Method: Tag Closed Cup

Burning Rate: N/Ā
Autoignition Temperature: N/A
LEL: 1.8%
UEL: 9.5%

Other:

6

All purpose extinguisher.

#### ACCIDENTAL RELEASE MEASURES

Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing vapors and skin contact. Ventilate area and absorb small spills with sand or earth, not a combustible material, and dispose of in accordance with all local, state, and federal guidelines. Observe precautions for combustible vapors for absorbing material. For larger spills advise authorities. Do not allow material to enter sewers, waterways, or low areas.

#### HANDLING AND STORAGE

**Handling Precautions:** For external use only. Avoid eye contact. Keep out of reach of children.

**Storage Requirements:** Avoid extreme heat, flames, and freezing temperatures.

#### 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:** None needed for normal use. **Protective Equipment:** None needed for normal use.

Avoid excessive inhalation. Use only as directed.

# MSDS Material Safety Data Sheet platimum

### Platinum Silkening Mist N/C

Page 3 of 4

MSDS Number: 18400 Revision Date: 06 Jan. 06'

#### PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Light green / straw yellow liquid

**Physical State: Boiling Point:** 173 F Aerosol Odor: Floral Freezing/Melting Pt.: N/A 7.7 + / -Solubility: pH: Complete **Vapor Pressure:** Do not exceed 180 psig @ 131F Spec Grav./Density: .81 +/- .1

Vapor Density:

VOC: <90% Evap. Rate: >1

Aerosol @ ambient Viscosity:

Percent Volatile: 67%

#### 10 STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to avoid: Do not store in direct sunlight or where conditions will heat product greater than

Materials to avoid (incompatability): Strong oxidizing or reducing agents. **Hazardous Decomposition products:** Will not occur under normal conditions.

**Hazardous Polymerization:** Will not occur.

#### 11

#### **TOXICOLOGICAL INFORMATION**

No specific data available.

#### **ECOLOGICAL INFORMATION**

No specific data available.

### 13

### **DISPOSAL CONSIDERATIONS**

Dispose of in accordance to local, state, and federal regulations. Recycle plastic whenever possible.

#### 14

#### TRANSPORT INFORMATION

CONSUMER COMMODITY, ORM-D, IN CARTONS, ITEM 60000A RVNX. \$2.50 PER LB. EMERGENCY CALL CHEMTREC 1.800.424.9300. Cartons must be marked as Aerosols.

### 15

#### REGULATORY INFORMATION

Components of this product are listed on the Toxic Substances Control Act (TSCA) TSCA:

inventory.

SARA Title III, Section 311-312: Acute, Fire, Sudden Release (Propane, Ethanol, Isobutane);

Acute and Fire Hazard (Isobutane, Ethanol, Propane) SARA Title III, Section 313: None noted.

California Prop 65: Not Regulated



Platinum Silkening Mist N/C

Page 4 of 4

MSDS Number: 18400 Revision Date: 06 Jan. 06'

#### 16

#### **OTHER INFORMATION**

Kenra, LTD. makes no warranty, express or implied, as to the accuracy, completeness, or reliability of information contained herein, except that such information is, to the best of our knowledge and belief, accurate as of the date indicated. We assume no responsibility for the application of this information or the consequences of its use.

NPCA -HMIS Health - 1 Flammability - 4 Reactivity - 0

**END OF MSDS DOCUMENT**