MSDS Material Safety Data Sheet platimum

Platinum Working Wax

MSDS Number: 10901

Page 1 of 3 Revision Date: 26 July 06'

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Kenra, LTD. 6501 Julian Ave.

Indianapolis, IN 46219

Contact: Customer Service Telephone Number: 1-800-428-8073 FAX Number: 317-351-1329 E-Mail: customerservice@kenra.com Web www.kenra.com

Product Name:	Platinum Working Wax
Revision Date:	26 July 06'
MSDS Number:	10901
Product Code:	10901
Chemical Family:	Personal Care Product
Synonyms:	Styling Aid Retail MSDS
Internal ID:	
Product Use:	Hair Care Product

Emergency Phone Contact: Poison Control: 1.800.222.1222

2

3

COMPOSITION/INFORMATION ON INGREDIENTS

No ingredients identified by OSHA as hazardous are known to be present, or the ingredients present are below levels specified as hazardous by OSHA. (29 CFR 1910.1200)

HAZARDS IDENTIFICATION

Route of Entry:	Inhalation, skin, eye, ingestion.
Target Organs:	Not applicable.
Inhalation:	Mist may cause irritation to respiratory tract.
Skin Contact:	May cause irritation to sensitive individuals.
Eye Contact:	Direct contact may cause irritation.
Ingestion:	May cause irritation to mouth, throat, and stomach.

4FIRST AID MEASURESInhalation:Remove to ventilated area. Consult physician if problem persists.Skin Contact:Rinse with water. Consult physician if problem persists.Eye Contact:Rinse with water for 15 minutes. Consult physician if problem persists.Ingestion:Consult physician.

MSDS Material Safety Data Sheet platimum

Platinum Working Wax

MSDS Number: 10901

FIRE FIGHTING MEASURES

Flash Point: N/A Flash Point Method: N/A Burning Rate: N/A Autoignition Temperature: N/A LEL: Not determined. UEL: Not determined.

Other:

All purpose extinguisher.

6

7

8

9

5

ACCIDENTAL RELEASE MEASURES

Small amounts can be washed to a drain with water or absorbed with the appropriate material and disposed of in accordance with local, state, and federal guidelines. Recycle plastic containers whenever possible.

HANDLING AND STORAGE

Handling Precautions:For exterStorage Requirements:Avoid ext

For external use only. Avoid eye contact. Keep out of reach of children. Avoid extreme heat and freezing temperatures.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls:None needed for normal use.Protective Equipment:None needed for normal use.

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Off-white			
Physical State:	Liquid		Boiling Point:	N/A
Odor:	Fruity		Freezing/Melting Pt.:	0 C / N/A
pH:	6.5+/-		Solubility:	Complete
Vapor Pressure:	N/A		Spec Grav./Density:	.99 +/-
Vapor Density:	N/A			
Viscosity: Percent Volati	ile:	>750,000 CP 55% as water		

Page 2 of 3 Revision Date: 26 July 06'

MSDS Material Safety Data Sheet platimum

Platinum Working Wax

Page 3 of 3 Revision Date: 26 July 06'

MSDS Number: 10901

gen Oxides
!

11

TOXICOLOGICAL INFORMATION

12

ECOLOGICAL INFORMATION

13 DISPOSAL CONSIDERATIONS

Dispose of in accordance to local, state, and federal regulations. Recycle plastic whenever possible.

14TRANSPORT INFORMATIONSOAPS NOI LIQUID IN CARTONS ITEM 48580 SUB E.IN CASE OF EMERGENCY CALL CHEMTREC1.800.424.9300

15 REGULATORY INFORMATION

16 OTHER INFORMATION

Kenra, LTD. makes no warranty, express or implied, as to the accuracy, completeness, or reliability of information contained herein, except that such information is, to the best of our knowledge and belief, accurate as of the date indicated. We assume no responsibility for the application of this information or the consequences of its use.

END OF MSDS DOCUMENT