

SECTION 1: IDENTIFICATION

GHS Product identifier	Texturizing Spray	
Other means of identification	None	
Recommended use of the product and restrictions on use	Leave – in Hair Care	
	Developed for and Distributed by:	
Supplier's details	KERATIN COMPLEX Boca Raton, Florida (U.S.A.), Tel: (561) 206-6050 www.keratincomplex.com	
Emergency phone number:	(888) 409-4445 Available Monday through Friday from 9AM to 5PM (UTC – 05:00 / Eastern Time / US)	

SECTION 2: HAZARD(S) IDENTIFICATION

Classification	EXTREMELY FLAMMABLE AEROSOL – Category 1 SERIOUS EYE DAMAGE / EYE IRRITATION – Category 2A This material is considered hazardous by OSHA Hazard Communication Standard (29 CFR 1910.1200).		
GHS label elements, including	Hazard pictograms		
precautionary	Signal Word	Danger	
statements	Hazard statements	Extremely flammable aerosol Pressurized container: May burst if heated. Causes serious eye irritation.	
Other hazards which do result in classification Not available			

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Components Chemical Identity (IUPAC)	Identification Number (CAS Number)	Other Unique Identifier (EC Number)	Concentration Range (% ^w / _w)
Alcohol Denatured	64-17-5	200-578-6	10 – 20%

SECTION 4 – FIRST-AID MEASURES

	Inhalation:	Move affected person to fresh air.	
	Skin:	Remove contaminated clothing and shoes. Wash with plenty of soap and water.	
Description of necessary first-aid measures	Eyes:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention if irritation persists.	
	Do not ingest. Do not induce vomiting. Treat symptomatically. Ingestion: Never give anything by mouth to an unconscious person. Seek prompt medical attention.		
	General Advice: If you have significant concerns please consult a physician, show this data sheet to the doctor in attendance.		
Most important symptoms/effects, acute and delayed	Not available		
Indication of immediate medical attention and special treatment needed if necessary	Not available		

Product Name: Texturizing Spray

292416-01

KERATINCOMPLEX.
Page 1 of 8

SECTION 5 – FIRE-FIGHTING MEASURES

Suitable extinguishing media	Use alcohol-resistant foam, dry chemical or carbon dioxide. Do not use water spray.	
Specific hazards arising from combustion products	May produce toxic fumes of carbon dioxide, carbon monoxide, nitrogen oxides, halogenated compounds an carbonyl halides from thermal decomposition.	
Special actions for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SBCA) with a full face-piece operated in positive pressure mode. Use water spray to keep fire-exposed containers cool.	

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	For non-emergency personnel No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. For emergency responders Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SBCA) with a full face-piece operated in positive pressure mode.		
Environmental precautions	Avoid dispersal of spilled material, runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).		
	For small spills:	Use inert material to absorb liquid. Place waste in a chemical waste container.	
Methods and materials for containment and clean up	For large spills:	Provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean area as appropriate since some silicone material, even in small quantities, may present a slip hazard. Final cleaning may require steam, solvents, or detergents. Observe all personal protection equipment recommendations described in Sections 5 and 8 of this SDS. Observe all Federal, Provincial and local regulations that may apply to the cleanup of this material. Sections 13 and 15 of this SDS provide information regarding any (if applicable) requirements.	

SECTION 7 - HANDLING AND STORAGE

Precautions for safe handling	Protective Measures Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C / 122°F. Do not pierce or burn, even after use. Do not ingest. Avoid contact with eyes and clothing. Avoid breathing gas, vapor or mist. Use only with adequate ventilation (normal salon ventilation). Store and use away from heat, sparks, open flames or any other ignition source. Advice on general occupational hygiene Eating, drinking and smoking should be prohibited in work areas. Remove contaminated clothing and protective equipment before entering eating areas.
Conditions for safe storage, including any incompatibilities	Store upright away from direct sunlight in a dry, cool and well-ventilated area. Avoid flammability hazards such as potential ignition sources. Store upright and at room temperature in well-ventilated place. Do not expose to temperatures exceeding 50°C / 122°F.

Product Name: Texturizing Spray

292416-01

KERATINC®MPLEX.
Page 2 of 8



SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

	UNITED STATES OF AMERICA		
	Hazardous Ingredient Chemical identity	Exposure Limits	
Control parameters	•	ACGIH TLV	STEL: 1000 ppm 15 minutes
	Alcohol Denatured	NIOSH	TWA: 1000 ppm 10 hours
	Alconol Denalured	REL	TWA: 1900 mg/m ³ 10 hours
		OSHA	TWA: 1000 ppm 8 hours
		PEL	TWA: 1900 mg/m ³ 10 hours
Appropriate engineering controls	Use local exhaust with only adequate ventilation		
	Good Occupational Hygiene Practices		
Individual protection			
	1 70		
equipment			
Individual protection measures, such as personal protective equipment			

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES AND SAFETY CHARACTERISTICS

Physical State Aerosol, liquid.		
Color	Yellow	
Odor	Match Standard	
Melting point/freezing point	Not available	
Boiling Point	Not available	
Flammability	Not available	
Melting Point / Freezing Point	Not available	
Lower and upper explosion limit/flammability limit	Not available	
Flash Point 8.9°C (48 °F)		
Auto-Ignition Temperature	Not available	
Decomposition temperature	Not available	
pH @ 25°C	Not available	
Viscosity @ 25°C Not available		
Solubility	Not available	
Partition Coefficient Not available		
Vapor Pressure	65 ± 5 psig @ 70 °F	
Relative Density	0.840 ± 0.012 (7.00 ± 0.10 lb/gal)	
Relative Vapor Density	Not available	
Particle characteristics	Not available	

Product Name: Texturizing Spray 292416-01

SECTION 10 - STABILITY AND REACTIVITY

Reactivity	Not available
Chemical stability	Product is stable under normal ambient storage conditions of
Chemical Stability	temperature and pressure. Unstable with heat.
Possibility of hazardous reactions	Not relevant – product is stable under normal ambient storage
Possibility of flazardous feactions	conditions of temperature and pressure.
Conditions to avoid	Avoid all possible sources of ignition (spark or flames), high heat,
Conditions to avoid	incompatible substances and direct sunlight.
Incompatible materials	Oxidizers
Hazardous decomposition products	Not available

SECTION 11 - TOXICOLOGICAL INFORMATION

Information on the likely routes of Not available – Finished product when administered by trained		ed
exposure	professional and as instructed pose no toxic hazard.	
Symptoms related to the physical, chemical and toxicological characteristics Not available		Not available
Delayed and immediate effects and chronic effects from short- and long-term exposure Not available		Not available
Numerical measures of toxicity		Not available

Eye Irritation			
Hazardous Ingredient Chemical identity	Result	Species	Exposure
Ethyl alashal	Eyes – Mild irritant	Rabbit	24 Hours 500 mg
Ethyl alcohol	Eyes – Moderate irritant	Rabbit	0.067 minutes 100 mg

SECTION 12 - ECOLOGICAL INFORMATION

Toxicity			
Hazardous Ingredient Chemical identity	Result	Species	Exposure
Ethyl alcohol	Acute EC50 17.921 mg/L Marine water	Algae - Ulva pertusa	96 Hours
	Acute EC50 2000 µg/L Fresh water	Daphnia - Daphnia magna	48 Hours
	Acute LC50 25500 µg/L Marine water	Crustaceans – Artemia franciscana - Larvae	48 Hours
	Acute LC50 42000 µg/L Fresh water	Fish - Oncorhynchus mykiss	4 Days
	Chronic NOEC 4.995 mg/L Marine water	Algae - Ulva pertusa	96 Hours
	Chronic NOEC 0.375 ul/L Fresh water	Fish - Gambusia holbrooki -	12 Weeks

Hazardous Ingredient Chemical identity	LogPow	Potential
Ethyl alcohol	- 0.35	Low

Persistence and degradability	Not available
Bio accumulative potential	Not available
Mobility in soil	Not available
Other adverse effects	Not available

292416-01

Page 4 of 8

SECTION 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Do not contaminate food or feed by storage or disposal. Do not reuse empty container. Wrap empty container and throw in trash collection. Dispose of according to Federal, State, and local regulations regarding health, air, and water pollution. Do not discharge into waterways or sewer system without proper authority.

SECTION 14 - TRANSPORT INFORMATION

Un number	UN 1950
Un proper shipping name	Aerosols
Transport Hazard Class(es)	2.1
Packing group	Not available
Environmental hazards	Not available
Transport in bulk	Not available
Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises	Not available

NFPA Ratings: Health: 2 Flammability: 4 Reactivity: 0 Other information: N/A



Finished packaged product transported by ground (**DOT**):

Limited quantity; Packaging Instruction:

Passenger aircraft; Quantity Limitation: 75 kg Cargo aircraft; Quantity limitation: 150 kg





Finished packaged product transported by vessel (IMDG):

Emergency schedules (EmS): F-D, S-U Special provisions: 63, 190, 277, 327, 959





Finished packaged product transported by air (IATA):

Passenger and Cargo Aircraft:

Quantity limitation: 75 kg Packaging instructions: 203

Cargo Aircraft Only:

Special provisions:

Quantity limitation: 150 kg Packaging instructions: 203

Limited Quantities:

Passenger Aircraft: Quantity limitation: 30 kg

Packaging instructions: Y203

Special provisions: A145

Do not Freeze





SECTION 15 - REGULATORY INFORMATION

Safety, Health and Environmental Regulations specific for the product in question Regulated as a Cosmetic under FDA (US)

UNITED STATES OF AMERICA:

Federal

All of the ingredients in the formulation are compliant with the Federal Food, Drug, and Cosmetics Act (FDA) and this product is safe to be used by professional hairdressers previously trained and certified to use this product.

California

This product is not subject to warning labeling under California Proposition 65

SECTION 16 - OTHER INFORMATION

Date of preparation of the SDS		
	August 15, 2019	
Key/legend to abbreviations and acronyms used in the SDS.		
ACGIH	American Conference of Governmental Industrial Hygienist	
°C	Degrees Celsius	
CAS	Chemical Abstract Service	
CFR	Code of Federal Regulations	
Cps	Centipoises	
e.g.	Meaning "for example." It is short for the Latin exempli gratia, "for the sake of example."	
FDA	Food and Drug Administration	
GHS	Globally Harmonized System	
HPB	Health Protection Branch	
HSIS	Hazardous Substances Information System	
IATA	International Air Traffic Association	
IUPAC	International Union of Pure and Applied Chemistry	
IMDG	International Maritime Dangerous Goods	
mg/m³	Milligrams per cubic meter	
OSHA	Occupation Safety & Health Administration	
PEL	Permissible Exposure Limit	
PIF	Product Information File	
Ppm	Parts Per Million	
Ref	Reference	
Vol.	Volume	
TWA	Time Weighted Average	
UN	United Nations	

Literature references

 Globally Harmonized System of Classification and Labeling of Chemicals (GHS), Seventh revised edition, United Nations, New York and Geneva, 2017 ST/SG/AC.10/30/Rev.7

Sources for data

- European Commission Database For Information On Cosmetics Substances And Ingredients (CosIng)
- United States Of America's National Library Of Medicine's Toxicology Data Network (TOXNET)
- International Air Transport Association, Dangerous Goods Regulations (IATA)
- The National Institute for Occupational Safety and Health (NIOSH) website address: https://cdc.gov/niosh
- Haz-Map[®] Occupational Health Database, U.S. National Library of Medicine. Information on Hazardous Chemicals and Occupational Diseases by Jay A. Brown, M.D., M.P.H. - website address: https://hazmap.nlm.nih.gov

Product Name: Texturizing Spray

292416-01

Rege 6 of 8

Safety Data Sheet

KERATINCOMPLEX.

GHS Pictograms



GHS01 Explosive



Flammable



Oxidizer







GHS06 Toxic









Precautionary pictograms From European Union (COUNCIL DIRECTIVE 92/58/EEC of 24 June 1992)













ADR, Annex A General provisions and provisions concerning dangerous substances and articles; Classification; Class Specific Provisions



Class 5.1 HAZARD Oxidizing Substances





Declaration

Keratin Complex believes that the information contained in this SDS is correct as of its last revision date (same as listed above). However, because conditions and usage methods of our products are beyond Keratin Complex control, of or in ways we cannot anticipate, we give no warranty, expressed or implied, as to accuracy of the information and assume no responsibility for any damage to person, property or business arising from such use. Moreover, it is the responsibility of the purchaser or user of this product to ensure that is properly and safely used. This SDS does not replace any other document, such as instructional leaflets or inserts. Under no circumstances does it constitute an exemption from the obligation to know and apply all the regulations governing its activity. This SDS replaces all previous versions of this product's SDS.

End SDS.