Living proof. Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 09/15/2015 Revision date: 08/11/2016 Supersedes: 09/15/2015

SECTION 1. Identificati	on of the cubetoneolmi	vture and o	the company/undertaking
	on of the substance/mi.	xture and o	f the company/undertaking
1.1. Identification Product form	: Mixture		
Trade name		POOF RESTO	RE INSTANT PROTECTION SPRAY
	uses of the substance or mix		advised against
Use of the substance/mixture	: Cosmetic	S	
	er of the safety data sheet		
Living Proof, Inc. 301 Binney Street, 1st Floor Cambridge, MA 02142 T: 617-621-1800 F: 617-621-1 QA@livingproof.com livingproof.com	880		
1.4. Emergency telephor	ne number		
Emergency number	: Chemtred	: - +1-800-424-9	9300 or +1 703-527-3887
SECTION 2: Hazard(s) i	dentification		
2.1. Classification of the	substance or mixture		
GHS-US classification			
Flam. Aerosol 1 H222 - Extra	emely flammable aerosol		
Full text of H-phrases: see sect	on 16		
2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)	: GHSC	2	
Signal word (GHS-US)	: Danger	~	
Hazard statements (GHS-US)	: H222 - E> H240 - He	tremely flamma eating may caus auses Eye Irrita	se an explosion
Precautionary statements (GHS	P251 - Pr	essurized conta	n open flame or other ignition source ainer: Do not pierce or burn, even after use n sunlight. Do not expose to temperatures exceeding 50 °C/122 °F
2.3. Other hazards			
No additional information availa	ble		
2.4. Unknown acute toxi	city (GHS US)		
Not applicable			
SECTION 3: Composition	on/information on ingre	dients	
3.1. Substance			
Not applicable			
3.2. Mixture			
Name	Product identifier	%	GHS-US classification
Ethyl alcohol	(CAS No) 64-17-5	<50	Flam. Liq. 2, H225 Carc. 1A, H350 (Alcoholic beverages only; not applicable to this product)

Full text of H-phrases: see section 16

INGREDIENTS: Alcohol Denat., Hydrofluorocarbon 152a, Water/Eau/Aqua, Butylene Glycol, Propylene Glycol Dibenzoate, Octafluoropentyl Methacrylate, Ethylhexyl Methoxycinnamate, Panthenol, Panthenyl Ethyl Ether, Linoleamidopropyl Ethyldimonium Ethosulfate, PPG-5 Ceteth-20, Fragrance/Parfum, Polyglyceryl-10 Pentaoleate, Linalool, Butylphenyl Methylpropional, Citronellol, Limonene.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First aid measures	
4.1. Description of first aid measures	: Never give anything by mouth to an unconscious person; If affected person feels unwell, seek
First-aid measures general	medical advice (show the label where possible).
irst-aid measures after inhalation	: If affected person is experiencing breathing difficulty, allow affected person to breathe fresh air. Allow affected person to rest.
First-aid measures after skin contact	: If adverse skin reaction occurs, remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	 Rinse immediately with plenty of water;Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	Not expected to be a primary route of exposure.
4.2. Most important symptoms and eff	ects, both acute and delayed
Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/injuries after inhalation Symptoms/injuries after skin contact	 None under normal use. May cause respiratory irritation. None under normal conditions.
Symptoms/injuries after eye contact	: None under normal conditions. Mild eye irritation.
Symptoms/injuries after ingestion	: None under normal use.
-	cal attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam. Water spray.
5.2. Special hazards arising from the s	substance or mixture
Fire hazard	: Cool closed containers exposed to fire with water spray. In closed containers, pressure build up could result in distortion, blowing and in extreme cases bursting of the container.
Explosion hazard	 Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Reactivity	 Heating will cause rise in pressure with risk of bursting. Avoid ignition sources. Avoid temperature above 50°C.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Prevent fire-fighting water from entering
Ducto stice, duvis a finaficiatio a	environment.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment.
SECTION 6: Accidental release me	asures
6.1. Personal precautions, protective	equipment and emergency procedures
General measures	: Eliminate every possible source of ignition.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection. : Ventilate area.
Emergency procedures	. VEIIIIIAIE AIEA.
6.2. Environmental precautions	prities if product enters sewers or public waters.
,	· · ·
6.3. Methods and material for contain	
For containment Methods for cleaning up	: Collect spillage. : This material and its container must be disposed of in a safe way, and as per local legislation.
6.4. Reference to other sections	
For further information refer to section 8: "Expo	osure controls/personal protection"
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid contact with eyes. Do not breathe vapors.

Precautions for safe handling	:	Avoid contact with eyes. Do not breathe vapors.
Hygiene measures	:	Do not eat, drink or smoke when using this product.

Safety Data Sheet

. . .

0 1

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	 Keep cool. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Incompatible materials	: Sources of ignition.

SECTION 8: Exposure controls/personal protection

o.i. Control parame	alers		
Ethyl alcohol (64-17-5)			
ACGIH	ACGIH STEL (ppm)	1000 ppm	
OSHA	OSHA PEL (TWA) (mg/m ³)	1900 mg/m³	
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm	

8.2. Exposure controls	
Personal protective equipment	: None needed.
Hand protection	: None needed.
Eye protection	: None necessary.
Skin and body protection	: None needed.
Respiratory protection	: None needed.
Environmental exposure controls	: Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	d chemical properties
Physical state	: Liquid
Appearance	: clear
Color	: yellowish
Odor	: characteristic
Odor threshold	: No data available
рН	: 6.7 - 7
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: 40.88 mm Hg
Relative density	: No data available
Relative vapor density at 20 °C	: >1
Specific gravity / density	: 0.82 - 0.85 g/cm ³
Solubility	: Miscible with water.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
VOC content	: <= 55 %
Gas group	: Compressed gas

Safety Data Sheet	Safetv	/ Data	Sheet
-------------------	--------	--------	-------

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: Stability and reactivity	
10.1. Reactivity	
Heating will cause rise in pressure with risk of burs	ting. Avoid ignition sources. Avoid temperature above 50°C.
10.2. Chemical stability	
Extremely flammable aerosol. Contains gas under	pressure; may explode if heated.
10.3. Possibility of hazardous reactions	
Heating may cause a fire or explosion.	
10.4. Conditions to avoid	
Direct sunlight. Extremely high or low temperatures	. Open flame.
10.5. Incompatible materials	
Strong oxidizing agents.	
10.6. Hazardous decomposition products	
No additional information available	
	n
SECTION 11: Toxicological informatio	
11.1. Information on toxicological effects	Natalaasifiad
,	Not classified
Ethyl alcohol (64-17-5)	
LD50 oral rat	7060 mg/kg (historical information; not tested on animals for cosmetics)
LC50 inhalation rat (mg/l)	124.7 mg/l/4h (historical information; not tested on animals for cosmetics)
ATE US (oral) ATE US (vapors)	7060.000 mg/kg body weight (historical information; not tested on animals for cosmetics) 124.700 mg/l/4h (historical information; not tested on animals for cosmetics)
ATE US (dust, mist)	124.700 mg/l/4h (historical information; not tested on animals for cosmetics)
	Not classified
	pH: 6.7 - 7 Category 2B-Mild Irritant
	рН: 6.7 - 7
Respiratory or skin sensitization : Germ cell mutagenicity : Carcinogenicity :	Not classified Not classified Not classified.
Ethyl alcohol (64-17-5)	
IARC group	1 - Carcinogenic to humans (Alcoholic beverages only; not applicable to this product)
In OSHA Hazard Communication Carcinogen list	Yes
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: None under normal use. May cause respiratory irritation.
Symptoms/injuries after skin contact Symptoms/injuries after eye contact	 None under normal conditions. None under normal conditions. Mild eye irritation.
Symptoms/injuries after ingestion	: None under normal use.
SECTION 12: Ecological information	
	at tested on onimple for competion)
Ethyl alcohol (64-17-5) (historical information; no LC50 fish 1	12.0 - 16.0 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	9268 - 14221 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 2	2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
Ethyl alcohol (64-17-5)	0.32
Log Pow	-0.32

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on the global warming

: No known ecological damage caused by this product.

SECTION 13: Disposal considerations 13.1. Waste treatment methods Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Additional information : Handle empty containers with care because residual vapors are flammable.

SECTION 14: Transport information

SECTION 14: Transport Information	
Department of Transportation (DOT)	
In accordance with DOT	
Transport document description	: UN1950, Aerosols, flammable, (each not exceeding 1 L capacity), 2.1
UN-No.(DOT)	: UN1950
Proper Shipping Name (DOT)	: Aerosols, flammable, (each not exceeding 1 L capacity)
Transport hazard class(es) (DOT)	: 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115
Hazard labels (DOT)	: LTD QTY - Limited quantity
DOT Packaging Non Bulk (49 CFR 173.xxx)	: None
DOT Packaging Bulk (49 CFR 173.xxx)	: None
DOT Symbols	: Limited quantities:
DOT Special Provisions (49 CFR 172.102)	: N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 75 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 25 - Shade from radiant heat,87 - Stow "separated from" Class 1 (explosives) except Division
Emergency Response Guide (ERG) Number	14,126 - Segregation same as for Class 9, miscellaneous hazardous materials : 126
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	4050
UN-No. (IMDG)	
Proper Shipping Name (IMDG)	: AEROSOLS, LTD QTY
Class (IMDG)	: 2 - Gases
Air transport UN-No. (IATA)	: ID 8000
Proper Shipping Name (IATA)	: Consumer Commodity Y
Class (IATA)	: 9
SECTION 15: Regulatory information	• •
15.1 US Federal regulations	

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product is not subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

15.2. International regulations CANADA No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EU-Regulations No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm

U.S Pennsylvania - RTK (Right to Know) List tert-Butyl alcohol (75-65-0) U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Su U.S Pennsylvania - RTK (Right to Know) - Env	65 - al Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female No	U.S California - Proposition 65 - Reproductive Toxicity - Male No	Non-significant risk level (NSRL)	
not applicable to this product) Ethyl alcohol (64-17-5) U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Su U.S Pennsylvania - RTK (Right to Know) List tert-Butyl alcohol (75-65-0) U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Su U.S Pennsylvania - RTK (Right to Know) - Envi		No	No		
U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Su U.S Pennsylvania - RTK (Right to Know) List tert-Butyl alcohol (75-65-0) U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Su U.S Pennsylvania - RTK (Right to Know) - Env	ubstance List				
U.S New Jersey - Right to Know Hazardous Su U.S Pennsylvania - RTK (Right to Know) List tert-Butyl alcohol (75-65-0) U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Su U.S Pennsylvania - RTK (Right to Know) - Env	ubstance List				
U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Su U.S Pennsylvania - RTK (Right to Know) - Env		U.S New Jersey - Right to Know Hazardous Substance List			
U.S New Jersey - Right to Know Hazardous Su U.S Pennsylvania - RTK (Right to Know) - Env	tert-Butyl alcohol (75-65-0)				
U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S Pennsylvania - RTK (Right to Know) List					
Hydrofluorocarbon 152a (200-866-1)					
U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List					
Benzyl alcohol (100-51-6)					
U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List					
dipentene, limonene (138-86-3)					
U.S New Jersey - Right to Know Hazardous Substance List					

SECTION 16: Other information	
Revision date	: 09/15/2015
Data sources	: DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is

Full text of H-phrases listed in Sections 2-15:

Carc. 1A	Carcinogenicity Category 1A
Flam. Aerosol 1	Flammable aerosol Category 1
Flam. Liq. 2	Flammable liquids Category 2
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapor
H350	May cause cancer
H320	Causes Eye Irritation

used as a component in another product, this SDS information may not be applicable.

NFPA health hazard


NFPA fire hazard

NFPA reactivity

: 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.

: 3 - Liquids and solids that can be ignited under almost all ambient conditions.

: 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.



Safety Data Sheet	according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
HMIS III Rating	
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability	: 3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB & IC)
Physical	: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product