SDS Revision: 3.0

SDS Revision Date: 22Feb19

Loma FIRM HOLD HAIRSPRAY

1.1	Product Identifier:	Loma FIRM HOLD HAIRSPRAY					
	Product Codes:	FG-FH-Hairspray-3					
1.2	Relevant Identified Uses:	Personal Care - Hair Spray (non-aerosol)					
	Uses Advised Against:	None known					
1.3							
	Data Sheet:	154 Village Ct #172, Monroe, WA 98272 USA					
		+1 360 805-0794					
		lomahair@msn.com					
		IMDS-BV					
		Vivaldistratt 3, Lichenvoorde, Netherlands					
		+31 (0) 544378951					
		leon@imdsglobal.com					
1.4	Emergency Telephone Number:	INFOTRAC: 1-800-535-5053 (North America) 1-352-323-3500 (International)					
SEC	TION 2: Hazards Ide	entification					
The r	mixture has been assesse	d for its physical, health and environmental hazards, and the following classification applies.					
2.1	Classification of the	Physical Hazards: Flammable Liquid - Category 3					
	Substance or Mixture:	e: Health Hazards: Eye Irritation - Category 2A					
		Environmental Hazards: Not Classified					
2.2	Labeling Elements:	Hazard Signal Word: Warning	Hazard				
		Hazard Statements: H226: Flammable Liquid and Vapour. H319: Causes Serious Eye	Pictograms:				
		Irritation	_				
		Precautionary Statements: Keep away from heat, hot surfaces, sparks, open flames and					
		la caracter de la caracteria de la carac	< W >				
		other ignition sources. No smoking. Keep container tightly closed. Store in well ventilated	\ \ \ \ /				
		place. Keep cool. Wash hands thoroughly after handling. Avoid direct eye contact. IF IN	Y				
			3				
		place. Keep cool. Wash hands thoroughly after handling. Avoid direct eye contact. IF IN	☆				
		place. Keep cool. Wash hands thoroughly after handling. Avoid direct eye contact. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present					
		place. Keep cool. Wash hands thoroughly after handling. Avoid direct eye contact. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If	<u>(!)</u>				
		place. Keep cool. Wash hands thoroughly after handling. Avoid direct eye contact. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If medical advice is needed, have product container or label at hand. Keep out of reach of	♦				
2.3	Other Hazards:	place. Keep cool. Wash hands thoroughly after handling. Avoid direct eye contact. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Dispose of contents and container in accordance with all	ia for PBTs or				

SECTION 3: Composition / Information on Ingredients

3.2 Mixtures:						
CHEMICAL NAME	CAS No.	EC No.	Hazard Classification	Hazard Statements	% by Weight	
			Flammable Liquid, Category 2	H225: Highly flammable liquid and vapour		
Ethanol	64-17-5	200-578-6		H319: Causes serious eye	45 - 55	
				irritation		

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as physical, health or the environmental hazards, are PBTs or vPvBs, or have been assigned an occupational exposure limit within US OSHA Z-Tables or EU OEL Directives, and hence require reporting in this section.

SECTION	I 4:	First A	id M	leasures
---------	------	---------	------	----------

4.1	Description of First	<u>Ingestion</u> : In case of ingestion, do not induce vomiting without medical advice. Give victim several glasses of
	Aid Measures:	water to drink. Never give anything by mouth to an unconscious person. Seek medical attention if necessary.
		Eyes: In case of eye contact, flush with copious amounts of water for at least 15 minutes. Remove contact
		lenses, if present and easy to do. Continue rinsing. Seek medical attention in the event of an adverse reaction or
		if symptoms persist.
		Skin: If signs of irritation to the skin develop, wash the affected area with plenty of water and soap. Seek medical
		attention in the event of an adverse reaction or if symptoms persist.
		Inhalation: If respiratory distress or irritation occurs, remove victim to fresh air. Seek medical attention in the
		event of an adverse reaction or if symptoms persist.

SDS Revision: 3.0

SDS Revision Date: 22Feb19

4.2	Most Important Symptoms and Effects, Both Acute and Delayed:	Direct contact with eyes	Direct contact with eyes may cause serious eye irritation. Symptoms may include stinging, tearing, and redness.					
4.3	Indication of Immediate Medical Attention and Special Treatment Needed:	Provide general supportive measures and treat symptomatically. No known specific antidotes.						
SEC	TION 5: Firefighting	Measures						
5.1	Extinguishing Media:	Suitable Extinguishing M	Suitable Extinguishing Media: Water mist, dry chemical, alcohol resistant foam, or carbon dioxide. Jusuitable Extinguishing Media: None known.					
5.2	Special Hazards Arising from the Substance or Mixture:		Warning! Flammable liquid and vapor. When heated above the flash point, vapours may burn or form explosive mixture with air. May produce oxides of carbon and/or nitrogen on combustion.					
5.3	Advice for Firefighters:	Wear self-contained brea	athing apparatus	and full personal p	protective gear. l	Jse standard fire	fighting procedures.	
SEC	TION 6: Accidental	Release Measures						
6.1	Personal Precautions, Protective Equipment and Emergency Procedures:	Observe all personal protection equipment recommendations described in Section 8. Remove all sources of ignition and ensure adequate ventilation. Ventilate closed spaces before entering them. Keep unnecessary personnel away.						
6.2	Environmental Precautions:	Dike or contain spill to p	revent from ente	ring drains. Avoid c	lirect release to	drains, surface a	nd ground water.	
6.3	Methods and Material for Containment and Cleaning Up:		Clean up spill with non-combustible absorbent material. Clean area to prevent a slip hazard. Place all sweepings and absorbents into suitable containers for disposal. Use non-sparking tools and equipment. Take action to prevent static discharges.					
6.4	Reference to Other Sections:	For personnel protection	, see Section 8.	For waste disposal	, see Section 13	3.		
SEC	TION 7: Handling ar	nd Storago						
	TION 7: Handling ar Precautions for Safe	Do not use near open fla	amos sparks or a	other ignition cours	oc. Litilizo cofo h	andling and tran	coortation	
	Handling:	techniques to avoid spilli eye contact. Do not eat, appropriate personal pro equipment. Observe goo	age or rupture of drink, or smoke stective equipme	the product. Ensur while handling. Wa nt (see Section 8).	e adequate vent sh hands thorou	tilation in the wor ighly after handli	kplace. Avoid direct ng. Wear	
7.2	Conditions for Safe	Store in a cool, dry, and	well-ventilated a	rea away from dire	ct sun-light. Do i	not expose to ten	nperatures	
	Storage, Incuding Any	exceeding 50°C/122°F. [, sparks, open fl	lames and other	ignition sources.	
	Incompatibilities:	Store away from incomp		see Section 10).				
7.3	Specific End Use(s):	No further relevant inform	nation available.					
SEC	TION 8: Exposure C	ontrols / Personal F	Protection					
	Control Parameters:				Occupational	Exposure Limits	s	
		CHEMICAL NAME	CAS Number	OSHA PEL (TWA)	NIOSH REL (TWA)	ACGIH TLV	EU IOELV - BOELV	
		Ethanol	64-17-5	1000 ppm 1900 mg/m ³	1000 ppm 1900 mg/m ³	1000 ppm (STEL)	Not established (1)	
		US IDHL: Ethanol - 3300		EL)		•	-	
		(1) Reference EU memb						
		Workplace atmospheric control measures and/or						
	Procedures:	such as US NIOSH and national guidance docum	OSHA Measurer	ment Methods, Eur	opean Standard	s EN 689 and EN		
	Biological Limit Values:							
		1						

SDS Revision: 3.0

SDS Revision Date: 22Feb19

	5 : 11 = 4							
	Derived No Effect	No information available						
	Level (DNEL):							
	Predicted No Effect							
		No information available						
	(PNEC):							
8.2	Exposure Controls:							
	Appropriate	Provide adequate ventilation in the workplace to maintain airborne levels below recommended exposure limits.						
	Engineering Controls:	Provide adequate ventilation in the workplace to maintain alloune levels below recommended exposure limits.						
	Eye/Face Protection:	Avoid eye contact. Wear protective eyewear (e.g., safety glasses with side-shield) if eye contact hazards exist in						
		the workplace.						
	Skin and Hand No special skin protection is required during consumer product use. If anticipated that prolonged & repea							
	Protection: contact will occur in the workplace, wear impermeable gloves and suitable protective clothing.							
	Respiratory	If airborne exposure limits are exceeded, wear suitable respirator that meets current occupational health and						
	Protection:	safety standards.						
	Thermal Hazards:	Refer to Section 5 for fire personal protective equipment.						
	Hygiene Measures:	Do not eat, drink or smoke during product use or handling. Wash hands after handling. Observe good personal						
		hygiene measures. Routinely wash work clothing and protective equipment.						
	Environmental	Environmental manager must be informed of all major releases.						
	Exposure Controls:	Environmental manager must be informed of all major releases.						
SEC ⁻	TION 9: Physical an	d Chemical Properties						
		hysical and Chemical Properties:						
	Appearance:	Light yellow, clear liquid						
	Odor:							
		No data available on this product						
		5.0 - 6.0						
	•	No data available on this product						
	_	No data available on this product						
	Initial Patting							
	Point/Boiling Range:							
		24°C (55°F): closed cup						
		No data available on this product						
	-	Two data available on this product						
	Flammability (solid, No data available on this product							
	gas):							
	Upper/Lower	UEL: 19.0% (Ethanol)						
	Flammability or	LEL: 3.3% (Ethanol)						
	Explosive Limits:	No data available on this product						
	-							
	vapor Density:	No data available on this product						
	Relative Density (water=1.0):	0.900 - 0.920						
	Solubility (in water):	No data available on this product						
	Partition Coefficient	·						
	(n-octanol/water):	Ethanol: -0.31 Log K _{ow}						
	Autoignition	No data available on this product						
	Temperature:	'						
	Decomposition	No data available on this product						
	Temperature:							
	_	No data available on this product						
	Explosive Properties:	No data available on this product						
	Oxidizing Properties:	No data available on this product						
9.2	Other Information:	No relevant additional information available on this product.						
SEC	TION 10: Stability ar	nd Reactivity						
	Reactivity:	The product is not reactive under normal conditions of use, storage and transport.						
	Chemical Stability:	The product is stable under normal handling and storage conditions.						
		1						

SDS Revision: 3.0

SDS Revision Date: 22Feb19

10.3	Possibility of	No hazardous reactions known under conditions of normal use. Hazardous polymerization is not expected.
10.4	Hazardous Reactions:	
	Conditions to Avoid:	Direct sunlight, extremely high or low temperatures, sparks, open flame, and other ignition sources.
	Incompatible Materials:	Strong acids, bases, and oxidizing agents.
10.6	Hazardous Decomposition	No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on combustion.
	Products:	
CEO:	TION 44: Tavianiani	
	TION 11: Toxicologi	
11.1		ogical Effects: No data available on the mixture. Health effects of the mixture are derived from component
	classification of the mixtu	centrations present. If available, relevant toxicological properties of the components that contribute to ure in Section 3 are provided. Evaluations for the mixture may be based on additional information not shown. The
		presented herein from suppliers that have not tested the ingredients on animals for cosmetic purposes since the e set forth by the EU Commission in accordance with EU Cosmetic Directive (EC) No. 1223/2009.
		Eye Exposure: Direct contact with eyes may cause serious eye irritation. Symptoms may include stinging, tearing, and redness.
	Symptoms:	Skin Exposure: No adverse effects expected from normal use. Prolonged or repeated skin exposure may cause defatting, drying and cracking of the skin.
		Ingestion: No adverse effects expected from normal use. May cause gastrointestinal discomfort/irritation if
		swallowed. Ingestion of high concentrations may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness and drowsiness).
		Inhalation: No adverse effects expected from normal use. Excessive inhalation may cause nausea, vomiting,
		and signs of central nervous system depression (headache, dizziness, and drowsiness).
	Potential Chronic	
	Health Effects:	None known
	Product Summary/Conclusion: Based on available data, classification criteria are not met.	
		Ethanol: CAS 64-17-5
		Oral LD50: 7060 mg/kg (Rat)
		Dermal LD50: 20,000 mg/kg (Rabbit)
		Inhalation LC50: > 60,000 ppm (114 mg/L), 1 hour (Mouse)
		Product Summary/Conclusion: Based on available data, classification criteria are not met.
	Irritation:	Ethanol: CAS 64-17-5
		Acute Dermal Irritation/Corrosion, OECD 404, Rabbit: Not irritating to skin
		Modified Draize 1944 for Human Repeat Occluded (95% active): Slightly irritating under extreme repeat
		dose situations
		Product Summary/Conclusion: Causes serious eye irritation.
	Damage/Irritation:	Ethanol: CAS 64-17-5 Acute Eye Irritation/Corrosion, OECD 405, Rabbit (100% active): eye irritant (Category 2A)
	Posniratory or Skin	Product Summary/Conclusion: Based on available data, classification criteria are not met.
		Ethanol: CAS 64-17-5
	ochsitization.	Respiratory Sensitization: No reports of human respiratory sensitization
		Skin Sensitization: No skin sensitization evident in animal studies at 75% concentration.
		Product Summary/Conclusion: Based on available data, classification criteria are not met. No components at
	Mutagenicity:	levels greater than or equal to 0.1% are listed as a mutagen in EU Regulation (EC) No. 1272/2008 [CLP].
		Ethanol: CAS 64-17-5
		In-vitro: Negative for bacterial reverse mutation test (OECD 471) in Salmonella typhimurium up to
		maximum plate concentration of 10 mg/plate, with and without metabolic activation
		No components at levels greater than or equal to 0.1% are listed as a human carcinogen in EU Regulation (EC) No. 1272/2008 [CLP], IARC, US-OSHA, or NTP.
1		Product Summary/Conclusion: Based on available data, classification criteria are not met. No components at
	Toxicity:	levels greater than or equal to 0.1% are listed as a reproductive toxin in EU Regulation (EC) No. 1272/2008
		[CLP].
1		Ethanol: CAS 64-17-5
		Two-Generation Reproduction Toxicity, OECD 416, Mouse, Oral: NOAEL 15% (20.7g/kg/day) (highest concentration tested)
		Prenatal Developmental Toxicity, OECD 414, Rat, Inhalation: NOAEL (maternal toxicity) 16,000 ppm, NOAEL (teratogenicity) ≥ 20,000 ppm (highest concentration tested)
	l .	(1. 1. 1. 2. 1. 2. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.

SDS Revision: 3.0

SDS Revision Date: 22Feb19

	STOT-Single	Based on ava	ilable data	, classificatio	n criteria are not me	t.			
1	Exposure:								
		Product Summary/Conclusion: Based on available data, classification criteria are not met.							
	Exposure:	Ethanol: CAS 64-17-5							
		90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg							
	A 1 (1 11 1	Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC ≥ 6130 ppm Not classified due to lack of data.							30 ppm
					1.				
	Other Information:	No other relev	vant inform	ation availabl	e.				
SEC	TION 12: Ecological	Informatio	n						
	Toxicity:			clusion: Bas	sed on available data	classificat	ion criteria are	not met	
12.1	TOXICITY.	Ethanol: CAS		ciusion. Das	seu on avallable uala	i, ciassilicai	ion chiena are	not met.	
				:0: 275 ma/l	72 hours (Chlorella	vulgarie: fre	sch water algae	<i>1</i>	
					18 hours (Daphnia m				Artomia calina)
					ours (rainbow trout);				
12.2	Persistence and	Ethanol: CAS		o mg/L, 90 m	Juis (railibow trout),	> 13,400 II	ig/L, 90 Hours (Tatrieau IIIII	now)
12.2	Degradability:		5 04-17-5 biodegrada	hla					
12.3	Bioaccumulative Poter		Jiouegraua	ibie					
12.3	Partition Coefficient:								
	n-octanol/water	Ethanol (CAS	64-17-5):	-0.31 (log K _{ov}	v)				
	Bioconcentration	Not available							
	Factor (BCF):								
	Mobility in Soil:	No data availa	able						
12.5	Results of PBT and	Not available							
	vPvB Assessment:								
12.6	Other Adverse	No other know	wn adverse	environment	tal effects or critical l	hazards.			
	Effects:								
	TION 13: Disposal C		ons						
13.1	Waste Treatment Meth-								
					ners in accordance v				
	Waste Disposal:				sewage. Empty conta				
					A Waste Number: R	CRA D001/	Unlisted Ignital	ble Hazardo	us Waste.
	Special Precautions:	Observe all p	recautions	for ignitable v	waste.				
SEC	TION 14: Transport								
SEC		Intormotion							
_		1		2 (0)	IATA /A:	A	ı	DID	
	Shipment in Consumer	US DOT	IMDO	G (Sea)	IATA (Air	1	ADR (Road)	RID	ADN
	Packaging - Limited Quantity	US DOT (Ground)		S (Sea) Export	IATA (Air Domestic) Export	ADR (Road)	RID (Rail)	
		US DOT (Ground) Not	IMDC Domestic	Export	Domestic	Export		(Rail)	ADN (Waterways)
14.1	Packaging - Limited Quantity UN Number:	US DOT (Ground)	IMDO			1	ADR (Road) UN1170		ADN
14.1	Packaging - Limited Quantity	US DOT (Ground) Not applicable	Domestic UN1170	Export UN1170	Domestic ID8000	Export UN1170	UN1170	(Rail)	ADN (Waterways) UN1170
14.1	Packaging - Limited Quantity UN Number:	US DOT (Ground) Not applicable	IMDC Domestic	Export	Domestic ID8000 Consumer	Export UN1170 Ethanol	UN1170 Ethanol	(Rail) UN1170 Ethanol	ADN (Waterways) UN1170 Ethanol
14.1	UN Number: UN Proper Shipping Name:	US DOT (Ground) Not applicable Not applicable	Domestic UN1170 Ethanol	Export UN1170 Ethanol	Domestic ID8000	Export UN1170	UN1170	(Rail) UN1170	ADN (Waterways) UN1170
14.1	UN Number: UN Proper Shipping Name: Transport Hazard	US DOT (Ground) Not applicable Not applicable Not	Domestic UN1170 Ethanol	Export UN1170 Ethanol	Domestic ID8000 Consumer	Export UN1170 Ethanol	UN1170 Ethanol	(Rail) UN1170 Ethanol	ADN (Waterways) UN1170 Ethanol
14.1	UN Number: UN Proper Shipping Name:	US DOT (Ground) Not applicable Not applicable	Domestic UN1170 Ethanol Solution	Export UN1170 Ethanol Solution	Domestic ID8000 Consumer Commodity	Export UN1170 Ethanol Solution	UN1170 Ethanol Solution	(Rail) UN1170 Ethanol Solution	ADN (Waterways) UN1170 Ethanol Solution
14.1	UN Number: UN Proper Shipping Name: Transport Hazard	US DOT (Ground) Not applicable Not applicable Not	Domestic UN1170 Ethanol Solution	Export UN1170 Ethanol Solution	Domestic ID8000 Consumer Commodity	Export UN1170 Ethanol Solution	UN1170 Ethanol Solution	(Rail) UN1170 Ethanol Solution	ADN (Waterways) UN1170 Ethanol Solution
14.1	UN Number: UN Proper Shipping Name: Transport Hazard	US DOT (Ground) Not applicable Not applicable Not	Domestic UN1170 Ethanol Solution	Export UN1170 Ethanol Solution	Domestic ID8000 Consumer Commodity	Export UN1170 Ethanol Solution	UN1170 Ethanol Solution	(Rail) UN1170 Ethanol Solution	ADN (Waterways) UN1170 Ethanol Solution
14.1	UN Number: UN Proper Shipping Name: Transport Hazard	US DOT (Ground) Not applicable Not applicable Not	Domestic UN1170 Ethanol Solution	Export UN1170 Ethanol Solution	Domestic ID8000 Consumer Commodity	Export UN1170 Ethanol Solution	UN1170 Ethanol Solution	(Rail) UN1170 Ethanol Solution	ADN (Waterways) UN1170 Ethanol Solution
14.1	UN Proper Shipping Name: Transport Hazard Classes:	US DOT (Ground) Not applicable Not applicable Not	Domestic UN1170 Ethanol Solution	Export UN1170 Ethanol Solution	Domestic ID8000 Consumer Commodity	Export UN1170 Ethanol Solution	UN1170 Ethanol Solution	(Rail) UN1170 Ethanol Solution	ADN (Waterways) UN1170 Ethanol Solution
14.1 14.2 14.3	UN Number: UN Proper Shipping Name: Transport Hazard	US DOT (Ground) Not applicable Not applicable Not applicable III	IMDO Domestic UN1170 Ethanol Solution 3	Export UN1170 Ethanol Solution 3	Domestic ID8000 Consumer Commodity 9	Export UN1170 Ethanol Solution 3	UN1170 Ethanol Solution 3	(Rail) UN1170 Ethanol Solution 3	ADN (Waterways) UN1170 Ethanol Solution 3
14.1 14.2 14.3	UN Number: UN Proper Shipping Name: Transport Hazard Classes: Packing Group:	US DOT (Ground) Not applicable Not applicable Not applicable	Domestic UN1170 Ethanol Solution 3	Export UN1170 Ethanol Solution 3	Domestic ID8000 Consumer Commodity 9	Export UN1170 Ethanol Solution 3	UN1170 Ethanol Solution 3	(Rail) UN1170 Ethanol Solution 3	ADN (Waterways) UN1170 Ethanol Solution 3
14.1 14.2 14.3 14.4 14.5	UN Proper Shipping Name: Transport Hazard Classes: Packing Group: Environmental Hazards:	US DOT (Ground) Not applicable Not applicable Not applicable III None	IMDO Domestic UN1170 Ethanol Solution 3	Export UN1170 Ethanol Solution 3 III None	Domestic ID8000 Consumer Commodity 9	Export UN1170 Ethanol Solution 3 III None	UN1170 Ethanol Solution 3 III None	(Rail) UN1170 Ethanol Solution 3 III None	ADN (Waterways) UN1170 Ethanol Solution 3 III None
14.1 14.2 14.3 14.4 14.5	UN Proper Shipping Name: Transport Hazard Classes: Packing Group: Environmental Hazards: Special Precautions	US DOT (Ground) Not applicable Not applicable Not applicable III None	IMDO Domestic UN1170 Ethanol Solution 3	Export UN1170 Ethanol Solution 3 III None	Domestic ID8000 Consumer Commodity 9 III None	Export UN1170 Ethanol Solution 3 III None	UN1170 Ethanol Solution 3 III None	(Rail) UN1170 Ethanol Solution 3 III None	ADN (Waterways) UN1170 Ethanol Solution 3 III None
14.1 14.2 14.3 14.4 14.5 14.6	UN Proper Shipping Name: Transport Hazard Classes: Packing Group: Environmental Hazards: Special Precautions for User:	US DOT (Ground) Not applicable Not applicable Not applicable III None Transport with	IMDO Domestic UN1170 Ethanol Solution 3	Export UN1170 Ethanol Solution 3 III None	Domestic ID8000 Consumer Commodity 9 III None	Export UN1170 Ethanol Solution 3 III None	UN1170 Ethanol Solution 3 III None	(Rail) UN1170 Ethanol Solution 3 III None	ADN (Waterways) UN1170 Ethanol Solution 3 III None
14.1 14.2 14.3 14.4 14.5 14.6	UN Proper Shipping Name: Transport Hazard Classes: Packing Group: Environmental Hazards: Special Precautions for User: Transport in Bulk	US DOT (Ground) Not applicable Not applicable Not applicable III None Transport with handling.	IMDO Domestic UN1170 Ethanol Solution 3 III None hin user's p	Export UN1170 Ethanol Solution 3 III None	Domestic ID8000 Consumer Commodity 9 III None	Export UN1170 Ethanol Solution 3 III None	UN1170 Ethanol Solution 3 III None	(Rail) UN1170 Ethanol Solution 3 III None	ADN (Waterways) UN1170 Ethanol Solution 3 III None
14.1 14.2 14.3 14.4 14.5 14.6	Packaging - Limited Quantity UN Number: UN Proper Shipping Name: Transport Hazard Classes: Packing Group: Environmental Hazards: Special Precautions for User: Transport in Bulk According to Annex II	US DOT (Ground) Not applicable Not applicable Not applicable III None Transport with	IMDO Domestic UN1170 Ethanol Solution 3 III None hin user's p	Export UN1170 Ethanol Solution 3 III None	Domestic ID8000 Consumer Commodity 9 III None	Export UN1170 Ethanol Solution 3 III None	UN1170 Ethanol Solution 3 III None	(Rail) UN1170 Ethanol Solution 3 III None	ADN (Waterways) UN1170 Ethanol Solution 3 III None
14.1 14.2 14.3 14.4 14.5 14.6	UN Proper Shipping Name: Transport Hazard Classes: Packing Group: Environmental Hazards: Special Precautions for User: Transport in Bulk	US DOT (Ground) Not applicable Not applicable Not applicable III None Transport with handling.	IMDO Domestic UN1170 Ethanol Solution 3 III None hin user's p	Export UN1170 Ethanol Solution 3 III None	Domestic ID8000 Consumer Commodity 9 III None	Export UN1170 Ethanol Solution 3 III None	UN1170 Ethanol Solution 3 III None	(Rail) UN1170 Ethanol Solution 3 III None	ADN (Waterways) UN1170 Ethanol Solution 3 III None

Loma FIRM HOLD HAIRSPRAY

Lom	a FIRM HO	LD HAIR	SPRAY	SDS Revision: 3.0	SDS Revision Date: 22Feb19
			y Information		
15.1				Specific for the Substance or Mixtu	
	EU Regu product a		No. 1907/2006 REACH Article 59(1	0) and Annexes XIV and XVII, as ame	nded: No components in this
	EU Direc	tive 2012/1	8/EU on major accident hazards in	volving dangerous substances: Etha	nol (CAS 64-17-5)
	EU Regu	lation (EC)	No. 1005/2009 on substances that	deplete the ozone layer, Annex I and	II, as amended: No components in
		ıct are liste			
	EU Regu listed.	lation (EC)	No. 850/2004 on persistent organic	c pollutants, Annex I, as amended: N	o components in this product are
	EU Regu	lation (EC	No. 649/2012 concerning export/in	nport of dangerous chemicals, Anne	(I (parts 1 - 3) & Annex V, as
			onents in this product are listed.		
				elease and Transfer Registry: No com	ponents in this product are listed.
	National	Regulation	ns of EU Member States: Follow nati	ional regulations for work with chemical	agents.
	US SARA	302 TPQ:	: No components in this product are lis	sted.	
			No components in this product are list		
			Not applicable - product is exempt.	17.7	
			components in this product are listed.		
			CRA D001/Unlisted Ignitable Hazardo	ous Wasta Ethanal – 100 lbs	
			CAA) Section 112(r) TQ: No compone		
			t (CWA): No components in this prod		
			ns: Follow state regulations for work	with chemical agents.	
15.2	Chemical Sa Assessment:	-	No Chemical Safety Assessment has	s been carried out.	
	TION 16: O				
Lege	nd to		merican Conference of Governmenta		
Abbr	eviations:	ADN: Eur	opean Agreement Concerning Interna	itional Carriage of Dangerous Goods by	Inland Waterways
		ADR: Eur	opean Agreement Concerning Interna	tional Carriage of Dangerous Goods by	Road
		BOELV: E	Binding Occupational Exposure Limit \	/alues	
			emical Abstracts Service		
				onse, Compensation, and Liability Act	
			ssification, Labelling and Packaging of		
			Department of Transportation	- Cabotaneos ana ivinkareo	
			pean Commission		
			ective Concentration, 50%		
) Environmental Protection Agency		
			pean Union		
			bally Harmonized System of Classific	ation and Labolling Chamicals	
			ernational Agency for the Research of		
			ernational Air Transport Association	Cancel	
			mediate Bulk Container		
			mediately Dangerous to Life or Health	Concentrations	
			ernational Maritime Dangerous Goods		
			dicative Occupational Exposure Limit		
				values	
			thal Concentration, 50%		
			thal Dose, 50%	1	
		_	owest Observed Adverse Effect Level		
1			ogarithm of the n-octanol/water partit		
			lational Institute for Occupational Safe		
			No Observed Adverse Effect Concent	ration	

vPvB: very Persistent and very Bioaccumulative

OECD: Organisation for Economic Co-operation and Development

NOAEL: No Observed Adverse Effect Level

PBT: Persistent, Bioaccumulative, and Toxic

NTP: National Toxicology Program

OEL: Occupational Exposure Limit

SDS Revision: 3.0

SDS Revision Date: 22Feb19

	PEL: Permissible Exposure Limit
	RCRA: Resource Conservation and Recovery Act
	REL: Recommended Exposure Limit
	RID: Regulations Concerning International Carriage of Dangerous Goods by Rail
	RQ: Reportable Quantity
	SARA: Superfund Amendments and Reauthorization Act
	STEL: Short Term Exposure Limit
	STOT: Specific Target Organ Toxicity
	TLV: Threshold Limit Value
	TPQ: Threshold Planning Quantity
	TQ: Threshold Quantity
	TWA: Time Weighted Average
	UN: United Nations
	US: United States
	US-OSHA: United States Occupational Safety & Health Administration
Evaluation Method	s Used for Classification of the Mixture: Calculation method
	It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult resources,
Training Advice:	as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards
	associated with the product.
Disclaimer:	This Safety Data Sheet is intended to provide a brief summary of our knowledge and guidance regarding the use of this product. The information set forth herein has been compiled from sources considered to be reliable and is believed to be accurate as of the date of publication. This information is offered in good faith by Innovative Salon Products, Inc. and the accuracy, suitability or completeness is not guaranteed, and no warranties of any type, either expressed or implied, are provided. If this product is combined with other materials, all component properties must be considered. The user assumes all liability for any damage or from any hazards inherent in the nature of the product.
Last Revision Date:	06Apr16
Revision Information:	Updated product code. Added subsections per EU requirements.