SAFETY DATA SHEET



1. Identification

Product identifier MATRIX TOTAL RESULTS DARK ENVY SHAMPOO

Other means of identification

SDS number 00-11-0000357

Recommended use Personal care product used for cosmetic effect.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

US Address: L'Oreal USA Products, Inc

133 Terminal Avenue Clark, NJ 07066

USA

Canadian Address: L'Oreal Canada

4895 rue Hickmore

Ville St-Laurent, H4T 1K5

Canada

Emergency Phone #: 1-800-535-5053 (International: 352-323-3500)

In Canada - 1-613-996-6666 (Canutec (*666 Cellular))

For further Information: 1-732-499-2741

Poison Control #: 412-390-3326

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 1

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes skin irritation. Causes serious eye damage.

Precautionary statement

Prevention Wash thoroughly after handling. Wear eye protection/face protection. Wear protective gloves.

ResponseIf on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison

center/doctor. If skin irritation occurs: Get medical advice/attention. Take off contaminated

clothing and wash before reuse.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%	
SODIUM LAURETH SULFATE		3088-31-1	12.34	
COCO-BETAINE		68424-94-2	1.79	

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get

medical advice/attention. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention immediately.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and delayed

Indication of immediate medical attention and special treatment needed

vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment

During fire, gases hazardous to health may be formed.

and precautions for firefighters Fire fighting

equipment/instructions

Specific methods

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Environmental precautions 7. Handling and storage

Precautions for safe handling

Do not get this material in contact with eyes. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Biological limit valuesNo biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide

eyewash station. Eye wash fountain and emergency showers are recommended.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.

Form Viscous Liquid

Color White

Odor Characteristic.
Odor threshold Not available.
pH 5 - 5.6

Melting point/freezing point Not available.

Initial boiling point and boiling

range

> 212 °F (> 100 °C)

Flash point > 212.0 °F (> 100.0 °C) Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

riammability iimit - iowei

(%)

Not available.

Not available.

Flammability limit - upper

(%)

Vapor pressureNot available.Vapor densityNot available.Specific gravityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Density >= 1.010 g/cm³
Explosive properties Not explosive.
Oxidizing properties Not oxidizing.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoidContact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected.

Skin contact Causes skin irritation.

Eye contact Causes serious eye damage.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause

redness and pain.

Information on toxicological effects

Acute toxicity Not known.

Components Species Test Results

COCO-BETAINE (CAS 68424-94-2)

<u>Acute</u>

Dermal

LC50 Rat > 620 mg/kg OECD 402

Oral

LD50 Mouse 2640 mg/kg OECD 401

SODIUM LAURETH SULFATE (CAS 3088-31-1)

Acute

Dermal

LD50 Rat > 2000 mg/kg OECD 402

Oral

LD50 Rat 2870 mg/kg OECD 401

Skin corrosion/irritationCauses skin irritation.

Irritation Corrosion - Skin

COCO-BETAINE OECD 404

Result: Irritating Species: Rabbit

SODIUM LAURETH SULFATE OECD 404

Result: Irritating Species: Rabbit

Serious eye damage/eye

irritation

Causes serious eye damage.

Irritation Corrosion - Eye

SODIUM LAURETH SULFATE OECD 405, (≥ 10%)

Result: Serious eye damage

Species: Rabbit

COCO-BETAINE OECD 405, > 16%
Result: Corrosive

Result: Corrosive Species: Rabbit OECD 405, ≤ 16% Result: Irritating Species: Rabbit

Material name: MATRIX TOTAL RESULTS DARK ENVY SHAMPOO

92324 MX3 Version #: 01 Issue date: 04-12-2019

^{*} Estimates for product may be based on additional component data not shown.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Skin sensitization

COCO-BETAINE OECD 406

Result: Not Sensitizing Species: Guinea pig

SODIUM LAURETH SULFATE OECD 406

Result: Not Sensitizing Species: Guinea pig

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Mutagenicity

SODIUM LAURETH SULFATE Result: In vitro and in vivo tests did not show mutagenic

effects.

COCO-BETAINE Result: In vitro tests did not show mutagenic effects

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Developmental effects

SODIUM LAURETH SULFATE 1000 mg/kg bw/d OECD 414

Result: NOAEL Species: Rat

COCO-BETAINE 1000 mg/kg bw/d OECD 414

Result: NOEL Species: Rat

Reproductivity

COCO-BETAINE 150 mg/kg bw/d OECD 422

Result: NOEL Species: Rat

SODIUM LAURETH SULFATE 300 mg/kg bw/d OECD 416

Result: NOAEL Species: Rat

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

OOOO DETAINE

COCO-BETAINE >= 145 mg/kg bw/d OECD 408

Result: NOAEL Species: Rat

Test Duration: 90 d

SODIUM LAURETH SULFATE >= 225 mg/kg bw/d OECD 408

Result: NOAEL Species: Rat Test Duration: 90 d

Aspiration hazard Not an aspiration hazard.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components Species Test Results

COCO-BETAINE (CAS 68424-94-2)

Aquatic

Acute

Algae EC50 Pseudokirchneriella subcapitata 1.7 mg/l, 72 h OECD 201

	Species	Test Results	
EC50	Daphnia magna	7.76 mg/l, 48 h OECD 202	
LC50	Danio rerio	4.44 mg/l, 96 h OECD 203	
EC50	Activated sludge of a predominantly domestic sewage	> 2000 mg/l, 16 h DIN 38412, Pt. 8S	
NOEC	Pseudokirchneriella subcapitata	0.38 mg/l, 72 h OECD 201	
NOEC	Daphnia magna	2.99 mg/l, 21 d OECD 211	
ATE (CAS 3088-	-31-1)		
EC50	Desmodesmus subspicatus	27 mg/l, 72 h OECD 201	
EC50	Daphnia magna	7.2 mg/l, 48 h OECD 202	
LC50	Danio rerio	7.1 mg/l, 96 h OECD 203	
EC50	Pseudomonas putida	> 10000 mg/l, 16 h DIN 38412 - 8	
NOEC	Daphnia magna	0.27 mg/l, 21 d OECD 211	
NOEC	Oncorhynchus mykiss	0.14 mg/l, 28 d OECD 204	
	LC50 EC50 NOEC NOEC ATE (CAS 3088- EC50 EC50 LC50 EC50	EC50 Daphnia magna LC50 Danio rerio EC50 Activated sludge of a predominantly domestic sewage NOEC Pseudokirchneriella subcapitata NOEC Daphnia magna ATE (CAS 3088-31-1) EC50 Desmodesmus subspicatus EC50 Daphnia magna LC50 Danio rerio EC50 Pseudomonas putida NOEC Daphnia magna	

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

COCO-BETAINE 79 % OECD 301 B

Result: Readily Biodegradable

Test Duration: 28 d 100 % EU C.4-A

Result: Readily Biodegradable

Test Duration: 28 d

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

COCO-BETAINE -0.4 EU A.8 SODIUM LAURETH SULFATE 0.3 OECD 123

Mobility in soil No data available.

SODIUM LAURETH SULFATE

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

Not regulated. Hazardous waste code

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IATA

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IMDG

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Yes

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

16. Other information, including date of preparation or last revision

Issue date 04-12-2019

Version # 01

NFPA ratings Health: 3

Flammability: 1 Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

SDS US