Form# RA.044-00 Issue date: 02/26/03 Revision date:

MATERIAL SAFETY DATA SHEET

HAZARD RATING

0

1

FIRE:

0 = Insignificant

TOXICITY:

1 = Slight

REACTIVITY:

2 = Moderate

SPECIAL:

3 = High

4 = Extreme

Lamaur Professional Products Division of Zotos International Inc. 100 Tokeneke Road, Darien, CT 06820

Phone No.: 203-656-7821

Monday Thru Friday (8:30 a.m. - 5:00 p.m. EST)

MSDS CODE: H98, H70A

24 HOUR EMERGENCY NO.: (800) 584-8038) 24 Hours

Page 1 of 4

Prepared:

01/16/00

Current MSDS Update: 03/05/03

I. MATERIAL IDENTIFICATION

PRODUCT NAME:

30 MINUTE BLEACH™ Hair Lightener with Oxygen Energizers (Including Oil and Powder)

CHEMICAL FORMULA: Mixture

CAS NUMBER: None

DOT PROPER SHIPPING NAME: ORM-D

DOT HAZARD CLASS/I.D. NO:

None

U. S. SURFACE FREIGHT CLASSIFICATION:

Toilet Preparation, NOI

DOT LABELING: None

II. INGREDIENTS									
MATERIALS	CAS NUMBER	PERCENT	TVL (units)	HAZARD DATA					
30 MINUTE BLEACH™ Oil									
Polyoxyethylene (6) Nonyl Phenyl Ether	68412-54-4	< 30	None established.	ACGIH					
Incompany of Alexander	67.62.0	- 10	Eye irritant.	Mfr.					
Isopropyl Alcohol	67-63-0	< 16	400 ppm,983 mg/m ³ TWA; 500 ppm,1230 mg/m ³ STEL	ACGIH					
			Eye irritant.	Mfr.					
Ammonium Hydroxide	1336-21-6	< 3	None established.	ACGIH					
and the decision of contract contracts of the second secon			Skin and eye irritant	Mfr.					
2-Amino-2-Methyl-1-propanol	124-68-5	< 3	None established.	ACGIH					
			Eye and skin Irritant.	Mfr.					
Also contains fragrance, colorants, preservative, and									
other essential ingredients.									
30 MINUTE BLEACH™ Oxygen Energizer									
Potassium Persulfate	7727-21-1	> 30	None established	ACGIH					
			Eye and skin irritant.	Mfr.					
Sodium Silicate	1344-09-8	< 30	None established	ACGIH					
			Eye and skin irritant.	Mfr.					
Sodium Persulfate	7775-27-1	> 20	None established	ACGIH					
			Eye and skin irritant.	Mfr.					
Hydroxypropyl Methylcellulose	9004-65-3	< 2	None established	ACGIH					
A recognitions Described	7727-54-0	> 10	Eye irritant. None established.	Mfr. ACGIH					
Ammonium Persulfate	1121-54-0	> 10	Eye and skin Irritant.	Mfr.					
Disodium EDTA, Dihydrate	139-33-3	< 2	None established.	ACGIH					
Disodium LDTA, Dinydrate	100-00-0	-	Eye irritant.	Mfr.					
			Lyo milant.	TVIII .					

na = not applicable; ca = approximately; < = less than;

Ingredients not precisely identified are proprietary and non hazardous.

> = greater than

Form# RA.044-00 Issue date: 02/26/03 Revision date:

MATERIAL SAFETY DATA SHEET

Lamaur Professional Products, Division of Zotos International, Inc. 100 Tokeneke Road Darien, CT 06820

PRODUCT NAME:

30 MINUTE BLEACH™ Hair Lightener with Oxygen Energizers (Including Oil and Powder)

MSDS CODE:

H98, H70A

Page 2 of 4

III. PRECAUTIONARY STATEMENTS

For Professional Use Only. CAUTION: Do not apply mixture of 30 MINUTE BLEACH™ if scalp shows signs of cuts or abrasions. Make no reapplication within 24 hours. Do not shampoo or permanent wave before making application. Do not use this bleach if scalp is sensitive, sore, abraded, or if your client has a history of allergic reaction to bleach or color or any other cosmetic products. Be sure to ask first! Do not bleach on the same day as a permanent wave or other chemical service. Do not use bleach if hair has been shampooed or brushed on the same day bleach is to be used. Do not use bleach on eyebrows, eyelashes, facial areas or other parts of the body. Wear protective gloves when preparing or applying bleach. Change towel if it becomes wet with bleach mixture. Do not allow bleach components to contact eyes or ears. If this occurs rinse the affected area thoroughly with clean water. Consult a physician. Use only according to directions.

IV. PHYSICAL DATA

COMPONENT:	BOILING POINT, 760 mm Hg:	SPECIFI C GRAVITY (H ₂ 0)+1):	VAPOR DENSITY (air=1):	VOLATILES BY VOLUME, %:	APPEARANCE AND ODOR:	VAPOR PRESSURE at 20C:	SOLUBILITY IN WATER:	EVAPORATION RATE (water=1):	pH:
30 MINUTE BLEACH™ Oil	na	ca 0.93	>1	> 15	Clear, slightly viscous, dark blue liquid.	na	Complete	1	9.7- 10.3
30 MINUTE BLEACH™ Oxygen Energizer	na	na	na	na	Free-flowing, fine, white powder with sharp odor.	na	Complete	na	na

FIRE AND EXPLOSION HAZARD DATA V.

FLASH POINT: 30 MINUTE BLEACH™ Oil 105F (closed cup)

FLAMMABLE LIMITS IN AIR:

na

FLASH POINT: 30 MINUTE BLEACH™ Oxygen Energizer > 212F **EXTINGUISHING MEDIA:**

Water, ABC all purpose extinguisher or CO2 extinguisher.

SPECIAL FIRE FIGHTING PROCEDURES:

None

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

VI. HEALTH HAZARD INFORMATION

Consumer experience with these types of personal care products indicate these formulations are expected to have the following hazard information:

COMPONENT:

HAZARD DATA:

EFFECTS OF OVEREXPOSURE:

30 MINUTE BLEACH™ OiL

Eye irritant.

ingested.

May cause skin and eye irritation.

30 MINUTE BLEACH™ Oxygen Energizer

Eye irritant. Dust particles are irritating to mucous membrance. Moderately toxic if

May cause skin and eye irritation. Irritating to mucous membrance.

EMERGENCY AND FIRST AID PROCEDURES:

If contact with skin or eyes occurs, flush repeatedly with clean, cool water. If irritation persists seek medical attention immediately. INHALATION: Remove to fresh air.

Form# RA.044-00 Issue date: 02/26/03 Revision date:

MATERIAL SAFETY DATA SHEET

Lamaur Professional Products, Division of Zotos International, Inc. 100 Tokeneke Road Darien, CT 06820

PRODUCT NAME:

30 MINUTE BLEACH™ Hair Lightener with Oxygen Energizers (Including Oil and Powder)

MSDS CODE:

H98, H70A

Page 3 of 4

VII. REACTIVITY DATA

STABILITY:

Stable.

INCOMPATIBILITY:

Metallic bowls or stirrers, and oxidizing materials such

as bleaches and hydrogen peroxide, and strong acids.

COMPONENT:

CONDITIONS TO AVOID:

HAZARDOUS DECOMPOSITION

PRODUCTS:

30 MINUTE BLEACH™ Oil

Heavy metals, oxidizing materials, and acids. Avoid impact.

Ammonia.

30 MINUTE BLEACH™ Oxygen Energizer

Heavy metals, oxidizing materials, acids, and metallic tools or

Ammonia, hydrogen sulfide, sulfides, and

oxygen.

containers.

HAZARDOUS POLYMERIZATION: Will not occur.

VIII. SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

30 MINUTE BLEACH™ Oil

Small Spill:

Using gloves mop up excess material and flush with large volume of water.

Large Spill:

Immediately dike far ahead of spill and notify treatment plant.

30 MINUTE BLEACH™ Oxygen Energizer

Small Spill:

Using gloves and dust mask, sweep up excess material and flush and store in water tight, non-metallic containers.

Large Spill:

Using gloves and dust mask, sweep material into non-metallic, water-tight containers.

WASTE DISPOSAL:

Follow all local, state and federal regulations and notify treatment plant in case of large spill.

IX. SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION:

Not required if ventalation is adequate.

VENTILATION:

To avoid irritating fumes use adequate exhaust system.

PROTECTIVE GLOVES:

Use rubber or plastic protective gloves.

EYE PROTECTION:

Not required. Avoid contact with eyes

OTHER PROTECTIVE MEASURES:

None.

X. SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:

Discard unused portion of mixed bleach and immediately rinse all utensils thoroughly after use. Store in a cool, dry, well

ventilated area away from sunlight.

OTHER PRECAUTIONS:

None

For professional use only. Not for resale. Formulated for use by licenced cosmotologist.

MATERIAL SAFETY DATA SHEET

Lamaur Professional Products, Division of Zotos International, Inc. 100 Tokeneke Road Darien, CT 06820

PRODUCT NAME:

30 MINUTE BLEACH™ Hair Lightener with Oxygen Energizers (Including Oil and Powder)

MSDS CODE:

H98, H70A

Page 4 of 4

Judgments as to the suitability of information herein for purchaser's purposes are necessarily purchaser's responsibility. Therefore, although reasonable care has been taken in the preparation of such information, DowBrands extends no warranties, makes no representations and assumes no responsibility as to accuracy or suitability of such information for application to purchaser's intended purposes or for consequences for its use.