Material Safety Data Sheet



Texture EFX Damage-Free Perm for Color-Treated or Previously Permed Hair - Neutralizer

1. Product and company identification

Product name : Texture EFX Damage-Free Perm for Color-Treated or Previously Permed Hair -

Neutralizer

Manufacturer : Zotos International, INC.

100 Tokeneke Road, Darien, CT 06820 www.zotos.com

Validation date : 7/25/2012.

<u>In case of emergency</u> (800) 584-8038 [24 Hours]

Telephone number (203) 656-7859 [8:30 a.m. - 5:00 p.m.]

Transportation Emergency Contact: CHEMTREC 1-800-424-9300 [US/Canada 24 Hours]

Product type : Liquid.

2. Hazards identification

Emergency overview

NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.

Color : Off-white.
Odor : Fragrant.

Hazard statements : CAUSES EYE IRRITATION.

Precautionary measures : Do not breathe vapor or mist. Do not eat, drink or smoke when using this product.

Avoid contact with eyes. Wash thoroughly after handling.

OSHA/HCS status : None.

Potential acute health effects

Inhalation: None known.Ingestion: Mild irritant

Skin : Prolonged exposure may result in skin burns and ulcerations.

Eyes : Prolonged or repeated contact with skin or mucous membrane may result in irritation

symptoms, such as redness, blistering, dermatitis etc.

Potential chronic health effects

Chronic effects : Contains material that may cause target organ damage, based on animal data.

Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Teratogenicity : No known significant effects or critical hazards.
 Developmental effects : No known significant effects or critical hazards.
 Fertility effects : No known significant effects or critical hazards.

Over-exposure

signs/symptoms

None identified.

Medical conditions : None.

aggravated by over-

exposure

See toxicological information (Section 11)

5963 1/7

3. Composition/information on ingredients

Name	CAS number	%
hydrogen peroxide	7722-84-1	2.25

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

Eye contact : Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open.

Get medical attention if you feel unwell.

Skin contact: Wash the contaminated skin gently and thoroughly with running water and non-abrasive

soap.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get

medical attention if you feel unwell.

Ingestion : Call physician immediately.

Protection of first-aiders : Use suitable protective equipment (section 8).

Notes to physician : Treat symptomatically.

5. Fire-fighting measures

Flammability of the product : No

ialimability of the product . No

Extinguishing media

: Extinguish fire using an agent suitable for the surrounding fire.

Special exposure hazards

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable

training.

Hazardous thermal decomposition products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide metal oxide/oxides

Special protective equipment for fire-fighters

 In a fire, decomposition may produce toxic gases/fumes. Wear suitable protective clothing.

6. Accidental release measures

Personal precautions

Rubber gloves.

Environmental precautions

: Store in a cool, well-ventilated, dry place. NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED

INSTRUCTIONS FOR USE ARE FOLLOWED.

Methods for cleaning up

: Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Place spilled material in an appropriate container for disposal. After contact with skin, wash immediately with plenty of water.

7. Handling and storage

Handling

: Avoid contact with skin and eyes. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10).

Storage

: Store in a cool, well-ventilated, dry place. Store in a dry place at low temperature away from ignition and heat sources. Avoid increased storage temperature.

5963 **2/7**

8. Exposure controls/personal protection

Ingredient	Exposure limits	
hydrogen peroxide	ACGIH TLV (United States, 2/2010). TWA: 1 ppm 8 hour(s). TWA: 1.4 mg/m³ 8 hour(s). OSHA PEL 1989 (United States, 3/1989). TWA: 1 ppm 8 hour(s). TWA: 1.4 mg/m³ 8 hour(s). NIOSH REL (United States, 6/2009). TWA: 1 ppm 10 hour(s). TWA: 1.4 mg/m³ 10 hour(s). OSHA PEL (United States, 6/2010). TWA: 1 ppm 8 hour(s). TWA: 1.4 mg/m³ 8 hour(s).	

Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Engineering measures

: In case of insufficient ventilation, wear suitable respiratory equipment.

Hygiene measures

: When using do not eat, drink or smoke.

Personal protection

Respiratory: In case of insufficient ventilation, wear suitable respiratory equipment.

Hands : None. Eyes : None.

Skin: Wear suitable protective clothing.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be

necessary to reduce emissions to acceptable levels.

Other protection : Not available.

9. Physical and chemical properties

Physical state : Liquid. [Viscous liquid.]

Flash point : Closed cup: Not applicable.

Color : Off-white.
Odor : Fragrant.
pH : 3 to 4

Boiling/condensation point : >100°C (>212°F) **Relative density** : 1.004 to 1.01

10. Stability and reactivity

Chemical stability : Not available.

Conditions to avoid : Not available.

Incompatible materials : Reducing agents metals

Hazardous decomposition

products

: Contaminated product generates oxygen gas pressure build-up

Possibility of hazardous

reactions

: Not available.

Hazardous polymerization

: Not available.

5963 **3/7**

11. Toxicological information

Acute toxicity

Conclusion/Summary : Not available.

Chronic toxicity

Conclusion/Summary : Not available.

Irritation/Corrosion

Product/ingredient name	Result	Score	Exposure	Observation
hydrogen peroxide	Eyes - Severe irritant	-	1 milligrams	-

Conclusion/Summary

: Not available.

Sensitizer

: Not available. **Conclusion/Summary**

Carcinogenicity

Conclusion/Summary : No carcinogenic effect.

Classification

Product/ingredient name	ACGIH	IARC	EPA	NIOSH	NTP	OSHA
hydrogen peroxide	A3	3	-	-	-	-

Mutagenicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

: Not available. Conclusion/Summary

12. Ecological information

Ecotoxicity No known significant effects or critical hazards.

Aquatic ecotoxicity

Product/ingredient name	Result	Species	Exposure
hydrogen peroxide	Acute EC50 1.2 mg/L Marine water	Algae - Dunaliella tertiolecta - Exponential growth phase	72 hours
	Acute EC50 5.38 mg/L Fresh water	Algae - Pseudokirchneriella subcapitata	96 hours
	Acute EC50 2320 ug/L Fresh water	Daphnia - Daphnia magna - Neonate - <24 hours	48 hours
	Acute LC50 22 ppm Fresh water	Fish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)	96 hours

Conclusion/Summary

: Not available.

Persistence/degradability

Conclusion/Summary : Not available.

Other adverse effects : No known significant effects or critical hazards.

13. Disposal considerations

Waste disposal

: Dispose of according to all federal, state and local applicable regulations.

Contaminated packaging

: Waste must be disposed of according to applicable regulations. This material and its container must be disposed of as hazardous waste.

Waste residues information

: Flush with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

5963 4/7

13. Disposal considerations

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	Not regulated.	-	-	-		-
TDG Classification	Not regulated.	-	-	-		-
Mexico Classification	Not regulated.	-	-	-		-
ADR/RID Class	Not regulated.	-	-	-		-
IMDG Class	Not regulated.	-	-	-		-
IATA-DGR Class	Not regulated.	-	-	-		-

PG*: Packing group

15. Regulatory information

HCS Classification : Irritating material

Target organ effects

U.S. Federal regulations : TSCA : Exempt

SARA 302/304/311/312 extremely hazardous substances: Hydrogen Peroxide,

aqueous solution

SARA 302/304 emergency planning and notification: Hydrogen Peroxide, aqueous

solution

SARA 302/304/311/312 hazardous chemicals: Hydrogen Peroxide, aqueous solution **SARA 311/312 MSDS distribution - chemical inventory - hazard identification**: Dimethicone: Delayed (chronic) health hazard; Hydrogen Peroxide, aqueous solution: Fire hazard, reactive, Immediate (acute) health hazard, Delayed (chronic) health hazard

Clean Water Act (CWA) 311: Phosphoric Acid

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) : Not listed

Clean Air Act Section 602

Class I Substances

: Not listed

Clean Air Act Section 602

Class II Substances

: Not listed

DEA List I Chemicals (Precursor Chemicals)

: Not listed

DEA List II Chemicals (Essential Chemicals)

: Not listed

State regulations

Massachusetts : The following components are listed: HYDROGEN PEROXIDE

New York : The following components are listed: Hydrogen peroxide

New Jersey : The following components are listed: HYDROGEN PEROXIDE

5963 5/7

15. Regulatory information

Pennsylvania : The following components are listed: HYDROGEN PEROXIDE (CONC > 52 PERCENT)

California Prop. 65

CALIFORNIA PROPOSITION 65: The following statement is made in order to comply with the California Safe Drinking Water and Toxic Enforcement Act of 1986. This product is not known to the State of California to cause cancer.

Canada inventory Not determined.

International regulations

Chemical Weapons : Not listed

Convention List Schedule I

Chemicals

Chemical Weapons

Convention List Schedule

II Chemicals

Chemical Weapons Convention List Schedule

III Chemicals

: Not listed

: Not listed

16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Date of printing : 7/25/2012. 7/25/2012. Date of issue

Date of previous issue : No previous validation.

Version : 1.01

Prepared by : Regulatory Affairs Group

Indicates information that has changed from previously issued version.

Notice to reader

5963 6/7

16. Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

5963 7/7