Material Safety Data Sheet

May be used to comply with consulted for specific requirements

Guanidine Carbonate Based Hair Relaxer

OSHA's Hazard Communication Standard 29 CFR 1910.1200. Standard must be

U.S. Department of Labor Occupation Safety and Health Administration

#04-046

(Non-Mandatory Form) Form Approved

OMB No. 1218-0072

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

Section I

Activators

IDENTITY

Emergency Telephone Number
(800) 535-5053 (Int'l 352-323-3500)
Telephone Number For Information
(732) 499-2745
Date Prepared
May 26, 2004
Signature of Preparer (optional)
GCD

Section II - Hazardous Ingredients/Identity Information

ACGIH Other Limits OSHA PEL Hazardous Components (Specific Chemical Identity; Common Name(s)) TLV Recommended % (optional)

Guanidine Carbonate <30%

Section III - Physical/Chemical Characteristics **Boiling Point** Specific Gravity (H2O = 1) >1 >212°F Vapor Pressure (mm Hg) Melting Point N/A N/A Vapor Density (AIR = 1) **Evaporation Rate**

(Butyl Acetate = 1)

>1 Solubility in Water

Miscible

Appearance and Odor

Amber viscous liquid with no odor.

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) LEL UEL Flammable Limits None N/A N/A >200°F (closed cup)`

Extinguishing Media

Not applicable.

Special Fire Fighting Procedures

Not applicable.

Unusual Fire and Explosion Hazards

Not applicable.

<1

Section V - Re	eactivity Data					#04-046
Stability	Unstable		Conditions to Avoid	Avoid excessive heat	and/or cold.	
	Stable	Х				
Incompatibility (Materials to Avoid)						
None known.						
Hazardous Decomposition or Byproducts						
(Thermal decomposition) carbon monoxide, carbon dioxide.						
Hazardous	May Occur		Conditions to Avoid			
Polymerization	Will Not Occur	X		None known.		
Section VI - Health Hazard Data						
Route(s) of Entry:		Inhalation?		Skin?	Ingestion?	
		Yes		Yes	Not like	lv.

Health Hazards (Acute and Chronic)

Harmful if swallowed, inhaled, or absorbed through skin. This product may cause serious irritant, respiratory, and/or allergic reactions in sensitive individuals. When mixed with the hair relaxer cream portion of this product, the mixture becomes highly alkaline, and may cause burns to skin, eyes, and/or mucous membranes if not used according to directions.

Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
	No	No	No

Signs and Symptoms of Exposure

Irritation of eyes, skin, and mucous membranes. Possible irritant/allergic dermatitis and respiratory signs and symptoms, the onset of which may be delayed. Possible burns to skin, eyes, and/or mucous membranes if product is not used according to directions.

Medical Conditions Generally Aggravated by Exposure

Existing dermatological conditions, such as eczema, and respiratory conditions, such as bronchial asthma and/or chronic bronchitis, may be exacerbated.

Emergency and First Aid Procedure

If swallowed, call a physician, hospital emergency room, or poison control center immediately. Induce vomiting only if recommended by medical personnel. Get prompt medical attention. If affected by inhalation, move to fresh air. If symptoms persist, get medical attention. If eye or skin contact occurs, immediately flush with water and get medical attention if irritation occurs.

Section VII - Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled

Dike and contain the free liquid, if any, and absorb on vermiculite, spill pillows, or other suitable absorbant material. Place spent absorbants in proper containers for disposal.

Waste Disposal Method

This material is not regulated under RCRA. Accordingly, incineration at a non-hazardous waste treatment facility is the preferred method of disposal.

Precautions to be Taken in Handling and Storage

Use only with adequate ventilation and avoid inhalation. Avoid contact with eyes and skin (other than areas of application). Do not inhale or ingest. Prepare and use in a well-ventilated area.

Other Precautions

For external use only. Use only as directed. Keep out of reach of children. Patch test is intended to identify skin reaction only; it will not necessarily predict sensitization or irritation secondary to inhalation. Read the product package insert completely.

Section VIII - Control Measures

#04-046

Respiratory Protection (Specify Type)

For manufacturing/filling, wear a NIOSH-approved respirator if necessary and appropriate. For spill management, use an approved self-contained breathing apparatus. For product use, respiratory protection is generally unnecessary.

Ventilation	Local Exhaust	Recommended	Special
	Mechanical(General)	Generally	Other
		Acceptable	

Protective Gloves

Plastic or rubber gloves.

Other Protective Clothing or Equipment

Safety glasses with side shields and protective clothing for bulk quantities.

Work/Hygienic Practices

OSHA hazard classification: Eye irritant, slightly toxic.

DOT classification: Bulk - Not regulated.

Finished Product - Not regulated.

Forms published by ChemSW (707)864-0845