Material Safety Data Sheet

(Complies with ANSI Z400.1-1998)

Product Name: IN CONTROL Firm Hold Hair Spray, 55% VOC
Product Code: 290-0436

MSDS #
NEU002 SW-877
Issued: 01/06/12

Section 1. Chemical Pr	roduct and	d Company	Identification		
Product Name: IN CONTROL Firm Hold Hair Spray, 55% VOC					
Product Code: 290-0436	Product Code: 290-0436				
Product Class: Aerosol Hair Spray					
For Further Information Contact:					
Neuma Research LLC	Mon-Fri	Telephone:	1 800 333 0707	8 am to 5 pm PT	
668 N. Coast Hwy.		Fax:	1 310 669 9950		
Laguna Beach, CA 92651		Web Site:	www.N	leumaBeauty.com	
For Chemical Emergencies:					
Spill, Leak, Fire or Accident Anytime Teleph			1 800 333 0707	North America	
Call: Eric Aquino M-F 8am-5pm			1 800 333 0707	outside U.S.	
Telephone: (310) 900-4112 or 1 800 900 4100, x-112					

Section 2. Composition and Information on Ingredients									
Hazardaya Campananta	CAS # Va	Vanor Proceuro	Weight	ACGIH	TLV	OSH/	A PEL	Unito	
Hazardous Components:		Vapor Pressure	%	TWA	STEL	TWA	STEL	<u>Units</u>	
Specially Denatured Alcohol	64-17-5	44 mmHg@ 68	≤55	1000		1000		ррт	
Hydrofluorocarbon 152a	75-37-6	64 psig@ 70 °F	≤45	1000		1000		ррт	

NE = not established for this material.

^{** =} Components marked with double asterisk are present above De minimus cut off level and subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

	Section 3. Hazard Identification			
Emergency Overview:	Warning: Flammable. Contents under pressure. Container may burst if heated. Do not place in hot water, or near radiators, stoves or other sources of heat. Do not puncture or incinerate container or store at temperature over 120 °F. Do not use in presence of open flame or spark or other sources of ignition. KEEP OUT OF REACH OF CHILDREN. Avoid getting into eyes. Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.			
	Potential Health Effects:			
Eye Contact:	Contact may cause mild eye irritation including stinging, watering, and redness.			
Skin Contact:	Practically non-irritating to skin. Prolonged or repeated contact may result in deffating and drying to the skin which may result in skin irritation and dermatitis.			
	Contains asphyxiant gases. Intentional inhalation of gases may cause headache, fatigue, weakness, mental confusion, mood disturbances, and decreased coordination and judgment. Severe overexposure may produce more serious symptoms, including coma and death.			
Ingestion:	No harmful or chronic effects are expected to occur from a single accidental ingestion. Intentional and continuous ingestion can cause serious effects on liver and kidney. Contains denatured alcohol.			
Chronic Effects:	None when used as directed.			

Product Name: IN CONTROL Firm Hold Hair Spray, 55% VOC	MSDS # NEU002 SW-877
Product Code: 290-0436	Issued: 01/06/12

	Section 4. First Aid Measures		
	Flush or rinse eye with tempered water while holding eyelid open. Remove contact lenses, if worn. If irritation or redness persists seek medical attention.		
Skin:	Clean affected area(s) thoroughly by washing with mild soap and water, pat dry. If irritation or redness develops and persists, seek medical attention.		
Inhalation:	If breathing difficulties develop, move victim away from source of exposure and into fresh air, give oxygen as necessary. Seek immediate medical attention.		
Ingestion:	DO NOT induce vomiting. Have a conscious person drink two glasses of water. Seek medical attention.		

	Section 5. Fire Fighting Measures		
Aerosol Level	Level 2 Aerosol (REF: to NFPA 30B, Section 1-7 of August 6, 1998). Code for the Manufacture and Storage of Aerosol Products.		
	Aerosols may burst at temperatures above 120 °F. Contents under pressure. Cool uninvolved containers to prevent possible bursting.		
Extinguishing Media:	Use extinguishing agent suitable for type of surrounding fire.		
	The use of self-contained breathing apparatus is recommended for fire fighters. <i>Fight fire upwind</i> . Containers exposed to intense heat from fires must be cooled with water to prevent vapor pressure buildup which could result in container rupture. Keep containers cooled with water and remove them from danger if it can be done with minimal risk. Aerosols can be projectiles when bursting. If aerosols are bursting, stay clear until bursting is complete.		

Section 6. Accidental Release Measures

Large Spills:

Keep sources of ignition and hot metal surfaces isolated from spill. Stay upwind and away form spill/release. Isolate immediate hazard area and keep unauthorized personnel out. Stop spill/release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant. Water may be useful in minimizing or dispersing vapors. Keep out of water supplies.

	Section 7. Handling and Storage.
Handling:	Contents under pressure. Handle as to avoid puncturing container(s). When used as intended, no additional protective equipment is necessary. Use chemical goggles if likelihood of eye contact. Wash unintentional residue with soap and water.
Storage:	Store aerosol containers in cool, dry, well-ventilated areas away from heat and direct sunlight. Avoid temperatures above 120 °F. Keep away from any incompatible material (see section 10). Protect container(s) against physical damage. To avoid unintentional spraying keep protective cap in place when not in use.

	Section 8. Exposure Controls / Personal Protection		
Engineering Controls:	A well ventilated room with adequate air circulation. Use local and general exhaust ventilation to effectively remove and prevent buildup of vapors/mist generated from the handling of this product.		
Respiratory:	If used with adequate ventilation, no protective equipment is necessary.		
Skin:	Not required based on the hazard of the material.		
Eye/Face:	While contact with this material is not expected to cause appreciable irritation, the use of approved eye protection to safeguard against potential eye contact is considered good practice.		
	A source of clean water should be available in the work area for flushing eyes and skin. Impervious		
Equipment:	clothing should be worn as needed.		

Product Name: IN CONTROL Firm Hold Hair Spray, 55% VOC Product Code: 290-0436

MSDS # NEU002 SW-877 Issued: 01/06/12

Section 9. Physical and Chemical Properties.				
	Concentrate Only:	Fi	nish Product:	
Appearance:	Light yellow or straw colored liquid	Vapor Pressure:	60 - 70 psig @ 70 °F	
Boiling Range:	< 100 °F (38 °C)			
Flash Point:	48 °F			
Specific Gravity:	0.834 (water=1)			
pH:	9.45			
Weight per Gallon:	6.95 #/gal			
Solubility (water):	Soluble			

	Section 10. Stability and Reactivity	
Chemical Stability:	Stable under normal conditions of storage and handling.	
Conditions to Avoid:	High temperatures, above 120 °F, open flames and sparks.	
	Avoid contact with strong oxidizing and reducing agents. Strong acids and bases. (Household Ammonia, Drain Openers etc.)	
	Combustion may produce carbon monoxide, carbon dioxide and other unidentified organic compounds.	
Hazardous Polymerization:	Will not occur.	

Section 11. Toxicological Information No definitive information found on carcinogenicity, mutagenicity, target organs or developmental toxicity.

Section 12. Ecological Information

Not found

Section 13. Disposal Considerations

Along with properly characterizing all waste materials, consult state and local regulations regarding the proper disposal of this material.

	Section 14. Transport Information		
1. DOT (Ground)			
Shipping Name:	Consumer Commodity		
Hazard Class:	ORM-D		
2. IMDG (Overseas)			
Shipping Name:	Aerosols		
Class:	2.1		
UN No.:	1950		
3. IATA (Air)			
Shipping Name:	Consumer Commodity		
Class:	9		
ID No.:	ID8000		
Label: rackayıny Instructions:	Miscellaneous Dangerous Goods Class 9 910		

Product Name: IN CONTROL Firm Hold Hair Spray, 55% VOC

Product Code: 290-0436

MSDS # NEU002 SW-877 Issued: 01/06/12

	Section 15. Regulatory Information
	Toxic Chemicals List under SARA Section 313 of the Title III and 40 CFR Part 372.
None	
	Chemicals under California Proposition 65
None	•
	Flammability Classification 16 CFR, Ch II Subch. C, Part 1500.45
Flammable	
	Code of Manufacture and Storage of Aerosol Products NFPA 30B
Level 2 Aerosol	

Section 16. Documentary Information	

Issue Date: 01/06/12 Revised: NEW Product Code: 290-0436

Disclaimer of Expressed and Implied Warranties.

The information in this document is believed to be correct as of the date issued. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION, THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE. This information and product are furnished on the condition that the person receiving them shall make his own determination as to the suitability of the product for his particular purpose and on the condition that he assumes the risk of his use thereof.