NIOXIN RESEARCH LABORATORIES: 2124 SKYVIEW DRIVE

LITHIA SPRINGS, GA 30122 TELEPHONE: 1-770-944-1308

COSMETIC PRODUCT (SECTION 1)

TRADE NAME: NIOXIN CLEANSERTM SYSTEM 4 DATE June 1, 2005

INGREDIENTS (SECTION 2)

THIS PRODUCT CONTAINS NO HAZARDOUS INGREDIENTS

PHYSICAL DATA (SECTION 3)

BOILING POINT: 212°F - 215°F SPECIFIC GRAVITY: 1.0000 – 1.1000 VAPOR PRESSURE: N/A % VOLATILITY: APPROX. 60%

VAPOR DENSITY: N/A APPEARANCE: VISCOUS, GREEN LIQUID, SOL. IN WATER: SOLUBLE ODOR: LIGHTLY FRAGRANCED

FIRE AND EXPLOSION DATA (SECTION 4)

FLASH POINT: N/A METHOD USED:

FLAMMABLE LIMITS: UPPER N/A UPPER N/A LOWER N/A

EXTINGUISHING MEDIA: WATER FOG: YES FOAM: YES ALCOHOL FOAM: YES CO2: YES DRY CHEMICAL: YES UNUSUAL FIRE AND/OR EXPLOSION HAZARDS: NONE KNOWN TO MANUFACTURER

FIRE FIGHTING EQUIPMENT: ROUTINE

REACTIVITY DATE (SECTION 5)

STABILITY STABLE

(AND CONDITIONS TO AVOID): NONE KNOWN TO MANUFACTURER

INCOMPATIBILITY

(MATERIALS TO AVOID): NONE KNOWN TO MANUFACTURER

HAZARDOUS DECOMPOSITION

PRODUCTS: NONE KNOWN TO MANUFACTURER

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

HEALTH HAZARD DATA (SECTION 6)
EYE CONTACT: MILD IRRITANT
SKIN CONTACT: NON-IRRITANT

INGESTION: MILD GASTROINTESTINAL IRRITANT INHALATION: NOT KNOWN TO MANUFACTURER OVEREXPOSURE: NOT KNOWN TO MANUFACTURER

FIRST AID (SECTION 7)

EYES: RINSE 5 MINUTES WITH WARM WATER. IF

IRRITATION OCCURS, CONSULT A PHYSICIAN

SKIN: RINSE WELL WITH WARM WATER

INGESTION: GIVE FIVE GLASSES OF WATER TO DILUTE DO NOT

INDUCE VOMITING. IF GASTROINTESTIONAL

SYMPTOMS OCCUR, CONSULT A PHYSICIAN.

NOTE TO PHYSICIAN: THIS IS A COSMETIC PRODUCT MANUFACTURED

WITH CUSTOMARY INGREDIENTS WITH A LONG

HISTORY OF SAFE USE.

PAGE 2 MATERIAL SAFETY DATA SHEET NIOXIN CLEANSER $^{\text{TM}}$ SYSTEM 4

THOMIT CEETINGER STOTEM	
SPILL OR LEAK PROCEDURE ACTION TO BE TAKEN FOR SPILL OR L DISPOSAL METHOD:	(SECTION 8) LEAK: BIODEGRADABLE MATERIAL. FLUSH DOWN SANITARY SEWER WITH WATER OR CONTAIN SPILL MATERIAL WITH ABSORBENT MATERIAL AND PLACE IN APPROPRIATE CONTAINER. RESIDUAL MATERIAL MAY THEN BE FLUSHED DOWN SANITARY SWER WITH MUCH WATER. IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS.
HANDLING PRECAUTIONS: EXPOSURE GUIDELINES: VENTILATION: RESPIRATORY PROTECTION: SKIN PROTECTION: EYE PROTECTION:	(SECTION 9) NO GUIDELINES KNOWN TO MANUFACTURER NOT REQUIRED NOT REQUIRED NOT REQUIRED PROTECTIVE EYEWEAR RECOMMENDED BUT NOT REQUIRED
ADDITIONAL INFORMATION: SPECIAL PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: OTHER PRECAUTIONS:	(SECTION 10) STORE IN ORIGINAL UNOPENED CONTAINER IN A COOL DRY AREA. NONE KNOWN TO MANUFACTURER

WRITTEN BY:_____DATE:____

This information given herein is given in good faith, but no warranty, expressed or implied is made. For further information please contact Nioxin Research Laboratories, Inc.