

**NIOXIN RESEARCH LABORATORIES: 2124 Skyview Drive
Lithia Springs, GA 30122-2638
(770) 944-1308**

COSMETIC PRODUCT (SECTION 1)

TRADE NAME: **NIOXIN SCALP THERAPY™ SYSTEM 7**

DATE: June 1, 2005

INGREDIENTS (SECTION 2)

THIS PRODUCT CONTAINS NO HAZARDOUS INGREDIENTS

PHYSICAL DATA (SECTION 3)

| | | | |
|-----------------|-------------|-------------------|----------------------|
| BOILING POINT: | 212°F | SPECIFIC GRAVITY: | 1.0 |
| VAPOR PRESSURE: | N/A | % VOLATILITY: | APPROX 70% |
| VAPOR DENSITY: | N/A | APPEARANCE: | VISCOUS WHITE LIQUID |
| SOL. IN WATER: | DISPERSIBLE | ODOR: | LIGHTLY FRAGRANCED |

FIRE AND EXPLOSION DATA (SECTION 4)

| | | | |
|-------------------|------------|--------------|-----|
| FLASH POINT: | N/A | METHOD USED: | |
| FLAMMABLE LIMITS: | | UPPER: | N/A |
| | UPPER: N/A | LOWER: | N/A |
| | LOWER: N/A | | |

| | | | |
|--|----------------------------|---------------|-----|
| EXTINGUISHING MEDIA: | WATER FOG: YES | FOAM: | YES |
| ALCOHOL FOAM: YES | CO2: YES | DRY CHEMICAL: | YES |
| UNUSUAL FIRE AND/OR EXPLOSION HAZARDS: | NONE KNOWN TO MANUFACTURER | | |
| FIRE FIGHTING EQUIPMENT: | ROUTINE | | |

REACTIVITY DATA (SECTION 5)

| | |
|---------------------------|----------------------------|
| STABILITY | STABLE |
| (CONDITIONS TO AVOID): | NONE KNOWN TO MANUFACTURER |
| INCOMPATIBILITY | |
| (MATERIALS TO AVOID): | NONE KNOWN TO MANUFACTURER |
| HAZARDOUS DECOMPOSITION | |
| PRODUCTS: | NONE KNOWN TO MANUFACTURER |
| HAZARDOUS POLYMERIZATION: | WILL NOT OCCUR |

HEALTH HAZARD DATA (SECTION 6)

| | |
|---------------|------------------------------------|
| EYE CONTACT: | POSSIBLE MILD EYE IRRITANT |
| SKIN CONTACT: | NON-IRRITANT |
| INGESTION: | POSSIBLE GASTROINTESTINAL IRRITANT |
| INHALATION: | NOT KNOWN TO MANUFACTURER |
| OVEREXPOSURE: | NOT KNOWN TO MANUFACTURER |

FIRST AID (SECTION 7)

| | |
|------------|--|
| EYES: | RINSE 15 MINUTES WITH WARM WATER. IF IRRITATION OCCURS, CONSULT A PHYSICIAN |
| SKIN: | WASH WITH SOAP AND WATER |
| INGESTION: | GIVE FIVE GLASSES OF WATER TO DILUTE DO NOT INDUCE VOMITING. IF GASTROINTESTINAL SYMPTOMS OCCUR, CONSULT A PHYSICIAN |

NOTE TO PHYSICIAN: THIS IS A COSMETIC PRODUCT MANUFACTURED WITH CUSTOMARY INGREDIENTS WITH A LONG HISTORY OF SAFE USE.

NIOXIN SCALP THERAPY™ SYSTEM 7

SPILL OR LEAK PROCEDURE (SECTION 8)

ACTION TO BE TAKEN FOR SPILL OR LEAK: IMMOBILIZE SPILL WITH ABSORBENT MATERIAL AND PLACE IN APPROPRIATE DISPOSAL CONTAINER. RINSE SPILL TO SANITARY SEWER WITH WATER.

DISPOSAL METHOD: IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS.

HANDLING PRECAUTIONS: (SECTION 9)

EXPOSURE GUIDELINES: NO GUIDELINES KNOWN TO MANUFACTURER

VENTILATION: NOT REQUIRED

RESPIRATORY PROTECTION: NOT REQUIRED

SKIN PROTECTION: NOT REQUIRED

EYE PROTECTION: RECOMMENDED BUT NOT REQUIRED

ADDITIONAL INFORMATION: (SECTION 10)

SPECIAL PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: STORE IN ORIGINAL UNOPENED CONTAINER IN A COOL DRY AREA.

OTHER PRECAUTIONS: NONE KNOWN TO MANUFACTURER

WRITTEN BY: _____ DATE: _____

This information given herein is given in good faith, but no warranty, expressed or implied is made. For further information please contact Nioxin Research Laboratories, Inc.