ITEM #: NSDS-224, NSDSC-224

WPS-CHI-011 John Paul Mitchell Systems

Revision Date 9/1/2017

SAFETY DATA SHEET

Issuing Date 8/31/17 Revision Date (JPMS 8/31/17) Revision Number 0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

20705 Centre Pointe Parkway, Santa Clarita, CA 91350

GHS Product Identifier

Product Name: NEON Sugar Dry Cleanse (Waterless Shampoo)

Other means of Identification

Synonyms: none

Recommended use of the chemical and restrictions on use

Recommended Use: No information available
Uses advised against: No information available

Supplier's Details

Supplier Address Chicago Aerosol 1300 North St. Coal City, IL 60416 Tel: 815-634-5100

Emergency telephone number

Emergency Telephone 1-866-634-5100

Number Chemtrec 1-800-424-9300

2. HAZARD IDENTIFICATION

Classification

Serious Eye Damage/Eye Irritation	Category 2A	
Carcinogenicity	Category 2	
Specific Target Organ Systemic toxicity (Single Exposure)	Category 3	
Simple Asphyxiant	Yes	
Flammable Aerosols	Category 1	
Gases Under Pressure		

GHS label elements, including precautionary statements

EMERGENCY OVERVIEW

Signal Word Danger

Hazard Statements

- Causes serious eye irritation
- Extremely flammable aerosol
- May cause respiratory irritation
- May cause drowsiness or dizziness
- Additional information available upon request.







Appearance Clear

Physical State Aerosol

Odor Odor Fragranced

Precautionary Statements

Prevention

- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Use personal protective equipment as required.
- Wash face, hands and any exposed skin thoroughly after handling.
- Wear eye/face protection.
- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Use only outdoors or in a well-ventilated area.
- Keep away from heat/sparks/open flames/hot surfaces No smoking.
- Do not spray on an open flame or other ignition source.
- Pressurized container: Do no pierce or burn, even after use.

General Advice

• If exposed or concerned: Get medical attention/advice

Eyes

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If eye irritation persists: Get medical advice/attention.

Inhalation

• IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Storage

- Store locked up.
- Store in a well-ventilated place. Keep container tightly closed.
- Protect from sunlight. Do no expose to temperatures exceeding 50°C/122°F

Disposal

• Dispose of contents/container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

Rapid evaporation of the liquid may cause frostbite.

Other information

May be harmful if inhaled. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
Ethyl Alcohol	64-17-5	< 15	*
Propane	74-98-6	< 20	*
Isobutane	75-28-5	< 75	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention immediately if irritation persists.

Skin Contact Wash off with warm water and soap. In case of contact with liquefied gas, thaw frosted parts

with lukewarm water. Get medical attention if symptoms occur.

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If

not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical

attention.

Ingestion Clean mouth with water and afterwards drink plenty of water. Do NOT induce vomiting. Never

give anything by mouth to an unconscious person. Get medical attention.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects Eye irritation/reactions. Frostbite. Drowsiness. Dizziness. Simple asphyxiant.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO 2). Dry chemical. Alcohol-resistant foam. Water fog.

Unsuitable Extinguishing Media No information available.

Specific Hazards Arising from the Chemical

No information available.

Hazardous Combustion Products Thermal decomposition can lead to release of irritating and

toxic gases and vapors: Carbon oxides. Nitrogen oxides (NOx).

Explosion Data

Sensitivity to Mechanical Impact
Sensitivity to Static Discharge
Yes

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsContents under pressure. Remove all sources of ignition. Do not puncture or incinerate cans.

Avoid contact with skin, eyes and clothing. Do not touch damaged containers or spilled

material

Environmental Precautions

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up

Pick up and transfer to properly labeled containers. Cover liquid spill with sand, earth or other noncombustible absorbent material. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Contents under pressure. Keep away from open flames, hot surfaces and sources of ignition.

Avoid contact with skin, eyes and clothing.

Conditions for safe storage, including any incompatibilities

Storage Store in a cool, dry area away from potential sources of heat, open flames, sunlight or other

chemicals.

Incompatible Products Strong oxidizing agents.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl Alcohol Ethyl Alcohol 64-17-5	TWA: 1000 ppm	TWA: 1000 ppm	TWA: 1000 ppm

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection No protective equipment is needed under normal use conditions. Risk of contact, wear: Safety

glasses with side-shields.

Skin and Body ProtectionNo protective equipment is needed under normal use conditions. Lightweight protective

clothing. Protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into

consideration the specific local conditions under which the product is used, such as the danger

of cuts, abrasion.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, approved respiratory protection should be worn.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Aerosol Appearance Clear

Odor Fragranced Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks/ - Method</u>

pH No data available Enter here

Melting Point/RangeNo data availableEnter hereBoiling Point/Boiling Range79.4 °C / 175 °Ffor concentrate

Flash Point 18.3C/ 65F Open cup (for pure ethanol)

Evaporation rate > 1 Enter here

Flammability (solid, gas) No data available Enter here Flammability Limits in Air No data available Enter here upper flammability limit No data available Enter here lower flammability limit No data available Enter here **Vapor Pressure** 45-55 psig @ 70 F Enter here No data available **Vapor Density** Enter here **Specific Gravity** 1.02 water = 1 **Water Solubility** No data available

Enter here No data available Solubility in other solvents Enter here Partition coefficient: n-octanol/water No data available Enter here **Autoignition Temperature** No data available Enter here **Decomposition Temperature** No data available Enter here Viscosity No data available Enter here

Flammable Properties Flammable Enter here

Explosive PropertiesNo data availableEnter hereOxidizing PropertiesNo data availableEnter here

Other information

VOC Content (%) 92%

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon oxides. Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation May cause irritation of respiratory tract. May cause drowsiness and dizziness.

Intentional misuse by deliberately concentrating and inhaling contents may be

harmful or fatal.

Eye ContactContact with eyes may cause serious eye irritation based on the components present

within the product.

Skin Contact Contact with product may cause frostbite.

Ingestion May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethyl Alcohol	Additional information available upon request.		

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Eye contact with liquid may cause irritation including stinging, burning, tearing, or reddening

of the eyes. Avoid skin contact with leaking liquid (danger of frostbite).

Delayed and immediate effects and also chronic effects from short and long term exposure

SensitizationNo information available.Mutagenic EffectsNo information available.

Carcinogenicity Additional information available upon request.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl Alcohol	A3	Group 1	Known	Х

Reproductive Toxicity No information available.

STOT - single exposure May cause respiratory irritation. May cause drowsiness or dizziness.

STOT - repeated exposureAspiration Hazard
No information available.
No information available.

Numerical measures of toxicity - Product

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 OralAdditional information available upon request.LD50 DermalAdditional information available upon request.InhalationAdditional information available upon request.VaporAdditional information available upon request.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Additional information available upon request.
---------------	--

Ethyl Alcohol			
	Ι		Ī

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Log Pow
Ethyl alcohol	-0.32

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

Dispose of in accordance with federal, state, and local regulations.

Contaminated Packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT for land transportation

Proper shipping name

ORM-D, Consumer commodity, LTD QTY

Hazard Class

ORM-D

Description

Consumer commodity, ORM-D

Emergency Response Guide

Number

126

TDG

UN-Number UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1

Description

UN1950, Aerosols, 2.1

MEX

UN-Number UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1

Description UN1950, Aerosols, 2.1

ICAO

UN-Number ID8000

Proper Shipping Name Consumer commodity

Hazard Class 9

Description ID8000, Consumer commodity, 9

<u>IATA</u>

UN-Number ID8000

Proper Shipping Name Consumer commodity

Hazard Class 9 ERG Code 9L

Description ID8000, Consumer commodity, 9

IMDG/IMO

UN-Number UN1950 Proper Shipping Name Aerosols

Hazard Class 2

EmS No. F-D, S-U

Description UN1950, Aerosols, 2.1 (18.3°C o.c.)

15. REGULATORY INFORMATION

International Inventories

TSCA All components of this product are either listed or are exempt on the TSCA inventory.

DSL Substances comply or are exempt

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard Yes
Sudden Release of Pressure Hazard Yes
Reactive Hazard No

Clean Water Act

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances

CERCLA

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ

U.S. State Regulations

California Proposition 65

Ethyl alcohol is only considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

Chemical Name	CAS-No	California Prop. 65
Ethyl alcohol	64-17-5	Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Ethyl alcohol	X	Χ	X	ı	

Revision Date 9/1/2017

John Paul Mitchell Systems 20705 Centre Pointe Parkway, Santa Clarita, CA 91350

U.S. EPA Label Information

EPA Pesticide Registration Number

Not applicable

Initial Release.

16. OTHER INFORMATION								
<u>NFPA</u>	Health Hazard 2	Flammability 4	Instability 0	Physical and Chemical Hazards				
<u>HMIS</u>	Health Hazard 2*	Flammability 4	Physical Hazard 0	Personal Protection X				
*Indicates a chronic health hazard.								
Prepared By		Chicago Aerosol						
		1300 North St						
		Coal City, IL 60416						
		1-800-572-6501						
Issuing Date		21-Apr-15						
Revision Date	e	21-Apr-15						

General Disclaimer

Revision Note

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

End of Safety Data Sheet