

Revision Date: 11/5/2015

### Section 1: Identification

#### **Product Name**:

#### PETER COPPOLA LEGACY TOTAL REPAIR ARGAN POLISH

**Product Category:** Hair treatment

#### **Manufacture Identification:**

Chemco Corporation Telephone Number: 1-305-623-4445
4920 NW 165th Street International Number: 1-352-323-3500
Miami, FL 33014, United States of America Emergency Telephone Number: 1-800-535-5053

### Section 2: Hazard Identification



# Flammable liquids Category 4 Reproductive toxicity Category 2

**GHS Precaution Phrases:** H361: Suspected of damaging fertility or the unborn child

H227: Combustible liquid

**GHS Precautionary statements:** P101: If medical advice is needed, have product container or label at

hand

P102: Keep out of reach of children

P103: Read label before use

P201: Obtain special instructions before use

P202: Do not handle until all safety precautions have been read and

understood.

P210: Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P280: Wear protective gloves/protective clothing/eye protection/face

protection.

**GHS Response Phrases:** P333+313: If skin irritation or a rash occurs: Get medical

advice/attention

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue

rınsıng.

P337+313: If eye irritation persists get medical advice/attention. P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce

vomiting

P308+311: IF exposed or concerned: Call a POISON CENTER/ doctor

**GHS Storage and Disposal** 

**Phrases:** P410: Protect from sunlight

P410+412: Protect from sunlight. Do not expose to temperatures

exceeding 50 °C/122 °F

P402: Store in a dry place

P501: Dispose of contents/container to ... [... in accordance with local/regional/national/international regulation (**to be specified**)]

#### Other Hazards

Vapors may form explosive mixture with air



**Revision Date: 11/5/2015** 

### Section 3: Composition/Information on Ingredients

INCI Name	Synonyms	CAS NUMBER	Conc. (%)
Cyclopentasiloxane	-	541-02-6	30-70
Cyclotetrasiloxane	-	556-67-2 / 293-51-6	30-70
Dimethicone Crosspolymer	Dimethyl methylhydrogen siloxane reaction product with 1,5-hexadiene	213629-14-2	10-30
Argania Spinosa Oil	-	223747-87-3	0.3-1.0
Parfum	-	RR-13684-5	0.3-1.0
Helianthus Annuus Seed Oil	-	8001-21-6	0.1-0.3
Ci 16035	D&C Red #17	25956-17-6	<0.01
Ci 47000	D&C Yellow #11	8003-22-3	<0.01
Benzyl Salicylate	-	118-58-1	0.0400
Hexyl Cinnamal	-	101-86-0	0.0423
Hydroxyisohexyl 3-cyclohexene carboxaldehyde	3-(4-Hydroxy-4- methylpentyl)cyclohex-3-ene-1- carbaldehyde	31906-04-4 / 51414-25-6	0.0140
Geraniol	-	106-24-1	0.0164
Amyl Cinnamal	-	122-40-7	0.00484
Butylphenyl Methylpropional	-	80-54-6	0.0320
Benzyl Benzoate	-	120-51-4	0.0158
Linalool	-	78-70-6	0.0147
Citronellol	-	106-22-9	0.0086
Limonene	-	5989-27-5	0.0042

Note: Some Specific chemical Identities and/or exact percentage (Concentrations) have been withheld as a trade secret.

# Section 4: First-Aid Measures

#### Suspected of damaging fertility or the unborn child

#### **Emergency and First Aid Procedures**

- **1- Skin:** Discontinue use of product. Apply cold compresses to affected areas to relieve any discomfort. If discomfort persists, you should contact a physician.
- **2 Eyes:** Immediately flush with clean, lukewarm water (low pressure) occasionally lifting eyelids. Seek medical attention if irritation develops.
- 3 Inhalation: If respiratory irritation occurs, remove individual to fresh air.
- **4 Ingestion:** Accidental ingestion of product may necessitate medical attention. In case of accidental ingestion dilute with fluids (milk or water). Do not induce vomiting.

#### **Protection of first-aiders**

First aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists



Revision Date: 11/5/2015

### Section 5: Fire-Fighting Measures

**Extinguishing Media**: Use Carbon dioxide, Alcohol resistant foam, dry chemical, or water spray on small and/or large fires.

Unsuitable extinguishing media: High Volume water jet

**Fire Fighting Procedures**: Contact emergency personnel. Use self-contained breathing apparatus and full protective gear, if large quantities of product are involved. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool.

Unusual Fire Fighting Procedures: None

#### Section 6: Accidental Release Measures

**Methods for cleaning up**: Remove possible ignition sources. Use appropriate personal protection equipment. Soak up with absorbent materials and wash with water; place in non-leaking containers for appropriate disposal. Determine if local, state and federal laws and regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup process, and proceed accordingly.

# Section 7: Handling and Storage

Use adequate ventilation. Avoid eye contact. Avoid skin contact.

#### Storage:

Store upright at room temperature. In order to maintain product quality do not store near heat source or in direct sunlight.

Other Precautions: Avoid bacterial contamination. Keep containers tightly closed when not in use.

# Section 8: Exposure Controls/Personal Protection

#### **OSHA Permissible Exposure Limits**

<b>Chemical Name</b>	OSHA PEL	ACGIH TLV (TWA)
-	-	-

The TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equaled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak" is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

**Respiratory Protection:** Not applicable under normal conditions

**Skin Protection:** 

Resistant Plastic or rubber gloves (optional). Wash at mealtime and end of shift is adequate.

#### **Eve Protection:**

Safety glasses or goggles. (optional)



FS-01203

**Revision Date: 11/5/2015** 

# Section 9: Exposure Controls/Personal Protection

Appearance: Oil

**Upper/lower flammability: N/A** 

**Odor:** Floral

Color: Hazy Orange Vapor pressure: N/A Odor threshold: N/A Vapor density: N/A

pH: N/A

Density (g/cm³): 0.900 to 1.100 Specific Gravity: 0.900 to 1.100 Melting point/freezing point: N/A Solubility: Slightly insoluble in water

Initial boiling point and boiling range: 212 °C

Flash point: 77 °C Evaporation rate: N/A Flammability: N/A

Partition coefficient (n-octanol/water): N/A

Auto-ignition temperature: N/A Decomposition temperature: N/A

Viscosity (cPs): 500 to 700

Note: Some of data above is not shown either because it is not relevant and/or readily available.

### Section 10: Stability and Reactivity

**Stability:** Stable **Conditions to avoid:** Direct Heat, flames and sparks.

Incompatibility (Materials to avoid): Oxidizing agents

Hazardous Polymerization: Does not occur

Hazardous Decomposition Products: Formaldehyde

### Section 11: Toxicological Information

NO INFORMATION

# Section 12: Ecological Information

No ecological hazards have been tested to be associated with this product.

# Section 13: Disposal Considerations

Do not contaminate food or feed by storage or disposal. Do not reuse empty container. Wrap empty container and throw in trash collection. Dispose of according to federal, state, and local regulations regarding health, air, and water pollution.

### Section 14: Transport Information

Finished packaged product transported by ground (DOT): Non hazardous Finished packaged product transported by vessel (IMDG): Non hazardous Finished packaged product transported by air (IATA): Non hazardous



Revision Date: 11/5/2015

**49 CFR** 

UN/ID/NA number : NA 1993

Proper shipping name : COMBUSTIBLE LIQUID, N.O.S.

: (Decamethylcyclopentacsiloxane)

Class : CBL
Packing Group : III
Labels : None
ERG Code : 128
Marine Pollutant : no

Remarks : Above applies only to containers over 119 gallons or 450 liters. Not

regulated if shipped in packages in less than or equal to 119 gallons (450

liters).

### Section 15: Regulatory Information

Federal, State & International Regulations:

SARA 311/312 Hazards : Fire Hazard

: Chronic Health Hazard

SARA 302 SARA 313 RCRA Code CAA 112(r) TQ

Ingredient None None None

Federal, State & International Regulations (Continue):

CERCLA TSCA

Ingredient 8(d) None None

**US State Regulations** 

Pennsylvania right to know

Decamethylcyclopentasiloxane 541-02-06 30-70 % Dimethyl methylhydrogen siloxane 213629-14-2 10-30 % reaction product with 1,5-hexadiene

New Jersey right to know

Decamethylcyclopentasiloxane 541-02-06 30-70 % Dimethyl methylhydrogen siloxane 213629-14-2 10-30 %

reaction product with 1,5-hexadiene

**AICS:** All of the ingredients in the formulation are compliant with NICNAS regulations.

**European Commission "Cosmetics Directive" 76/768/EEC and Cosmetic Ingredients Review:** All of the ingredients in the formulation are compliant with these regulations.

**US Federal:** All of the ingredients in the formulation are compliant with the Federal Food, Drug, and Cosmetics Act and this product is safe to be used by professional hair dressers previously trained and certified to make this treatment.



**Revision Date: 11/5/2015** 

### Section 16: Other Information

CHEMCO CORP. believes that the information contained in this M.S.D.S is correct as of this date. However, because the material may be used under conditions which CHEMCO CORP. has no control of or in ways we cannot anticipate, we give no warranty, expressed or implied, as to accuracy of the information and assume no responsibility for any damage to person, property or business arising from such use. Moreover, it is the responsibility of the purchaser or user of this material to ensure that is properly and safely used.

**Created:** 11/5/2015

Revised: