

## Section 1: Identification

**Product Name:****PETER COPPOLA COLOR COMMAND HIGH DEFINITION GLOSS W/ AZULENE****Product Category:** Hair treatment**Manufacture Identification:**

Chemco Corporation  
4920 NW 165th Street  
Miami, FL 33014, United States of America

Telephone Number: 1-305-623-4445  
International Number: 1-352-323-3500  
Emergency Telephone Number: 1-800-535-5053

## Section 2: Hazard Identification



**Flammable liquids Category 4**  
**Reproductive toxicity Category 2**

**Warning!****GHS Precaution Phrases:**

H361: Suspected of damaging fertility or the unborn child  
H227: Combustible liquid

**GHS Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand  
P102: Keep out of reach of children  
P103: Read label before use  
P201: Obtain special instructions before use  
P202: Do not handle until all safety precautions have been read and understood.  
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.

**GHS Response Phrases:**

P333+313: If skin irritation or a rash occurs: Get medical advice/attention  
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.  
P337+313: If eye irritation persists get medical advice/attention.  
P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting  
P308+311: IF exposed or concerned: Call a POISON CENTER/ doctor  
P402: Store in a dry place  
P410: Protect from sunlight  
P410+412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F  
P501: Dispose of contents/container to ... [*... in accordance with local/regional/national/international regulation (to be specified)*]

**GHS Storage and Disposal Phrases:****Other Hazards**

Vapors may form explosive mixture with air

### Section 3: Composition/Information on Ingredients

INCI Name	Synonyms	CAS NUMBER	Conc. (%)
Cyclopentasiloxane	-	541-02-6	30-70
Cyclotetrasiloxane	-	556-67-2 / 293-51-6	10-30
Dimethicone Crosspolymer	Dimethyl methylhydrogen siloxane reaction product with 1,5- hexadiene	213629-14-2	1-3
Argania Spinosa Oil	-	223747-87-3	0.3-1.0
Helianthus Annuus Seed Oil	-	8001-21-6	0.3-1.0
Parfum	-	-	0.1-0.3
Acid Violet 43/ CI 60730	-	4430-18-6	<0.01
Linalool	-	78-70-6	0.0335
Hexyl Cinnamal	-	101-86-0	0.0255
Azulene	-	275-51-4	0.001

Note: Some Specific chemical Identities and/or exact percentage (Concentrations) have been withheld as a trade secret.

### Section 4: First-Aid Measures

#### **Suspected of damaging fertility or the unborn child**

#### **Emergency and First Aid Procedures**

**1 - Skin:** Discontinue use of product. Apply cold compresses to affected areas to relieve any discomfort. If discomfort persists, you should contact a physician.

**2 - Eyes:** Immediately flush with clean, lukewarm water (low pressure) occasionally lifting eyelids. Seek medical attention if irritation develops.

**3 - Inhalation:** If respiratory irritation occurs, remove individual to fresh air.

**4 - Ingestion:** Accidental ingestion of product may necessitate medical attention. In case of accidental ingestion dilute with fluids (milk or water). Do not induce vomiting.

#### **Protection of first-aiders**

First aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists

### Section 5: Fire-Fighting Measures

**Extinguishing Media:** Use Carbon dioxide, Alcohol resistant foam, dry chemical, or water spray on small and/or large fires.

**Unsuitable extinguishing media:** High Volume water jet

**Fire Fighting Procedures:** Contact emergency personnel. Use self-contained breathing apparatus and full protective gear, if large quantities of product are involved. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool.

**Unusual Fire Fighting Procedures:** None

**SAFETY DATA SHEET****PETER COPPOLA COLOR COMMAND HIGH DEFINITION GLOSS W/ AZULENE****FS-00760****Revision Date: 1/6/2016****Section 6: Accidental Release Measures**

**Methods for cleaning up:** Remove possible ignition sources. Use appropriate personal protection equipment. Soak up with absorbent materials and wash with water; place in non-leaking containers for appropriate disposal. Determine if local, state and federal laws and regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup process, and proceed accordingly.

**Section 7: Handling and Storage**

Use adequate ventilation. Avoid eye contact. Avoid skin contact.

**Storage:**

Store upright at room temperature. In order to maintain product quality do not store near heat source or in direct sunlight.

**Other Precautions:** Avoid bacterial contamination. Keep containers tightly closed when not in use.

**Section 8: Exposure Controls/Personal Protection****OSHA Permissible Exposure Limits**

<b>Chemical Name</b>	<b>OSHA PEL</b>	<b>ACGIH TLV (TWA)</b>
-	-	-

The TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equaled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak" is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

**Respiratory Protection:** Not applicable under normal conditions

**Skin Protection:**

Resistant Plastic or rubber gloves (optional). Wash at mealtime and end of shift is adequate.

**Eye Protection:**

Safety glasses or goggles. (optional)

**Section 9: Exposure Controls/Personal Protection**

**Appearance:** Low viscous liquid

**Upper/lower flammability:** N/A

**Odor:** Floral

**Color:** Light Violet

**Vapor pressure:** N/A

**Odor threshold:** N/A

**Vapor density:** N/A

**pH:** N/A

**Density (g/cm<sup>3</sup>):** 0.900 to 1.100

**Specific Gravity:** 0.900 to 1.100

**Melting point/freezing point:** N/A

**Solubility:** Low solubility in water

**SAFETY DATA SHEET****PETER COPPOLA COLOR COMMAND HIGH DEFINITION GLOSS W/ AZULENE****FS-00760****Revision Date: 1/6/2016**

**Initial boiling point and boiling range:** N/A  
**Flash point:** 63 °C  
**Evaporation rate:** N/A  
**Flammability:** N/A  
**Partition coefficient (n-octanol/water):** N/A  
**Auto-ignition temperature:** N/A  
**Decomposition temperature:** N/A  
**Viscosity (cPs):** 200 to 300

Note: Some of data above is not shown either because it is not relevant and/or readily available.

## Section 10: Stability and Reactivity

**Stability:** Stable      **Conditions to avoid:** Direct Heat, flames and sparks.  
**Incompatibility** (Materials to avoid): Oxidizing agents  
**Hazardous Polymerization:** Does not occur  
**Hazardous Decomposition Products:** Formaldehyde

## Section 11: Toxicological Information

NO INFORMATION

## Section 12: Ecological Information

No ecological hazards have been tested to be associated with this product.

## Section 13: Disposal Considerations

Do not contaminate food or feed by storage or disposal. Do not reuse empty container. Wrap empty container and throw in trash collection. Dispose of according to federal, state, and local regulations regarding health, air, and water pollution.

## Section 14: Transport Information

Finished packaged product transported by ground (DOT): Non hazardous  
Finished packaged product transported by vessel (IMDG): Non hazardous  
Finished packaged product transported by air (IATA): Non hazardous

**49 CFR**

UN/ID/NA number	: NA 1993
Proper shipping name	: COMBUSTIBLE LIQUID, N.O.S. : (Decamethylcyclopentacsiloxane)
Class	: CBL
Packing Group	: III
Labels	: None
ERG Code	: 128
Marine Pollutant	: no
Remarks	: Above applies only to containers over 119 gallons or 450 liters. Not regulated if shipped in packages in less than or equal to 119 gallons (450 liters).

**SAFETY DATA SHEET****PETER COPPOLA COLOR COMMAND HIGH DEFINITION GLOSS W/ AZULENE****FS-00760****Revision Date: 1/6/2016****Section 15: Regulatory Information****Federal, State & International Regulations:**

**SARA 311/312 Hazards** : Fire Hazard  
: Chronic Health Hazard

<b>Ingredient</b>	<b><u>SARA 302</u></b>	<b><u>SARA 313</u></b>	<b><u>RCRA Code</u></b>	<b><u>CAA 112(r)</u></b>	<b><u>TQ</u></b>
	None	None	None	None	

**Federal, State & International Regulations (Continue):**

<b>Ingredient 8(d)</b>	<b><u>CERCLA</u></b>	<b><u>TSCA</u></b>
	None	None

**US State Regulations****Pennsylvania right to know**

Decamethylcyclopentasiloxane	541-02-06	30-70 %
Dimethyl methylhydrogen siloxane reaction product with 1,5-hexadiene	213629-14-2	10-30 %

**New Jersey right to know**

Decamethylcyclopentasiloxane	541-02-06	30-70 %
Dimethyl methylhydrogen siloxane reaction product with 1,5-hexadiene	213629-14-2	10-30 %

**AICS:** All of the ingredients in the formulation are compliant with NICNAS regulations.

**European Commission "Cosmetics Directive" 76/768/EEC and Cosmetic Ingredients Review:** All of the ingredients in the formulation are compliant with these regulations.

**US Federal:** All of the ingredients in the formulation are compliant with the Federal Food, Drug, and Cosmetics Act and this product is safe to be used by professional hair dressers previously trained and certified to make this treatment.

**Section 16: Other Information**

CHEMCO CORP. believes that the information contained in this M.S.D.S is correct as of this date. However, because the material may be used under conditions which CHEMCO CORP. has no control of or in ways we cannot anticipate, we give no warranty, expressed or implied, as to accuracy of the information and assume no responsibility for any damage to person, property or business arising from such use. Moreover, it is the responsibility of the purchaser or user of this material to ensure that it is properly and safely used.

**Created:** 1/6/2016

**Revised:**