

BLONDE COLOR COMMAND LIGHTENING SYSTEM WITH AZULENE K41-7647

Revision Date: 12/3/2015

Section 1: Identification

Product Name:

BLONDE COLOR COMMAND LIGHTENING SYSTEM WITH AZULENE

Product Category: Hair treatment

Manufacture Identification:

Chemco Corporation Telephone Number: 1-305-623-4445
4920 NW 165th Street International Number: 1-352-323-3500
Miami, FL 33014, United States of America Emergency Telephone Number: 1-800-535-5053

Section 2: Hazard Identification

Oxidizing Solids Category 3
Acute toxicity, Oral Category 4
Skin Irritation Category 2
Eye Irritation Category 2A
Respiratory Sensitization Category 1
Skin Sensitization Category 1
Specific target organ toxicity- Single exposure
Respiratory system Category 3





Danger

GHS Precaution Phrases: H272: May intensify fire; oxidizer

H302: Harmful if swallowed H315: causes skin irritation

H317: May cause an allergic skin reaction H319: Causes serious eye irritation

H334: May cause allergy or asthma symptoms or breathing difficulties

if inhaled

H335: May cause respiratory irritation

GHS Precautionary statements: P210: Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No Smoking.

P220: Keep away from clothing and other combustible materials

P233: Keep container tightly closed.

P260: Do not breathe dust

P264: Wash thoroughly after handling

P270: Do not eat, drink or smoke when using this product P271: Use only outdoors or in a well-ventilated area

P272: Contaminated work clothing should not be allowed out of the

workplace

P280: Wear protective gloves/protective clothing/eye protection/face

protection

P284: In case of inadequate ventilation, wear respiratory protection P302+352+362: If on skin wash with plenty of water and take off

contaminated clothing and wash before reuse

P306+360: If on clothing rinse immediately contaminated clothing

and skin with plenty of water before removing clothes P333+313: If skin irritation or a rash occurs: Get medical

advice/attention

P305+351+338: IF IN EYES: Rinse cautiously with water for several

GHS Storage and Disposal

Phrases:



BLONDE COLOR COMMAND LIGHTENING SYSTEM WITH AZULENE K41-7647

Revision Date: 12/3/2015

minutes. Remove contact lenses if present and easy to do – continue

P337+313: If eye irritation persists get medical advice/attention. P301+310+330+331: IF SWALLOWED: Immediately call a poison

center/doctor Rinse mouth. Do NOT induce vomiting P370: In case of fire use suitable media to extinguish

P308+311: IF exposed or concerned: Call a POISON CENTER/ doctor P403+233: Store in a well ventilated place. Keep container tightly

closed

P405: Store locked up

P501: Dispose of contents/container to ... [... in accordance with local/regional/national/international regulation (to be specified)]

Section 3: Composition/Information on Ingredients

INCI Name	Synonyms	CAS NUMBER	Conc. (%)
Potassium Persulfate	+	7727-21-1	50-60
Sodium Silicate	+	1344-09-8	20-30
Ammonium Chloride	+	12125-02-9	5-10
Aqua	Water	7732-18-5	5-10
Talc	-	14807-96-6	1-5
Cellulose Gum, Polysaccharide	-	9004-32-4	1-5
CI 42090	-	3844-45-9	0.1-0.3
Helianthus Annuus seed oil	-	8001-21-6	0.1-0.3
Azulene	-	275-51-4	<0.1

Note: Some Specific chemical Identities and/or exact percentage (Concentrations) have been withheld as a trade secret.

Section 4: First-Aid Measures

Emergency and First Aid Procedures

- **1- Skin:** Discontinue use of product. Apply cold compresses to affected areas to relieve any discomfort. If discomfort persists, you should contact a physician.
- **2 Eyes:** Immediately flush with clean, lukewarm water (low pressure) occasionally lifting eyelids. Seek medical attention if irritation develops.
- **3 Inhalation:** If respiratory irritation occurs, remove individual to fresh air.
- **4 Ingestion:** Accidental ingestion of product may necessitate medical attention. In case of accidental ingestion dilute with fluids (milk or water). Do not induce vomiting.

Section 5: Fire-Fighting Measures

Extinguishing Media: Carbon dioxide, dry chemical, foam, or water spray.

Fire Fighting Procedures: Contact emergency personnel. Use self-contained breathing apparatus and full protective gear, if large quantities of product are involved.

Unusual Fire Fighting Procedures: None



BLONDE COLOR COMMAND LIGHTENING SYSTEM WITH AZULENE K41-7647

Revision Date: 12/3/2015

Section 6: Accidental Release Measures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust

Environmental Precautions: Do not let product enter drains.

Methods for cleaning up: Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet brushing and place in container for disposal according to local regulations. Keep in suitable, closed containers for disposal.

Section 7: Handling and Storage

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition. No smoking. Keep away from heat and sources of ignition.

Storage:

Keep container tightly closed in a dry and well ventilated place. Moisture sensitive. Keep in a dry place.

Section 8: Exposure Controls/Personal Protection

OSHA Permisible Exposure Limits

Chemical Name	OSHA PEL	ACGIH TLV (TWA)
Talc (14807-96-6)	2 mg/m ³	2 mg/m ³

The TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equaled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day . There should be at least 60 minutes between successive exposures at the STEL. The term "peak" is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

Respiratory Protection: Not applicable under normal conditions

Skin Protection:

Resistant Plastic or rubber gloves

Eye Protection:

Safety glasses or goggles.

Section 9: Exposure Controls/Personal Protection

Appearance: Powder

Upper/lower flammability: N/A

Odor: Characteristic

Color: Blue

Vapor pressure: N/A Odor threshold: N/A Vapor density: N/A

pH: N/A



BLONDE COLOR COMMAND LIGHTENING SYSTEM WITH AZULENE

K41-7647

Revision Date: 12/3/2015

Density (g/cm³): N/A Specific Gravity: N/A

Melting point/freezing point: N/A

Solubility: Soluble in water

Initial boiling point and boiling range: N/A

Flash point: N/A Evaporation rate: N/A Flammability: N/A

Partition coefficient (n-octanol/water): N/A

Auto-ignition temperature: N/A **Decomposition temperature:** N/A

Viscosity (cPs): N/A

Note: Some of data above is not shown either because it is not relevant and/or readily available.

Section 10: Stability and Reactivity

Stability: Stable **Conditions to avoid:** Exposure to moisture. Direct Heat

Incompatibility (Materials to avoid): None Hazardous Polymerization: Does not occur Hazardous Decomposition Products: Unknown

Section 11: Toxicological Information

NO INFORMATION

Section 12: Ecological Information

No ecological hazards have been tested to be associated with this product.

Section 13: Disposal Considerations

Do not contaminate food or feed by storage or disposal. Do not reuse empty container. Wrap empty container and throw in trash collection. Dispose of according to federal, state, and local regulations regarding health, air, and water pollution.

Section 14: Transport Information

Finished packaged product transported by ground (DOT): Non hazardous Finished packaged product transported by vessel (IMDG): Non hazardous Finished packaged product transported by air (IATA): Non hazardous

Section 15: Regulatory Information

No Information



BLONDE COLOR COMMAND LIGHTENING SYSTEM WITH AZULENE K41-7647

Revision Date: 12/3/2015

Section 16: Other Information

CHEMCO CORP. believes that the information contained in this M.S.D.S is correct as of this date. However, because the material may be used under conditions which CHEMCO CORP. has no control of or in ways we cannot anticipate, we give no warranty, expressed or implied, as to accuracy of the information and assume no responsibility for any damage to person, property or business arising from such use. Moreover, it is the responsibility of the purchaser or user of this material to ensure that is properly and safely used.

Created: 12/3/2015

Revised: