## SAFETY DATA SHEET

# PUI P**RIOT**

#### 1. Identification

**Product identifier PULP RIOT 6 VOLUME PREMIUM DEVELOPER** 

Other means of identification

SDS number 00-26-0000015

Recommended use Personal care product used for cosmetic effect.

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Address: Pulp Riot

16501 Ventura Blvd #500

Encino, CA 91436

USA

**Emergency Phone #:** 1-800-535-5053 (International: 352-323-3500)

For further Information: 1-732-499-2741

#### 2. Hazard(s) identification

Physical hazards Not classified. **Health hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements

**Hazard symbol** None. Signal word None.

The mixture does not meet the criteria for classification. **Hazard statement** 

**Precautionary statement** 

Prevention Observe good industrial hygiene practices.

Response Take off contaminated clothing and wash it before reuse.

Store away from incompatible materials. Storage

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

#### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
MINERAL OIL		8042-47-5	6.5
HYDROGEN PEROXIDE		7722-84-1	1.8

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Material name: PULP RIOT 6 VOLUME PREMIUM DEVELOPER

SDS US 1/8 F0000890V01 Version #: 01 Issue date: 12-02-2020

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed **General information**  Treat symptomatically.

Not available.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Fire fighting

Move containers from fire area if you can do so without risk.

Specific methods

equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

**Environmental precautions** 

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid prolonged exposure. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

#### 8. Exposure controls/personal protection

## Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
HYDROGEN PEROXIDE (CAS 7722-84-1)	PEL	1.4 mg/m3	
		1 ppm	
MINERAL OIL (CAS 8042-47-5)	PEL	5 mg/m3	Mist.
US. ACGIH Threshold Limit Value	S		
	_		<b>—</b> 1. 1. 1. 1.
Components	Туре	Value	Form
HYDROGEN PEROXIDE (CAS 7722-84-1)	T <b>ype</b> TWA	1 ppm	Form

Material name: PULP RIOT 6 VOLUME PREMIUM DEVELOPER

F0000890V01 Version #: 01 Issue date: 12-02-2020

US. NIOSH: Pocket Guide to Chemical Hazards				
Components	Type	Value	Form	
HYDROGEN PEROXIDE (CAS 7722-84-1)	TWA	1.4 mg/m3		
		1 ppm		
MINERAL OIL (CAS 8042-47-5)	STEL	10 mg/m3	Mist.	
•	TWA	5 mg/m3	Mist.	

No biological exposure limits noted for the ingredient(s). **Biological limit values** 

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

#### Individual protection measures, such as personal protective equipment

Eye/face protection Applicable for industrial settings only. Wear safety glasses with side shields (or goggles).

Skin protection

Applicable for industrial settings only. Wear appropriate chemical resistant gloves. **Hand protection** Other Applicable for industrial settings only. Wear appropriate chemical resistant clothing.

Respiratory protection Applicable for industrial settings only. In case of insufficient ventilation, wear suitable respiratory

equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

**Appearance** 

**Physical state** Liquid. **Form** Cream. Color Not available. Odor Not available. **Odor threshold** Not available. 2 - 3.6

Melting point/freezing point Not available.

Initial boiling point and boiling

range

Ηq

> 212 °F (> 100 °C)

> 212.0 °F (> 100.0 °C) Closed Cup Flash point

**Evaporation rate** Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. Vapor pressure Not available. Not available. Vapor density Relative density Not available.

Solubility(ies)

Solubility (water) Not available. **Partition coefficient** Not available.

(n-octanol/water)

Material name: PULP RIOT 6 VOLUME PREMIUM DEVELOPER

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

**Explosive properties** Not explosive. **Oxidizing properties** Not oxidizing.

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

#### 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

No adverse effects due to eye contact are expected.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Not available.

## Information on toxicological effects

Acute toxicity Not known.

Product Species Test Results

#### PULP RIOT 6 VOLUME PREMIUM DEVELOPER

Acute Dermal

ATEmix 123600 mg/kg

**Inhalation** *Vapor* 

ATEmix 610.3 mg/l

Oral

ATEmix 29130 mg/kg

Components Species Test Results

HYDROGEN PEROXIDE (CAS 7722-84-1)

**Acute** 

Dermal

LD50 Rabbit > 2000 mg/kg OECD 402

Inhalation

Vapor

LC0 Rat 170 mg/m³, 4 h OECD 403

Oral

LD50 Rat 693.7 mg/kg OECD 401

MINERAL OIL (CAS 8042-47-5)

<u>Acute</u>

**Dermal** 

LD50 Rabbit > 2000 mg/kg OECD 402

4 / 8

SDS US

Components **Species Test Results** 

Inhalation Aerosol

LC50 Rat > 5 mg/L air, 4 h OECD 403

Oral

LD50 Rat > 5000 mg/kg OECD 401

Due to partial or complete lack of data the classification is not possible. No adverse effects due to Skin corrosion/irritation

skin contact are expected.

Irritation Corrosion - Skin

MINERAL OIL OECD 404

Result: Not Irritating Species: Rabbit

HYDROGEN PEROXIDE OECD 404, 35% ≥ C < 50%

> Result: Irritating Species: Rabbit OECD 404, C ≥ 50% Result: Corrosive Species: Rabbit

Serious eye damage/eye irritation

Due to partial or complete lack of data the classification is not possible. No adverse effects due to

eye contact are expected.

**Irritation Corrosion - Eye** 

MINERAL OIL **OECD 405** 

> Result: Not Irritating Species: Rabbit

HYDROGEN PEROXIDE OECD 405, 5% ≥ C < 8%

> Result: Irritating Species: Rabbit OECD 405. C ≥ 8% Result: Corrosive Species: Rabbit

Respiratory or skin sensitization

Due to partial or complete lack of data the classification is not possible. Respiratory sensitization Skin sensitization Due to partial or complete lack of data the classification is not possible.

Skin sensitization

MINERAL OIL **OECD 406** 

> Result: Not Sensitizing Species: Guinea pig Result: Not Sensitizing

Species: Guinea pig

HYDROGEN PEROXIDE

Due to partial or complete lack of data the classification is not possible.

Mutagenicity

Germ cell mutagenicity

MINERAL OIL Result: In vitro tests did not show mutagenic effects HYDROGEN PEROXIDE Result: In vitro tests showed mutagenic effects which were

not observed with in vivo test.

Not classifiable as to carcinogenicity to humans. Due to partial or complete lack of data the Carcinogenicity

classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

HYDROGEN PEROXIDE (CAS 7722-84-1) 3 Not classifiable as to carcinogenicity to humans. 3 Not classifiable as to carcinogenicity to humans. MINERAL OIL (CAS 8042-47-5)

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

**Developmental effects** 

MINERAL OIL > 5000 mg/kg bw/d OECD 414, No effects on development

Result: NOAEL Species: Rat

Reproductivity MINERAL OIL

>= 2000 mg/kg bw/d OECD 415, No effects on fertility

Result: NOAEL Species: Rat

Specific target organ toxicity -

Due to partial or complete lack of data the classification is not possible.

single exposure

HYDROGEN PEROXIDE 0, C ≥ 35% Result: Irritating

Specific target organ toxicity -

Due to partial or complete lack of data the classification is not possible.

repeated exposure

MINERAL OIL > 2000 mg/kg bw/d OECD 411, Dermal

Result: NOAEL Species: Rat Test Duration: 90 d

> 50 mg/m3 air OECD 412, Inhalation

Result: NOAEC Species: Rat Test Duration: 28 d

>= 1200 mg/kg bw/d OECD 453, Oral

Result: NOAEL Species: Rat

Test Duration: 2 years

2.9 mg/L air OECD 412, Inhalation

Result: NOAEL Species: Rat Test Duration: 28 d

26 mg/kg bw/d OECD 408, Oral

Result: NOAEL Species: Mouse Test Duration: 90 d

**Aspiration hazard** 

Due to partial or complete lack of data the classification is not possible.

**Further information** 

The reference to any animal testing for individual constituents mentioned in this document is

based on public, third-party data.

## 12. Ecological information

HYDROGEN PEROXIDE

**Ecotoxicity** 

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results			
HYDROGEN PEROXIDE (CAS 7722-84-1)						
Aquatic						
Acute						
Algae	EC50	Chlorella vulgaris	2.5 mg/l, 72 h OECD 201			
Crustacea	EC50	Daphnia pulex	2.4 mg/l, 48 h			
Fish	LC50	Pimephales promelas	16.4 mg/l, 96 h			
Other	EC50	Activated sludge of a predominantly domestic sewage	2.5 mg/l, 30 min OECD 209			
Chronic						
Crustacea	NOEC	Daphnia magna	0.63 mg/l, 21 d ASTM E 1193-97			
MINERAL OIL (CAS 8042-47-5)						
Aquatic						
Acute						
Algae	NOEL	Pseudokirchneriella subcapitata	> 100 mg/l, 72 h OECD 201			
Crustacea	EL50	Daphnia magna	> 100 mg/l, 48 h OECD 202			
Fish	LL50	Oncorhynchus mykiss	> 100 mg/l, 96 h OECD 203			
Chronic						
Crustacea	NOEC	Daphnia magna	10 mg/l, 21 d OECD 211			

Persistence and degradability

F0000890V01 Version #: 01 Issue date: 12-02-2020

Biodegradability

Percent degradation (Aerobic biodegradation)

HYDROGEN PEROXIDE 99 % OECD 209

Result: Readily Biodegradable MINERAL OIL

31 % OECD 301 F

Result: Not Readily Biodegradable

Bioaccumulative potential

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Dispose in accordance with all applicable regulations. Local disposal regulations

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. Transport information

DOT

**FINISHED GOODS** 

Not regulated as dangerous goods.

**BULK** 

Not regulated as dangerous goods.

**FINISHED GOODS** 

Not regulated as dangerous goods.

**BULK** 

Not regulated as dangerous goods.

**IMDG** 

**FINISHED GOODS** 

Not regulated as dangerous goods.

**BULK** 

Not regulated as dangerous goods.

#### 15. Regulatory information

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard **US** federal regulations

Communication Standard, 29 CFR 1910.1200.

**Toxic Substances Control Act (TSCA)** 

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

HYDROGEN PEROXIDE (CONC.> 52%) 1000 LBS

(CAS 7722-84-1)

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Material name: PULP RIOT 6 VOLUME PREMIUM DEVELOPER SDS US

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Chemical name **CAS** number Reportable **Threshold Threshold Threshold** quantity planning quantity planning quantity, planning quantity, (pounds) (pounds) lower value upper value (pounds) (pounds) 1000 **HYDROGEN** 7722-84-1 1000

PEROXIDE

SARA 311/312 Hazardous

No (Exempt)

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

16. Other information, including date of preparation or last revision

**Issue date** 12-02-2020

Version # 01

NFPA ratings Health: 0

Flammability: 1 Instability: 0

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

**Revision information** This document has undergone significant changes and should be reviewed in its entirety.

Material name: PULP RIOT 6 VOLUME PREMIUM DEVELOPER