REDKEN

SAFETY DATA SHEET

1. Identification

Product identifier REDKEN FIZZ DISMISS CONDITIONER

Other means of identification

SDS number 00-12-278-0

Recommended use Personal care product used on the hair for cosmetic effect.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

US Address: L'Oreal USA Products, Inc

133 Terminal Avenue Clark, NJ 07066

USA

Canadian Address: L'Oreal Canada

4895 rue Hickmore

Ville St-Laurent, H4T 1K5

Canada

Emergency Phone #: 1-800-535-5053 (International: 352-323-3500)

In Canada - 1-613-996-6666 (Canutec (*666 Cellular))

For further Information: 1-732-499-2741

Poison Control #: 412-390-3326

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 2A

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes serious eye irritation.

Precautionary statement

Prevention Wash thoroughly after handling. Wear eye protection/face protection.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

1.5% of the mixture consists of component(s) of unknown acute oral toxicity. 1.5% of the mixture consists of component(s) of unknown acute dermal toxicity. 1.5% of the mixture consists of component(s) of unknown acute inhalation toxicity.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%	
BEHENTRIMONIUM CHLORIDE		68607-24-9	2.37	
MINERAL OIL		8042-47-5	1.5	

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and delayed

Indication of immediate medical attention and special

medical attention and special treatment needed

General information

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from

the chemical

Special protective equipment and precautions for firefighters

Fire fighting

equipment/instructions

Specific methods

General fire hazards

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Environmental precautions 7. Handling and storage

Precautions for safe handling

Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

ComponentsTypeValueFormMINERAL OIL (CAS
8042-47-5)PEL5 mg/m3Mist.

US. ACGIH Threshold Limit Values

ComponentsTypeValueFormMINERAL OIL (CAS
8042-47-5)TWA5 mg/m3Inhalable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

 Components
 Type
 Value
 Form

 MINERAL OIL (CAS 8042-47-5)
 STEL 10 mg/m3 Mist.
 Mist.

 TWA 5 mg/m3 Mist.
 5 mg/m3 Mist.
 Mist.

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical stateLiquid.FormCream.ColorWhite

Odor Characteristic.
Odor threshold Not available.

pH 3 - 4

Melting point/freezing point Not available.

Initial boiling point and boiling > 212 °F (> 100 °C)

range

Flash point > 212.0 °F (> 100.0 °C) Closed Cup

Evaporation rate Not available.
Flammability (solid, gas) Not applicable.
Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper Not available.

(%)

Vapor pressure Not available.

Vapor density Not available.

Specific gravity Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoidContact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected.

Eye contact Causes serious eye irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision.

toxicological characteristics

Information on toxicological effects

Acute toxicity Not known.

Components Species Test Results

BEHENTRIMONIUM CHLORIDE (CAS 68607-24-9)

<u>Acute</u>

Oral

LD50 Rat 3190 mg/kg bw OECD 401

MINERAL OIL (CAS 8042-47-5)

<u>Acute</u>

Dermal

LD50 Rabbit > 2000 mg/kg bw OECD 402

Inhalation

Aerosol

LC50 Rat > 5 mg/L air, 4 h OECD 403

Oral

LD50 Rat > 5000 mg/kg bw OECD 401

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

^{*} Estimates for product may be based on additional component data not shown.

Irritation Corrosion - Skin

MINERAL OIL **OECD 404**

> Result: Not Irritating Species: Rabbit

BEHENTRIMONIUM CHLORIDE **OECD 405**

> Result: Irritating Species: Rabbit

Serious eve damage/eve

Causes serious eye irritation.

irritation

Irritation Corrosion - Eye

BEHENTRIMONIUM CHLORIDE **OECD 404**

> Result: Corrosive Species: Rabbit

OECD 405 MINERAL OIL

> Result: Not Irritating Species: Rabbit

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitization

Skin sensitization

BEHENTRIMONIUM CHLORIDE **OECD 406**

> Result: Not Sensitizing Species: Guinea pig

MINERAL OIL **OECD 406**

> Result: Not Sensitizing Species: Guinea pig

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Mutagenicity

BEHENTRIMONIUM CHLORIDE Result: In vitro tests did not show mutagenic effects MINERAL OIL Result: In vitro tests did not show mutagenic effects

Not classifiable as to carcinogenicity to humans. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

MINERAL OIL (CAS 8042-47-5) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Developmental effects

MINERAL OIL > 5000 mg/kg bw/d OECD 414. No effects on development

> Result: NOAEL Species: Rat

Reproductivity

MINERAL OIL > 1000 mg/kg bw/d OECD 421, No effects on fertility

Result: NOAEL Species: Rat

BEHENTRIMONIUM CHLORIDE 75 mg/kg bw/d OECD 421

> Result: NOAEL Species: Rat

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -Not classified.

repeated exposure

MINERAL OIL > 1900 mg/kg bw/d OECD 408, Oral

> Result: NOEL Species: Rat Test Duration: 90 d

> 2000 mg/kg bw/d OECD 411, Dermal

Result: NOAEL Species: Rat Test Duration: 90 d

Material name: REDKEN FIZZ DISMISS CONDITIONER

SDS US 32505 Version #: 01 Issue date: 11-03-2017

Specific target organ toxicity repeated exposure

> MINERAL OIL > 50 mg/m3 air OECD 412, Inhalation

> > Result: NOAEC Species: Rat Test Duration: 28 d

BEHENTRIMONIUM CHLORIDE 10 mg/kg bw/d OECD 407, Oral

> Result: NOAEL Species: Rat Test Duration: 28 d

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity**

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
BEHENTRIMONIUM C	HLORIDE (CAS 68	8607-24-9)	
Aquatic			
Algae	EC50	Desmodesmus subspicatus	3.48 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	1.39 mg/l, 48 h OECD 202
Fish	LC50	Danio rerio	0.5 - 1 mg/l, 96 h TG 203
Other	EC50	Activated sludge of a predominantly domestic sewage	43 mg/l, 3 h TG 209
MINERAL OIL (CAS 80)42-47-5)		
Aquatic			
Acute			
Algae	NOEL	Pseudokirchneriella subcapitata	> 100 mg/l, 72 h OECD 201
Crustacea	LL50	Daphnia magna	> 100 mg/l, 48 h OECD 202
Fish	LC50	Oncorhynchus mykiss	> 100 mg/l, 96 h OECD 203

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

BEHENTRIMONIUM CHLORIDE 80 % OECD 301

Result: Readily Biodegradable

Test Duration: 28 d

Bioaccumulative potential

Mobility in soil No data available.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of **Disposal instructions**

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

Material name: REDKEN FIZZ DISMISS CONDITIONER

DOT

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IATA

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

Read safety instructions, SDS and emergency procedures before handling.

IMDG

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

Read safety instructions, SDS and emergency procedures before handling.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

16. Other information, including date of preparation or last revision

Issue date 11-03-2017

Version # 01

NFPA ratings Health: 2

Flammability: 0 Instability: 0

Disclaimer

Redken cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.