Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Date of Issue: 07/20/2017

Version: 1.0

SECTION 1: IDENTIFICATION

Product Identifier
Product Form: Mixture
Product Name: Tint remover
Product Code: KO0004

Intended Use of the Product

Aqueous solution of active agents for cleaning the skin from stains of oxidant based eyelash and eyebrow tints

Name, Address, and Telephone of the Responsible Party

Company Manufacturer

CBON – Cosmetic Brands of North America Inc

5B – 1255B Reid Street Richmond Hill, ON L4B 1G1

(905) 771-6115

https://www.cboncanada.com/

GW Cosmetics GmbH Achauerstrasse 49a Leopoldsdorf, 2333 Austria +43 2235 47 9400

Emergency Telephone Number No additional information available

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS-US/CA Classification

Flam. Liq. 2 H225 Eye Irrit. 2A H319 Skin Sens. 1 H317

Full text of hazard classes and H-statements: see section 16

Label Elements

GHS-US/CA Labeling

Hazard Pictograms (GHS-US/CA)





Signal Word (GHS-US/CA) : Danger

Hazard Statements (GHS-US/CA) : H225 - Highly flammable liquid and vapor.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

Precautionary Statements (GHS-US/CA): P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P233 - Keep container tightly closed.

P240 - Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical, ventilating, and lighting equipment.

P242 - Use only non-sparking tools.

P243 - Take action to prevent static discharges.

P261 - Avoid breathing vapors, mist, or spray.

P264 - Wash hands, forearms, and other exposed areas thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves, protective clothing, and eye protection.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water .

 ${\it P305+P351+P338-IF\ IN\ EYES:\ Rinse\ cautiously\ with\ water\ for\ several\ minutes.\ Remove}$

contact lenses, if present and easy to do. Continue rinsing. P321 - Specific treatment (see section 4 on this SDS).

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

07/20/2017 EN (English US) 1/9

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

P362+P364 - Take off contaminated clothing and wash it before reuse.

P370+P378 - In case of fire: Use appropriate media (see section 5) to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

Unknown Acute Toxicity (GHS-US/CA)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Name	Product Identifier	% *	GHS Ingredient Classification
Water	(CAS-No.) 7732-18-5	84.47	Not classified
Isopropyl alcohol	(CAS-No.) 67-63-0	14	Flam. Liq. 2, H225
			Eye Irrit. 2A, H319
			STOT SE 3, H336
Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-	(CAS-No.) 9005-65-6	1.3	Not classified
ethanediyl) derivatives			
Lemon, extract	(CAS-No.) 84929-31-7	0.15	Flam. Liq. 3, H226
			Skin Irrit. 2, H315
			Skin Sens. 1, H317
			Asp. Tox. 1, H304
			Aquatic Chronic 2, H411
Oils, Litsea cubeba	(CAS-No.) 68855-99-2	0.08	Not classified

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

Most Important Symptoms and Effects Both Acute and Delayed

General: Causes serious eye irritation. Skin sensitization. **Inhalation:** Prolonged exposure may cause irritation. **Skin Contact:** May cause an allergic skin reaction.

Eye Contact: Contact causes severe irritation with redness and swelling of the conjunctiva.

Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: Not available

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO₂). Water may be ineffective but water should be used to keep fire-exposed container cool.

07/20/2017 EN (English US) 2/9

^{*}Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Unsuitable Extinguishing Media: Do not use a heavy water stream. A heavy water stream may spread burning liquid.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Highly flammable liquid and vapor.

Explosion Hazard: May form flammable or explosive vapor-air mixture.

Reactivity: Reacts violently with strong oxidizers. Increased risk of fire or explosion.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate

area. Fight fire remotely due to the risk of explosion.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Not available

Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid breathing (vapor, mist, spray). Do not get in eyes, on skin, or on clothing. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Use special care to avoid static electric charges.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel. Stop leak if safe to do so.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area. Eliminate ignition sources.

Environmental Precautions

Prevent entry to sewers and public waters.

Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all directions.

Methods for Cleaning Up: Absorb and/or contain spill with inert material. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill. Do not take up in combustible material such as: saw dust or cellulosic material. Use only non-sparking tools. Clean up spills immediately and dispose of waste safely.

Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Additional Hazards When Processed: Handle empty containers with care because residual vapors are flammable.

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapors, mist, spray. Take precautionary measures against static discharge. Use only non-sparking tools. Avoid contact with skin, eyes and clothing.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations. Take action to prevent static discharges. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating, and lighting equipment.

Storage Conditions: Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store in a well-ventilated place. Keep container tightly closed. Keep in fireproof place.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

Specific End Use(s)

Aqueous solution of active agents for cleaning the skin from stains of oxidant based eyelash and eyebrow tints

07/20/2017 EN (English US) 3/9

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government.

Nexico	
Mexico OEL TWA (ppm) 400 ppm Mexico OEL STEL (mg/m³) 1225 mg/m³ Mexico OEL STEL (ppm) 500 ppm USA ACGIH ACGIH TWA (ppm) 200 ppm USA ACGIH ACGIH STEL (ppm) 400 ppm USA ACGIH ACGIH chemical category Not Classifiable as a Human Carcinogen	
MexicoOEL STEL (mg/m³)1225 mg/m³MexicoOEL STEL (ppm)500 ppmUSA ACGIHACGIH TWA (ppm)200 ppmUSA ACGIHACGIH STEL (ppm)400 ppmUSA ACGIHACGIH chemical categoryNot Classifiable as a Human Carcinogen	
MexicoOEL STEL (ppm)500 ppmUSA ACGIHACGIH TWA (ppm)200 ppmUSA ACGIHACGIH STEL (ppm)400 ppmUSA ACGIHACGIH chemical categoryNot Classifiable as a Human Carcinogen	
USA ACGIH ACGIH TWA (ppm) 200 ppm USA ACGIH ACGIH STEL (ppm) 400 ppm USA ACGIH ACGIH chemical category Not Classifiable as a Human Carcinogen	
USA ACGIH ACGIH STEL (ppm) 400 ppm USA ACGIH ACGIH chemical category Not Classifiable as a Human Carcinogen	
USA ACGIH ACGIH chemical category Not Classifiable as a Human Carcinogen	
<u> </u>	
LICA ACCILI Dialogical Evacuum Indiana (DEI) 40 mg/l Devamatory Acatona Madium uning S	
USA ACGIH Biological Exposure Indices (BEI) 40 mg/l Parameter: Acetone - Medium: urine - S	
time: end of shift at end of workweek (backgrou	na,
nonspecific)	
USA OSHA OSHA PEL (TWA) (mg/m³) 980 mg/m³	
USA OSHA OSHA PEL (TWA) (ppm) 400 ppm	
USA NIOSH NIOSH REL (TWA) (mg/m³) 980 mg/m³	
USA NIOSH NIOSH REL (TWA) (ppm) 400 ppm	
USA NIOSH NIOSH REL (STEL) (mg/m³) 1225 mg/m³	
USA NIOSH NIOSH REL (STEL) (ppm) 500 ppm	
USA IDLH US IDLH (ppm) 2000 ppm (10% LEL)	
Alberta OEL STEL (mg/m³) 984 mg/m³	
Alberta OEL STEL (ppm) 400 ppm	
Alberta OEL TWA (mg/m³) 492 mg/m³	
Alberta OEL TWA (ppm) 200 ppm	
British Columbia OEL STEL (ppm) 400 ppm	
British Columbia OEL TWA (ppm) 200 ppm	
ManitobaOEL STEL (ppm)400 ppm	
Manitoba OEL TWA (ppm) 200 ppm	
New Brunswick OEL STEL (mg/m³) 1230 mg/m³	
New Brunswick OEL STEL (ppm) 500 ppm	
New BrunswickOEL TWA (mg/m³)983 mg/m³	
New Brunswick OEL TWA (ppm) 400 ppm	
Newfoundland & LabradorOEL STEL (ppm)400 ppm	
Newfoundland & LabradorOEL TWA (ppm)200 ppm	
Nova Scotia OEL STEL (ppm) 400 ppm	
Nova Scotia OEL TWA (ppm) 200 ppm	
Nunavut OEL STEL (ppm) 400 ppm	
Nunavut OEL TWA (ppm) 200 ppm	
Northwest Territories OEL STEL (ppm) 400 ppm	
Northwest Territories OEL TWA (ppm) 200 ppm	
Ontario OEL STEL (ppm) 400 ppm	
Ontario OEL TWA (ppm) 200 ppm	
Prince Edward Island OEL STEL (ppm) 400 ppm	
Prince Edward Island OEL TWA (ppm) 200 ppm	
QuébecVECD (mg/m³)1230 mg/m³	
Québec VECD (ppm) 500 ppm	
QuébecVEMP (mg/m³)985 mg/m³	
Québec VEMP (ppm) 400 ppm	

07/20/2017 EN (English US) 4/9

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Saskatchewan	OEL STEL (ppm)	400 ppm	
Saskatchewan	OEL TWA (ppm)	200 ppm	
Yukon	OEL STEL (mg/m³)	1225 mg/m³	
Yukon	OEL STEL (ppm)	500 ppm	
Yukon	OEL TWA (mg/m³)	980 mg/m³	
Yukon	OEL TWA (ppm)	400 ppm	

Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gas detectors should be used when flammable gases or vapors may be released. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment.

Personal Protective Equipment: Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection.







Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear protective gloves.

Eye and Face Protection: None required under normal product handling conditions.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State : Liquid

Appearance : Colorless, Transparent

Odor : Not available
Odor Threshold : Not available

pH : 5-6

Not available **Evaporation Rate Melting Point** Not available **Freezing Point** Not available **Boiling Point** Not available 32.7 °C (90.86 °F) **Flash Point Auto-ignition Temperature** Not available **Decomposition Temperature** Not available Flammability (solid, gas) Not applicable **Lower Flammable Limit** Not available **Upper Flammable Limit** Not available **Vapor Pressure** Not available Relative Vapor Density at 20°C Not available **Relative Density** Not available **Specific Gravity** 0.96-0.99 g/ml Solubility Not available **Partition Coefficient: N-Octanol/Water** Not available

SECTION 10: STABILITY AND REACTIVITY

Viscosity

Reactivity: Reacts violently with strong oxidizers. Increased risk of fire or explosion.

07/20/2017 EN (English US) 5/9

Not available

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Chemical Stability: Extremely flammable liquid and vapor. May form flammable or explosive vapor-air mixture.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Direct sunlight, extremely high or low temperatures, heat, hot surfaces, sparks, open flames, incompatible

materials, and other ignition sources.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

Hazardous Decomposition Products: Not available

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity (Oral): Not classified
Acute Toxicity (Dermal): Not classified
Acute Toxicity (Inhalation): Not classified
LD50 and LC50 Data: Not available
Skin Corrosion/Irritation: Not classified

pH: 5 - 6

Eye Damage/Irritation: Causes serious eye irritation.

pH: 5 - 6

Respiratory or Skin Sensitization: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation. **Symptoms/Injuries After Skin Contact:** May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact: Contact causes severe irritation with redness and swelling of the conjunctiva.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Isopropyl alcohol (67-63-0)			
LD50 Dermal Rabbit	4059 mg/kg		
LC50 Inhalation Rat	72600 mg/m³ (Exposure time: 4 h)		
LC50 Inhalation Rat	72.5 mg/l/4h		
Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,	Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivatives (9005-65-6)		
LD50 Oral Rat	37.605 g/kg		
ATE US/CA (oral)	37,605.00 mg/kg body weight		
Oils, Litsea cubeba (68855-99-2)			
LD50 Oral Rat	> 5 g/kg		
Isopropyl alcohol (67-63-0)			
IARC Group	3		

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecology - General: Not classified.

Isopropyl alcohol (67-63-0)	
LC50 Fish 1	9640 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	13299 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 Other Aquatic Organisms 1	1000 mg/l (Exposure time: 96 h - Species: Desmodesmus subspicatus)
LC50 Fish 2	11130 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Other Aquatic Organisms 2	1000 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)

07/20/2017 EN (English US) 6/9

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Persistence and Degradability

Tint remover	
Persistence and Degradability	Not established.

Bioaccumulative Potential

Tint remover	
Bioaccumulative Potential Not established.	
Isopropyl alcohol (67-63-0)	
Log Pow	0.05 (at 25 °C)

Mobility in Soil Not available

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, and international regulations

Additional Information: Handle empty containers with care because residual vapors are flammable.

Ecology - Waste Materials: Avoid release to the environment.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In Accordance with DOT

Proper Shipping Name : ISOPROPANOL Solution

Hazard Class : 3
Identification Number : UN1219
Label Codes : 3

Packing Group : II ERG Number : 129

In Accordance with IMDG

Proper Shipping Name : ISOPROPANOL Solution

Hazard Class : 3

Identification Number : UN1219

Label Codes: 3Packing Group: IIEmS-No. (Fire): F-EEmS-No. (Spillage): S-D

In Accordance with IATA

Proper Shipping Name : ISOPROPANOL Solution

Identification Number : 3

Hazard Class : UN1219

Label Codes : 3
Packing Group : II
ERG Code (IATA) : 3L

In Accordance with TDG

Proper Shipping Name : ISOPROPANOL Solution

Hazard Class : 3
Identification Number : UN1219
Label Codes : 3

Packing Group : II





SECTION 15: REGULATORY INFORMATION

US Federal Regulations

Tint remover

07/20/2017 EN (English US) 7/9

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

SARA Section 311/312 Hazard Classes	Fire hazard	
	Immediate (acute) health hazard	
Water (7732-18-5)		
Listed on the United States TSCA (Toxic Substances Control A	ct) inventory	
Isopropyl alcohol (67-63-0)		
Listed on the United States TSCA (Toxic Substances Control A	ct) inventory	
Subject to reporting requirements of United States SARA Section 313		
SARA Section 313 - Emission Reporting	1 % (only if manufactured by the strong acid process, no supplier	
	notification)	
Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethane	diyl) derivatives (9005-65-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the	
	Inventory Update Reporting Rule, i.e, Partial Updating of the TSCA	
	Inventory Data Base Production and Site Reports (40 CFR 710(C)).	
Oils, Litsea cubeba (68855-99-2)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		

US State Regulations

Isopropyl alcohol (67-63-0)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

Canadian Regulations

Water	(7732-18-5)
-------	-------------

Listed on the Canadian DSL (Domestic Substances List)

Isopropyl alcohol (67-63-0)

Listed on the Canadian DSL (Domestic Substances List)

Sorbitan, mono-(9Z)-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivatives (9005-65-6)

Listed on the Canadian DSL (Domestic Substances List)

Lemon, extract (84929-31-7)

Listed on the Canadian DSL (Domestic Substances List)

Oils, Litsea cubeba (68855-99-2)

Listed on the Canadian DSL (Domestic Substances List)

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest :

: 07/20/2017

Revision

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA

Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products

Regulations (HPR) SOR/2015-17.

GHS Full Text Phrases:

Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2	
Asp. Tox. 1	Aspiration hazard Category 1	
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A	
Flam. Liq. 2	Flammable liquids Category 2	
Flam. Liq. 3	Flammable liquids Category 3	
Skin Irrit. 2	Skin corrosion/irritation Category 2	
Skin Sens. 1	Skin sensitization, Category 1	
STOT SE 3	Specific target organ toxicity (single exposure) Category 3	

07/20/2017 EN (English US) 8/9

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H411	Toxic to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

NA GHS SDS 2015 (Can, US, Mex)

07/20/2017 EN (English US) 9/9