Telefax: +43 / 2235 / 47 940-39

Safety Data Sheet

according to Regulation (EC) No 1907/2006

R'Cil Ultra Glue

Revision date: 19.06.2024 Product code: KO0080 Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

R'Cil Ultra Glue

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cosmetics

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name: GW Cosmetics GmbH Street: Achauerstrasse 49a Place: A-2333 Leopoldsdorf Telephone: +43 / 2235 / 47 940-0

Responsible Department: office@gwcosmetics.at

1.4. Emergency telephone +43 / 2235 / 47 940-0 (09:00-16:00 CET)

number:

Further Information

This product is subject to the regulation (EC) No 1223/2009. This sheet was prepared on a voluntary basis.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Additional advice on labelling

This product is subject to the regulation (EC) No 1223/2009. This sheet was prepared on a voluntary basis.

2.3. Other hazards

The substances in the mixture (>0,1%) do not meet the PBT/vPvB criteria according to REACH, annex XIII. This product does not contain a substance (> 0,1%) that has endocrine disrupting properties with respect to humans as no components meets the criteria. This product does not contain a substance (> 0,1 %) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria. No risks worthy of mention. Please observe the information on the safety data sheet at all times.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

| CAS No | Chemical name | | | Quantity | |
|---------|---|--------------|------------------|-------------|--|
| | EC No | Index No | REACH No | | |
| | Classification (Regulation (EC) No 1272/2008) | | | | |
| 64-17-5 | ethanol; ethyl alcohol | | | 15 - < 20 % | |
| | 200-578-6 | 603-002-00-5 | 01-2119457610-43 | | |
| | Flam. Liq. 2, Eye Irrit. 2; H225 H319 | | | | |

Full text of H and EUH statements: see section 16.

according to Regulation (EC) No 1907/2006

Revision date: 19.06.2024 Product code: KO0080 Page 2 of 12

| CAS No | EC No | Chemical name | Quantity | |
|---------|---|------------------------|-------------|--|
| | Specific Conc. Limits, M-factors and ATE | | | |
| 64-17-5 | 200-578-6 | ethanol; ethyl alcohol | 15 - < 20 % | |
| | inhalation: LC50 = 124,7 mg/l (vapours); oral: LD50 = 10470 mg/kg | | | |

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

After contact with eves

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

See sections 2 and 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. Alcohol resistant foam. Water spray

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide. Carbon dioxide (CO2).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Safe handling: see section 7

according to Regulation (EC) No 1907/2006

R'Cil Ultra Glue

Revision date: 19.06.2024 Product code: KO0080 Page 3 of 12

For non-emergency personnel

Wear personal protection equipment (refer to section 8).

For emergency responders

No special measures are necessary.

6.2. Environmental precautions

Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. (See section 8.)

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Always close containers tightly after the removal of product. When using do not eat, drink or smoke. Wash hands before breaks and after work.

Further information on handling

General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 20 °C

Protect against: frost. UV-radiation/sunlight. heat. Humidity

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

| CAS No | Name of agent | ppm | mg/m³ | fib/cm³ | Category | Origin |
|-----------|-------------------|-----|-------|---------|---------------|--------|
| 7664-41-7 | Ammonia anhydrous | 20 | 14 | | TWA (8 h) | |
| | | 50 | 36 | | STEL (15 min) | |

23,8 mg/m³

23,8 mg/m³

2,8 mg/m³

7,2 mg/m³

68 mg/kg bw/day

68 mg/kg bw/day

6,8 mg/kg bw/day

6,8 mg/kg bw/day

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Revision date: 19.06.2024 Product code: KO0080 Page 4 of 12

DNEL/DMEL values CAS No Name of agent DNEL type Exposure route Effect Value 64-17-5 ethanol; ethyl alcohol Worker DNEL, long-term inhalation 380 mg/m³ systemic Worker DNEL, acute inhalation local 1900 mg/m³ Worker DNEL, long-term dermal systemic 343 mg/kg bw/day Consumer DNEL, long-term inhalation systemic 114 mg/m³ inhalation Consumer DNEL, acute local 950 mg/m³ Consumer DNEL, long-term dermal 206 mg/kg bw/day systemic Consumer DNEL, long-term oral systemic 87 mg/kg bw/day 7664-41-7 ammonia, anhydrous Worker DNEL, long-term inhalation systemic 47,6 mg/m³ Worker DNEL, acute 47,6 mg/m³ inhalation systemic Worker DNEL, long-term inhalation 14 mg/m³ local Worker DNEL, acute inhalation 36 mg/m³ local Worker DNEL, long-term dermal systemic 6,8 mg/kg bw/day Worker DNEL, acute dermal systemic 6,8 mg/kg bw/day

inhalation

inhalation

inhalation

inhalation

dermal

dermal

oral

oral

systemic

systemic

systemic

systemic

systemic

systemic

local

local

PNEC values

Consumer DNEL, long-term

Consumer DNEL, long-term

Consumer DNEL, long-term

Consumer DNEL, long-term

Consumer DNEL, acute

Consumer DNEL, acute

Consumer DNEL, acute

Consumer DNEL, acute

| CAS No | Name of agent | |
|---|---------------------------------------|------------|
| Environmen | tal compartment | Value |
| 64-17-5 | ethanol; ethyl alcohol | |
| Freshwater | | 0,96 mg/l |
| Freshwater | (intermittent releases) | 2,75 mg/l |
| Marine wate | r | 0,79 mg/l |
| Freshwater | sediment | 3,6 mg/kg |
| Marine sediment | | 2,9 mg/kg |
| Secondary p | poisoning | 380 mg/kg |
| Micro-organ | isms in sewage treatment plants (STP) | 580 mg/l |
| Soil | | 0,63 mg/kg |
| 7664-41-7 | ammonia, anhydrous | |
| Freshwater | | 0,001 mg/l |
| Freshwater (intermittent releases) 0,007 mg | | |
| Marine wate | r | 0,001 mg/l |

according to Regulation (EC) No 1907/2006

R'Cil Ultra Glue

Revision date: 19.06.2024 Product code: KO0080 Page 5 of 12

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Provide adequate ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible). EN ISO 16321-1:2022

Hand protection

In case of prolonged or frequently repeated skin contact:

Wear suitable gloves. Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time >= 8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time >= 8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

The selected protective gloves have to satisfy the specifications of EU Directive EC/ 2016/425 and the standard EN 374 derived from it.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Suitable protective clothing: Lab apron.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Thermal hazards

No special precautionary measures are necessary.

Environmental exposure controls

No special precautionary measures are necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: not determined
Odour: characteristic
Odour threshold: not determined

Melting point/freezing point:

Boiling point or initial boiling point and

not determined
not determined

boiling range:

Flammability: not determined
Lower explosion limits: not determined
Upper explosion limits: not determined
Flash point: not determined
Auto-ignition temperature: not determined
Decomposition temperature: not relevant
pH-Value: not determined

according to Regulation (EC) No 1907/2006

R'Cil Ultra Glue

Revision date: 19.06.2024 Product code: KO0080 Page 6 of 12

Viscosity / kinematic: not determined
Water solubility: not determined

Solubility in other solvents

not determined

Dissolution rate: not relevant Partition coefficient n-octanol/water: not relevant Dispersion stability: not relevant Vapour pressure: not determined Density: not determined Bulk density: not relevant Relative vapour density: not determined Particle characteristics: not relevant

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

none

Sustaining combustion: No data available

Self-ignition temperature

Solid: not relevant Gas: not relevant

Oxidizing properties

none

Other safety characteristics

Evaporation rate: not determined Solvent separation test: not determined Solvent content: not determined Solid content: not determined Sublimation point: not relevant Softening point: not relevant Pour point: not relevant Viscosity / dynamic: not determined Flow time: not determined

Further Information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

Refer to section 10.5.

10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

10.5. Incompatible materials

Materials to avoid: Oxidising agent, strong. Reducing agents, strong.

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

according to Regulation (EC) No 1907/2006

R'Cil Ultra Glue

Revision date: 19.06.2024 Product code: KO0080 Page 7 of 12

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

No data available.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 50 mg/l; ATE (inhalation dust/mist) > 12,5 mg/l

| CAS No | Chemical name | | | | | | | |
|---------|------------------------|---------------|-------|---------|---------------|--------------------|--|--|
| | Exposure route | Dose | | Species | Source | Method | | |
| 64-17-5 | ethanol; ethyl alcohol | | | | | | | |
| | oral | LD50 mg/kg | 10470 | Rat | REACH Dossier | OECD Guideline 401 | | |
| | \ | LC50 mg/l | 124,7 | Rat | REACH Dossier | OECD Guideline 403 | | |

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance (> 0,1%) that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information

No data available.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | | |
|---------|------------------------|------|-----------|---------|--------|--------|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 64-17-5 | ethanol; ethyl alcohol | | | | | |

according to Regulation (EC) No 1907/2006

Revision date: 19.06.2024 Product code: KO0080 Page 8 of 12

| Acute fish toxicity | LC50 mg/l | 15400 | 96 h | Lepomis macrochirus | | EPA-660/3-75-00 9, 1975 |
|--------------------------|---------------------|---------|-------|-----------------------------|---------------|----------------------------|
| Acute algae toxicity | ErC50 22000 mg/l | ca. | | Raphidocelis subcapitata | REACH Dossier | OECD Guideline 201 |
| Acute crustacea toxicity | EC50 mg/l | > 10000 | 48 h | Daphnia magna | REACH Dossier | DIN 38412 part 11 |
| Fish toxicity | NOEC mg/l | > 79 | 100 d | Oryzias latipes | REACH Dossier | |
| Algae toxicity | NOEC mg/l | 5400 | | Skeletonema costatum | REACH Dossier | |
| Crustacea toxicity | NOEC | 2 mg/l | 10 d | Ceriodaphnia dubia | REACH Dossier | |

12.2. Persistence and degradability

| CAS No | Chemical name | | | | | | |
|---------|--------------------------------|------|----|---------------|--|--|--|
| | Method Value d Source | | | | | | |
| | Evaluation | | | | | | |
| 64-17-5 | ethanol; ethyl alcohol | | | | | | |
| | other method (BOD method 1971) | 84 % | 20 | REACH Dossier | | | |
| | Readily biodegradable | | | | | | |

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|---------|------------------------|---------|
| 64-17-5 | ethanol; ethyl alcohol | -0,77 |

BCF

| CAS No | Chemical name | BCF | Species | Source |
|---------|------------------------|-----|-----------------|---------------|
| 64-17-5 | ethanol; ethyl alcohol | 1 | Cyprinus carpio | REACH Dossier |

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.7. Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal.

Non-contaminated packages may be recycled.

According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

according to Regulation (EC) No 1907/2006

R'Cil Ultra Glue

Product code: KO0080 Revision date: 19.06.2024 Page 9 of 12

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

List of Wastes Code - residues/unused products

WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, 070699

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - used product

WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, 070699

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - contaminated packaging

150106 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); mixed packaging

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: No dangerous good in sense of these transport regulations. 14.2. UN proper shipping name: No dangerous good in sense of these transport regulations. 14.3. Transport hazard class(es): No dangerous good in sense of these transport regulations. No dangerous good in sense of these transport regulations. 14.4. Packing group:

Inland waterways transport (ADN)

14.1. UN number or ID number: No dangerous good in sense of these transport regulations. 14.2. UN proper shipping name: No dangerous good in sense of these transport regulations. 14.3. Transport hazard class(es): No dangerous good in sense of these transport regulations. 14.4. Packing group: No dangerous good in sense of these transport regulations.

Marine transport (IMDG)

14.1. UN number or ID number: No dangerous good in sense of these transport regulations. 14.2. UN proper shipping name: No dangerous good in sense of these transport regulations. 14.3. Transport hazard class(es): No dangerous good in sense of these transport regulations. 14.4. Packing group: No dangerous good in sense of this transport regulation. NO

Marine pollutant:

Air transport (ICAO-TI/IATA-DGR)

No dangerous good in sense of these transport regulations. 14.1. UN number or ID number: 14.2. UN proper shipping name: No dangerous good in sense of these transport regulations. 14.3. Transport hazard class(es): No dangerous good in sense of these transport regulations. No dangerous good in sense of this transport regulation. 14.4. Packing group:

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

refer to section 6 - 8

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 40

according to Regulation (EC) No 1907/2006

R'Cil Ultra Glue

Revision date: 19.06.2024 Product code: KO0080 Page 10 of 12

Directive 2010/75/EU on industrial

emissions:

not determined

Directive 2004/42/EC on VOC in

paints and varnishes:

not determined

Information according to Directive

2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

This mixture is classified as not hazardous according to Regulation (EC) 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): not relevant

National regulatory information

Water hazard class (D):

1 - slightly hazardous to water

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

ethanol; ethyl alcohol

SECTION 16: Other information

Changes

Rev. 1,0; Initial release: 19.06.2024

according to Regulation (EC) No 1907/2006

R'Cil Ultra Glue

Revision date: 19.06.2024 Product code: KO0080 Page 11 of 12

Abbreviations and acronyms

Flam. Gas: Flammable gases

Liquefied gas

Flam. Liq: Flammable liquid Acute Tox: Acute toxicity Skin Corr: Skin corrosion Eye Irrit: Eye irritation

Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

concerning the International Carriage of Dangerous Goods by Road)

AGW: Arbeitsplatzgrenzwert CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging of substances and mixtures

DNEL: Derived No Effect Level

d: day(s)

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European LIst of Notified Chemical Substances

ECHA: European Chemicals Agency EWC: European Waste Catalogue

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

h: hour

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NLP: No-Longer Polymers N/A: not applicable

OECD: Organisation for Economic Co-operation and Development

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Reglement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

REACH: Registration, Evaluation, Authorisation of Chemicals

SVHC: substance of very high concern TRGS: Technische Regeln für Gefahrstoffe

UN: United Nations

VOC: Volatile Organic Compounds WGK: Water Hazard Class (Germany)

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be

according to Regulation (EC) No 1907/2006

R'Cil Ultra Glue

Revision date: 19.06.2024 Product code: KO0080 Page 12 of 12

transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)