

Page 1 of 7

SP-139

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards MSDS Revision: 1.0 MSDS Revision Date: 12/01/2011 1. PRODUCT IDENTIFICATION Product Name: OIL DEVELOPER 9% 1.2 Chemical Name: NΑ 1.3 Synonyms: NA 1.4 Trade Names: OIL DEVELOPER 9% (FFJ10MK0013/06) 1.5 Product Use: PROFESSIONAL OR SUNDRY USE ONLY 1.6 Distributor's Name SCHWARZKOPF, INC. 17 Distributor's Address 600 CORPORATE POINTE, SUITE 1100, CULVER CITY, CA 90230 USA Emergency Phone: 1.8 CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-3887 1.9 Business Phone: +1 (310) 641-4600 / +1(800) 707-9997 2. HAZARD IDENTIFICATION Hazard Identification: This product is NOT classified as a HAZARDOUS SUBSTANCE or as DANGEROUS GOODS according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia). KEEP OUT OF REACH OF CHILDREN. Avoid getting into the eyes. Use only as directed. Hazard Statements (H): H320 - Causes eye irritation. Precautionary Statements (P): P262 - Do not get in eyes, on skin, or on clothing. P264 - Wash hands thoroughly with soap and warm water after handling. P235+410 - Keep cool. Protect from sunlight. P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. P333+313 - If skin irritation or a rash occurs: Get medical advice/attention. Hydrogen Peroxide: Harmful (Xi). Risk Phrases (R): 22-41-43 Harmful if swallowed. May cause sensitization by skin contact. Safety Phrases (S): 2-3/7-20-26 - Keep away from children. Keep container tightly closed in a cool place. When using do not eat or drink. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Routes of Entry: Inhalation: NO Absorption: YES Ingestion: YES 2.3 Effects of Exposure: INGESTION: If product is swallowed may cause nausea, vomiting and/or diarrhea. Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, stinging, irritation and EYES: SKIN: May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) or sensitization in some sensitive individuals. May cause mild, transient respiratory irritation. Avoid prolonged contact with concentrated vapors or mists. 2.4 Overexposure in eyes may cause redness, stinging, itching and watering. Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) or sensitization in some sensitive individuals. 2.5 Acute Health Effects Moderate irritation to eyes. Symptoms of overexposure may include redness, itching, stinging, irritation and watering. Moderate irritation to skin near affected areas. 2.6 Chronic Health Effects: No harmful or chronic health effects are expected to occur from a single accidental ingestion. Propylene glycol, contained in very small quantities in this product may be mild allergens to some sensitive individuals. 2.7 Target Organs: Eyes NA = Not Available; ND = Not Determined; NE = Not Established; NF = Not Found; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used NOTE: All WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2010 format.



Page 2 of 7

SP-139

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 12/01/2011

~			
•	(()MP()NIII()NIX	INGREDIENT INFORMATION	
v.			

					EXPOSURE LIMITS IN AIR (mg/m³)								
					AC	GIH	1	OHSC			OSHA	ı	
					pp	om		ppm			ppm		OTHER
				0/			ES-	ES-	ES-				
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	TLV	STEL	IDLH	
WATER (AQUA/EAU)	7732-18-5	ZC0110000	231-791-2	≤ 85.0	NA	NA	NF	NF	NF	NA	NA	NA	
PARRIFINUM LIQUIDUM (MINERAL OIL)	8042-47-5	PY8047000	232-384-2	≤ 15.0	(5)	(10)	(5)	(10)	NF	(5)	(10)	NA	
HYDROGEN PEROXIDE	7722-84-1	Mx0900000	231-765-0	≤ 10.0	1.0	NE	1.0	NF	NF	1.0	NE	75	
CETEARYL ALCOHOL	36653-82-4	MM0225000	253-149-0	NA	NA	NA	NF	NF	NF	NA	NA	NA	
PEG-40 CASTOR OIL	61788-85-0	NA	500-147-5	NA	NA	NA	NF	NF	NF	NA	NA	NA	
SODIUM CETEARYL SULFATE	7757-82-6	WE1650000	231-820-9	NA	NA	NA	NF	NF	NF	NA	NA	NA	
ETIDRONIC ACID	2809-21-4	NA	220-552-8	NA	NA	NA	NF	NF	NF	NA	NA	NA	
POTASSIUM HYDROXIDE	1310-58-3	TT2100000	215-181-3	NA	(2)	NA	(2)	NF	NF	(2)	NA	NA	(2) NIOSH
2,6-DICARBOXYPYRIDINE	499-83-2	NA	207-894-3	NA	NA	NA	NF	NF	NF	NF	NA	NA	
DISODIUM PYROPHOSPHATE	7758-16-9	UX7350000	231-835-0	NA	NA	NA	NF	NF	NF	NF	NA	NA	
SODIUM BENZOATE	532-32-1	DH6650000	208-534-8	NA	NA	NA	NF	NF	NF	NF	NA	NA	

4. FIRST AID MEASURES

First Aid:

INGESTION:

DO NOT INDUCE VOMITING. Contact ChemTrec at +1 (703) 527-3887 or the nearest Poison Control Center or local

emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs

spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.

EYES: If product gets in the eyes, flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding eyelid(s)

open to ensure complete flushing. If irritation persists, seek immediate medical attention.

SKIN: Remove contaminated clothing and wash affected areas with soap and water. If irritation persists, seek prompt medical

attention. Do not wear contaminated clothing until after it has been properly cleaned.

INHALATION: Remove victim to fresh air at once. Under extreme conditions, if breathing stops, perform artificial respiration. Seek

immediate medical attention.

4.2 Medical Conditions Aggravated by Exposure:

> Pre-existing dermatitis, other skin conditions, and disorders of the target organs (eyes, skin, and respiratory system) or impaired kidney function may be more susceptible to the effects of this substance.

HEALTH		1		
FLAMMABILITY				0
PHYSICAL HAZARDS				1
PROTECTIVE EQUIPMENT				A
EYES				

5. FIREFIGHTING MEASURES

This	product	is	not	flammable.
11113	pioacci			manninabic.

5.2 Autoignition Temperature:

Flashpoint & Method:

NA

Flammability Limits: 5.3 Lower Explosive Limit (LEL): NA Upper Explosive Limit (UEL): NA

5.4 Fire & Explosion Hazards:

NΑ

5.5

Extinguishing Methods:

Water Fog, Foam, Dry Chemical, CO₂

5.6 Firefighting Procedures:

Fight fires as for surrounding materials. Firefighters should wear a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Fire should be fought from a safe distance. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway.





Page 3 of 7

SP-139

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 12/01/2011

6. ACCIDENTAL RELEASE MEASURES

5.1 Spills

Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment (PPE).

Small Spills: Wear appropriate protective equipment including gloves and protective eyewear. Use a non-combustible material such as vermiculite or sand to soak up the product and place into a container for later disposal.

Large Spills: Keep incompatible materials (e.g., organics such as oil) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant.

7. HANDLING & STORAGE INFORMATION

7.1 Work & Hygiene Practices:

Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Avoid contact with flammable or combustible materials. Avoid contamination from any source, including metals, dust and organic materials. Keep bulk covered. Use chemical goggles if eye contact is possible. Wash unintentional residues with soap and warm water.

7.2 Storage & Handling

Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Avoid temperatures above 120 °F. Keep away from incompatible substances. Protect containers from physical damage. To avoid unintentional spraying keep cap in place when not in use. Keep away from children at all times

7.3 Special Precautions

Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1 Ventilation & Engineering Controls:

General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station).

8.2 Respiratory Protection:

No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia.

8.3 Eye Protection:

Avoid eye contact. Safety glasses with side shields should be used when handling large quantities (e.g., ≥ 1 gallon) of this product.

8.4 Hand Protection

None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon), wear rubber or impervious plastic gloves.

8.5 Body Protection:

No apron required when handling small quantities. When handling large quantities (e.g., ≥ 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.

9. PHYSICAL & CHEMICAL PROPERTIES

9.1	Density:	NA
9.2	Boiling Point:	> 100 °C (> 212 °F)
9.3	Melting Point:	NA
9.4	Evaporation Rate:	NA
9.5	Vapor Pressure:	ND
9.6	Molecular Weight:	NA
9.7	Appearance & Color:	Clear, colorless liquid with characteristic odor
9.8	Odor Threshold:	ND
9.9	Solubility:	Soluble in water
9.10	рН	2.5 – 3.5
9.11	Viscosity:	NA
9.12	Other Information:	Complies with Federal and State regulations for VOC content.



Page 4 of 7

SP-139

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards MSDS Revision: 1.0 MSDS Revision Date: 12/01/2011 10. STABILITY & REACTIVITY 10.1 Stability Stable under normal conditions; unstable with heat or contamination. Liberation of oxygen gas may result in dangerous pressures. 10.2 Hazardous Decomposition Products Oxides of carbon (CO, CO₂) and sulfur (SO₂). Liberation of gas may result in dangerous pressures. 10.3 Hazardous Polymerization Will not occur. Conditions to Avoid: 10.4 Open flames, sparks, high heat, incompatible substances and direct sunlight. 10.5 Incompatible Substances Store away from flammable liquids, flammable solids, aerosols and other incompatible materials (e.g., reducing materials, combustible materials, metal contamination like iron, copper their alloys). Avoid contamination. Do not store any tint, lightener lotion or bleach powder after it has been mixed with developer; the container may rupture. Never return unused material to original container. Avoid extreme heat and ignition sources. 11. TOXICOLOGICAL INFORMATION Toxicity Data: The product has not been tested for specific toxicity data. Acute Toxicity See section 2.5 11.3 Chronic Toxicity See section 2.6 Suspected Carcinogen: 11.4 No 11.5 Reproductive Toxicity This product is not reported to produce reproductive toxicity in humans This product is not reported to produce mutagenic effects in humans. This product is not reported to produce embryotoxic effects in humans. This product is not reported to produce teratogenic effects in humans. Reproductive Toxicity: This product is not reported to produce reproductive effects in humans. Irritancy of Product: See Section 2.3 11.7 Biological Exposure Indices: NE 11.8 Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION **Environmental Stability** There is no specific data available for this product. Effects on Plants & Animals: There is no specific data available for this product. Effects on Aquatic Life 123 There is no specific data available for this product. 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Products covered by this MSDS, in their original form, when disposed as waste, are considered non hazardous waste according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with local, state and federal regulations. Dispose of in accordance with federal, state and local regulations. 13.2 Special Considerations: California Waste Code: 331



Page 5 of 7

SP-139

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 12/01/2011

14. TRANSPORTATION INFORMATION

The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.

	1 3 1 3
14.1	49 CFR (GND):
	UN2984, HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS (9%), 5.1, III, LTD QTY (IP VOL ≤ 5.0 L)
14.2	IATA (AIR):
	UN2984, HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS (9%), 5.1, III, LTD QTY (IP VOL ≤ 0.5 L, PI Y541)
14.3	IMDG (OCN):
	UN2984, HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS (9%), 5.1, III, LTD QTY (IP VOL ≤ 5.0 L)
14.4	IDGR (Canadian GND):
	UN2984, HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS (9%), 5.1, III, LTD QTY (IP VOL ≤ 5.0 L)
14.5	ADR/RID (EU):
	UN2984, HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS (9%), 5.1, III, LTD QTY (IP VOL ≤ 5.0 L)
14.6	SCT (MEXICO):
	UN2984, PEROXIDO DE HIDROGENO EN SOLUCION ACUOSA (9%), 5.1, III, CANTIDAD LIMITADA (IP VOL ≤ 5.0 L)
14.7	ADGR (AUS):
	UN2984, HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS (9%), 5.1, III, LTD QTY (IP VOL ≤ 5.0 L)



15. REGULATORY INFORMATION

15.1 SARA Reporting Requirements:

Hydrogen peroxide is subject to the reporting requirements of SARA Title III, Section 312.

15.2 SARA Threshold Planning Quantity:

Hydrogen peroxide is subject to the reporting requirements of SARA Title III, Section 302.

15.3 TSCA Inventory Status

All chemical substances of this product are listed on the TSCA inventory or are otherwise exempted from inventory status.

15.4 CERCLA Reportable Quantity (RQ):

NA

15.5 Other Federal Requirements:

This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).

15.6 Other Canadian Regulations:

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.



15.7 State Regulatory Information:

Propylene glycol can be found on the following state criteria lists: Minnesota, Pennsylvania

Hydrogen Peroxide can be found on the following state criteria lists: Illinois, Massachusetts, New Jersey, Pennsylvania, Rhode Island No components of this product are listed on the California Proposition 65 lists.

15.8 67/548/EEC (European Union) and other Requirements:

The primary component of this product is listed in Annex I of EU Directive 67/548/EEC:

Hazard Statements (H): H320 - Causes eye irritation.

<u>Precautionary Statements</u> (P): P262 - Do not get in eyes, on skin, or on clothing. P264 - Wash hands thoroughly with soap and warm water after handling. P235+410 - Keep cool. Protect from sunlight. P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. P333+313 - If skin irritation or a rash occurs: Get medical advice/attention.



<u>Risk Phrases</u> (R): 22-41-43 Harmful if swallowed. May cause sensitization by skin contact.

<u>Safety Phrases</u> (S): 2-3/7-20-26 - Keep away from children. Keep container tightly closed in a cool place. When using do not eat or drink. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

<u>HazChem Code</u>: None allocated <u>Poison Schedule</u>: None allocated







http://www.shipmate.com

MATERIAL SAFETY DATA SHEET

Page 6 of 7

SP-139

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards MSDS Revision Date: 12/01/2011 MSDS Revision: 1.0 16. OTHER INFORMATION 16.1 Other Information: For external use only. Use only as directed. Discontinue use immediately if irritation develops. 16.2 Terms & Definitions: Please see last page of this MSDS. 16.3 This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Schwarzkopf's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. Prepared for: Schwarzkopf, Inc. 600 Corporate Pointe, Suite 1100 Schwarzkopf Culver City, CA 90230 USA Tel: +1 (310) 641-4600 Fax: +1 (310) 641-4601 PROFESSIONAL http://www.schwarzkopf.com Prepared by: ShipMate, Inc. P.O. Box 787 Sisters, OR. 97759-0787 Tel: +1 (310) 370-3600 Dangerous Goods Fax: +1 (310) 370-5700 Training & Consulting



Page 7 of 7

SP-139

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 12/01/2011

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH American Conference on Governmental Industrial Hygienists			
TLV Threshold Limit Value			
OSHA	U.S. Occupational Safety and Health Administration		
PEL	Permissible Exposure Limit		
IDLH	Immediately Dangerous to Life and Health		

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose
	heart has stopped receives manual chest compressions and breathing
	to circulate blood and provide oxygen to the body.


HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:


0	Minimal Hazard		
1	1 Slight Hazard		
2	Moderate Hazard		
3	3 Severe Hazard		
4	Extreme Hazard		



PERSONAL PROTECTION RATINGS:







OTHER STANDARD ABBREVIATIONS:


NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:					
Autoignition	Autoignition Minimum temperature required to initiate combustion in air with no				
Temperature	other source of ignition				
LEL	LEL Lower Explosive Limit - lowest percent of vapor in air, by volume, that				
	will explode or ignite in the presence of an ignition source				
UEL	UEL Upper Explosive Limit - highest percent of vapor in air, by volume,				
	that will explode or ignite in the presence of an ignition source				

HAZARD RATINGS:

0	Minimal Hazard				
 Slight Hazard 					
2 Moderate Hazard					
3	Severe Hazard				
4	Extreme Hazard				
ACD	Acidic				
ALK	Alkaline				
COR	Corrosive				
₩	Use No Water				
OX Oxidizer					
TREFOIL	Radioactive				



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed						
	animals s						
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed						
	animal						
ppm	Concentration expressed in parts of material per million parts						
TD _{Io}	Lowest dose to cause a symptom						
TCLo	Lowest concentration to cause a symptom						
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects						
TC, TCo, LCio, & LCo							
IARC	International Agency for Research on Cancer						
NTP	National Toxicology Program						
RTECS	Registry of Toxic Effects of Chemical Substances						
BCF	Bioconcentration Factor						
TLm	Median threshold limit						
log Kow or log Koc	Coefficient of Oil/Water Distribution						

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System					
DOT	U.S. Department of Transportation					
TC	Transport Canada					
EPA	U.S. Environmental Protection Agency					
DSL	Canadian Domestic Substance List					
NDSL	Canadian Non-Domestic Substance List					
PSL	Canadian Priority Substances List					
TSCA	U.S. Toxic Substance Control Act					
EU	European Union (European Union Directive 67/548/EEC)					
WGK	WGK Wassergefährdungsklassen (German Water Hazard Class)					

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

\oslash		8 8		Ţ)	®			
Α	В	C	D1	D2	D3	E	F	
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive	

EC (67/548/EEC) INFORMATION:

F.J.	*		*		*	×	×	
C	E	F	N	0	T+	Xi	Xn	
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful	

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\Leftrightarrow	**	
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment