Schwarzkopf
PROFESSIONAL

MATERIAL SAFETY DATA SHEET

Page 1 of 7

BC-003

PR	PROFESSIONAL			
Pre	Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards	ASDS Revision: 1.1	MSDS Revision Da	te: 05/01/2006
	1. PRODUCT IDENI	IFICATION		
1.1	1.1 Product Name:			
	BC COLOR SAVE SHAMPOO			
1.2	1.2 Chemical Name:			
	AQUEOUS SOLUTION			
1.3	1.3 Synonyms:			
	NA			
1.4	1.4 Trade Names:			
	NA			
1.5	1.5 Product Use:			
	PROFESSIONAL OR SUNDRY USE ONLY			
1.6	1.6 Distributor's Name:			
	SCHWARZKOPF, INC.			
1.7	1.7 Distributor's Address:			
	6047 BRISTOL PARKWAY, SUITE 200, CULVER CITY, 90230 USA			
1.8	1.8 Emergency Phone:			
	CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-3887			
1.9	1.9 Business Phone:			
	+1 (310) 641-4600			
	2. HAZARD IDENT	FICATION		
2.1	2.1 Hazard Identification:			

	In case of eye	contact, rinse immediatel	y with water. For ext	ernal use o	nly. Keep out of rec	ch of child	lren. Use only as di	rected.
2.2	Routes of Entry:		Inhalation:	NO	Absorption:	YES	Ingestion:	YES
2.3	Effects of Exposure	:						
	INGESTION:	IGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea.						
	EYES:	EYES: Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering.						
	SKIN:	KIN: May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive						
		individuals.						
	INHALATION:	None expected.						
2.4	Symptoms of Over	exposure:						
	Overexposure in eyes may cause redness, itching and watering. Symptoms of skin overexposure may include redness, itching, and							
	irritation of affected areas. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals.							
2.5	Acute Health Effects:							
	Moderate irritation to eyes. Moderate irritation to skin near affected areas.							
2.6	Chronic Health Effe	ects:						
	No harmful or	chronic health effects are	expected to occur fr	om a single	accidental ingesti	on.		
2.7	Target Organs:							

Eyes

						EXPO	SURE LIM	ITS IN AIR	(mg/m³)	
					ACGIH	l – ppm	c	SHA - pp	m	OTHER
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	PEL	STEL	IDLH	
WATER	7732-18-5	ZC0110000	231-791-2	NA	NE	NE	NE	NE	NE	
SODIUM LAURETH SULFATE	9004-82-4	LE1250000	221-416-0	NA	NE	NE	NE	NE	NE	
COCOGLUCOSIDE	27836-64-2	NA	NA	NA	NA	NA	NA	NA	NA	
PEG-7 GLYCERYL COCOATE	68201-46-7	MA6870000	NA	NA	NA	NA	NA	NA	NA	
GLYCOL DISTEARATE	6287-83-8	NA	NA	NA	NA	NA	NA	NA	NA	
COCAMIDOPROPYL BETAINE	61789-40-0	UZ2997050	263-058-8	NA	NA	NA	NA	NA	NA	
SODIUM PCA	28874-51-3	TW4000000	249-277-1	NA	NE	NA	NE	NA	NA	
HYDROXYPROPYL TRIMONIUM HYDROLYZED WHEAT PROTEIN	145269-34-7	NA	NA	NA	NA	NA	NA	NA	NA	
PANTHENOL	81-13-0	ES4316000	201-327-3	NA	NA	NA	NA	NA	NA	
GUAR HYDROXYPROPYL TRIMONIUM CHLORIDE	65497-29-2	NA	NA	NA	NA	NA	NA	NA	NA	

NOTE: All WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2004 format.



Page 2 of 7

BC-003

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.1

								FYPC		ITS IN AIR	(ma/m^3)	
							ACGIH	– ppm		DSHA - pp		OTHER
	CHEMICAL NAM	E(S) CA	S No.	RTECS No.	EINECS No.	%	TLV	STEL	PEL	STEL	IDLH	OTTLER
BENZ	OPHENONE-4	4065-		DB5044300	223-772-2	NA	NA	NA	NA	NA	NA	
	JS MEDICA LIMON ON) EXTRACT	UM 84929	9-31-7	NA	284- 515-8	NA	NA	NA	NA	NA	NA	
	IS GRANDIS (GRA EXTRACT	PEFRUIT) 90045	5-43-5	NA	289-904-6	NA	NA	NA	NA	NA	NA	
DEXT	RIN	9004-	53-9	HH9450000	NA	NA	NA	NA	NA	NA	NA	
PROF	YLENE GLYCOL	57-55	-6	TY2000000	200-338-0	NA	NE	NE	NE	NE	NE	
	120 METHYL GLUC EATE	OSE NA		NA	NA	NA	NA	NA	NA	NA	NA	
SODI	UM CHLORIDE	7647-	14-5	NA	231-598-3	NA	NE	NA	NE	NA	NA	
FRAG	RANCE	NA		NA	NA	NA	NA	NA	NA	NA	NA	
CITRI	C ACID	77-92	-9	GE7350000	201-069-1	NA	NA	NA	NA	NA	NA	
MICA	۱.	12001	-26-2	VV8760000	NA	NA	(0.3)	NA	20 *	NA	NA	* mmpcf
TIN C	XIDE	21651	-19-4	XQ4000000	NA	NA	NA	NA	NA	NA	NA	
LAUR	ETH-4	9002-	92-0	MD0875000	240-347-7	NA	NA	NA	NA	NA	NA	
	40 HYDROGENATI OR OIL	D 61788	8-85-0	NA	NA	NA	NA	NA	NA	NA	NA	
SODI	UM BENZOATE	532-3	2-1	DH6650000	208-534-8	NA	NA	NA	NA	NA	NA	
SODI	UM SALICYLATE	54-21	-7	NA	NA	NA	NA	NA	NA	NA	NA	
CI 17	200 (RED 33)	3567-	66-6	QJ6197000	222-656-9	NA	NA	NA	NA	NA	NA	
CI 16	730	NA		NA	NA	NA	NA	NA	NA	NA	NA	
CI 77	891 (TiO ₂)	5858-	81-1	NA	227-497-9	≤ 1.0	(10)	NA	(10)	NA	NA	
				4. F	IRST AID N	AEASU	RES					
4.1	ess	O NOT INDUCE mergency telep pontaneously, ka	hone n eep vic	umber for ass tim's head low	istance and in vered (forward	struction) to redu	is. Seek in ce the risl	mmediate < of aspire	e medica Ition.	l attentio	n. If vomit	ing occurs
	e	product gets in yelid(s) open to emove contam	ensure	complete flus	hing. If irritatio	n persis	s, seek m	edical att	ention.			-
	r	nedical attentior temove victim to	n. Do no	ot wear contai							·ersisis, se	
4.2		ggravated by Exposu										4
		by the manufact						HEA	TIH			1
	-	-						FLA	ммав	ILITY		0
								REA	CTIVIT	Y		0
									TEATIN			
									IECIN	/E EQU	IPMEN	A 1



Page 3 of 7

BC-003

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.1

	5. FIREFIGHTING MEASURES							
5.1	Flashpoint & Method: NA							
5.2	Autoignition Temperature:							
5.3	Flammability Limits:	Lower Explosive Limit (LEL):	NA	Upper Explosive L	Limit (UEL):	NA		
5.4	Fire & Explosion Hazards: When involved in a fire, this product may	r decompose to form toxic gases (e	.g., CO, CC	02, and NOx).				
5.5	Extinguishing Methods: Water Fog, Foam, Dry Chemical, CO ₂							
5.6	Firefighting Procedures: As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies.							
	6	ACCIDENTAL RELEASE	MFASUR	FS				
6.1								
	7. H	ANDLING & STORAGE IN	IFORMA					
7.1	Work & Hygiene Practices: Do not eat, drink, or smoke while handlin	ng this product.						
7.2	Storage & Handling: Use and store in a cool, dry, well-venti flames.	lated location (e.g., local exhaus	ventilation	, fans). Keep awa	y from excess	ive heat and		
7.3	Special Precautions: Spilled material may present a slipping h	nazard if left unattended. Clean all	spills promp	otly.				
	· · · · · · · · · · · · · · · · · · ·		• • •	·				
	8. EXPOS	URE CONTROLS & PERSC	NAL PR	OTECTION				
8.1	Ventilation & Engineering Controls: Use with adequate ventilation (e.g., open doors and windows, local exhaust ventilation). Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station). Use in a chemical fume hood when working with large quantities of product and provide adequate ventilation (e.g., local exhaust ventilation, fans).							
8.2	Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia.							
8.3	Eye Protection: Avoid eye contact. Safety glasses with s Hand Protection:	side shields should be used when h	andling larg	je quantities (e.g., ≥	: 1 gallon) of thi	s product.		
8.4	None required under normal conditions quantities (e.g., ≥ 1 gallon), wear rubber	· · ·	rritation in s	ome sensitive indiv	iduals. When h	andling large		
8.5	Body Protection: No apron required when handling smal showers should be available.	quantities. When handling large	quantities (e	e.g., ≥ 1 gallon), ey	e wash station	s and deluge		



Page 4 of 7

BC-003

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.1

		9. PHYSICAL & CHEMICAL PROPERTIES			
9.1	Density:	NA			
9.2	Boiling Point:	NA			
9.3	Melting Point:	NA			
9.4	Evaporation Rate:	NA			
9.5	Vapor Pressure:	NA			
9.6	Molecular Weight:	NA			
9.7	Appearance & Color:	White viscous liquid with citrus odor.			
9.8	Odor Threshold:	NE			
9.9	Solubility:	Soluble.			
9.10	рН	NA			
9.11	Viscosity:	NA			
9.12	Other Information:	NA			
		10. STABILITY & REACTIVITY			
10.1	Stability:				
	This product is stable.				
10.2	Hazardous Decomposition Produ				
	Oxides of carbon (CO, CO ₂) and sulfur (SO ₂).				
10.3	Hazardous Polymerization: Will not occur.				
10.4	Conditions to Avoid:				
	Open flames, sparks and	d high heat.			
10.5	Incompatible Substances:				
	None known.				

	11. TOXICOLOGICAL INFORMATION
11.1	Toxicity Data: The product has not been tested for specific toxicity data.
11.2	Acute Toxicity: See section 2.5
11.3	Chronic Toxicity: See section 2.6
11.4	Suspected Carcinogen: No
11.5	Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans.
	Mutagenicity: This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity: This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity: This product is not reported to produce teratogenic effects in humans.
	Reproductive Toxicity: This product is not reported to produce reproductive effects in humans.
11.6	Irritancy of Product: See Section 2.3
11.7	Biological Exposure Indices: NE
11.8	Physician Recommendations: Treat symptomatically.



Page 5 of 7

BC-003

Prep	ared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards	MSDS Revision: 1.1	MSDS Revision Date: 05/01/2006				
	10 5001001041						
12.1	12. ECOLOGICAL Environmental Stability:	INFORMATION					
12.1	There is no specific data available for this product.						
12.2	Effects on Plants & Animals: There is no specific data available for this product.						
12.3	Effects on Aquatic Life:						
	There is no specific data available for this product.						
	13. DISPOSAL CO	NSIDERATIONS					
13.1	 Waste Disposal: Dispose of in accordance with federal, state and local regulations. 						
13.2	Special Considerations:						
	NA						
	14. TRANSPORTATIO	N INFORMATION					
	pasic description (proper shipping name, hazard class & division, ID	Number, packing group) is sho	own for each mode of transportation.				
Add 14.1	tional descriptive information may be required by 49 CFR, IATA/ICA 49 CFR (GND):	O, IMDG and the CIDGR.	1				
	NOT REGULATED						
14.2	IATA (AIR): NOT REGULATED						
14.3							
14.4	TDGR (Canadian GND): NOT REGULATED						
14.5	ADR/RID (EU): NOT REGULATED						
14.6	SCT (MEXICO): NOT REGULATED						
15.1	15. REGULATORY SARA Reporting Requirements:	INFORMATION					
10.1	NA						
15.2	SARA Threshold Planning Quantity: NA						
15.3	TSCA Inventory Status: All chemical substances of this product are listed on the TSCA inve	ntory or are otherwise exempt	ted from inventory status.				
15.4	CERCLA Reportable Quantity (RQ):						
15.5	Other Federal Requirements: This product complies with the appropriate sections of the Food an	d Drug Administration's 21 CFF	R subchapter G (Cosmetics).				
15.6	Other Canadian Regulations: This product has been classified according to the hazard criteria o the information required by the CPR. The components of this prod of the components of this product are listed on the Priorities Substa	luct are listed on the DSL/NDS					
15.7	State Regulatory Information: No components of this product are listed on the California Proposit	ion 65 lists.					
15.8	67/548/EEC (European Union) Requirements: The primary components of this product are not listed in Annex I of						



Page 6 of 7

BC-003

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.1

		16. OTHER INFORMATION				
16.1	Other Information: For external use only. Use only as direct	ed. Discontinue use immediately if irritation develops.				
16.2	Terms & Definitions: See page 7 of this MSDS.					
16.3	Disclaimer:					
	This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Schwarzkopf's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.					
16.4	Prepared for: Schwarzkopf, Inc. 6047 Bristol Parkway, Suite 200 Culver City, CA 90230 USA Tel: +1 (310) 641-4600 Fax: +1 (310) 641-4601 http://www.schwarzkopf.com	Schwarzkopf				
16.5	Prepared by: ShipMate, Inc. 18436 Hawthorne Boulevard, Suite 201 Torrance, CA 90504 310-370-3600 phone 310-370-5700 fax http://www.shipmate.com	ShipMate Dangerous Goods Training & Consulting				



Page 7 of 7

BC-003

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.1

MSDS Revision Date: 05/01/2006

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No. Chemical Abstract Service Number	
--	--

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists			
TLV	TLV Threshold Limit Value			
OSHA	U.S. Occupational Safety and Health Administration			
PEL Permissible Exposure Limit				
IDLH	Immediately Dangerous to Life and Health			

FIRST AID MEASURES:

	С
CPR	W
Crk	a
	h


Cardiopulmonary resuscitation - method in which a person vhose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	
2	Moderate Hazard	REACTIVITY
3	Severe Hazard	
4	Extreme Hazard	PERSONAL PROTECTION

PERSONAL PROTECTION RATINGS:



Synthetic Apron

ñ

Dust & Vapor



Airline

HEALTH

NCCHLART ONPCA Primada

IABILITY VITY

Vapor Respirator Respirator Respirator Hood/Mask or Note: the dotted circle indicates that this respiratory protective equipment is required for high concentrations or for large volume spills or releases of product.

 $\sim 7_{o}$

Full Face

FLAMMABILITY LIMITS IN AIR:

NO


Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition			
Lower Explosive Limit - lowest percent of vapor in air, b volume, that will explode or ignite in the presence of a ignition source				
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source			

OTHER STANDARD ABBREVIATIONS:

Not Available
No Results
Not Established
Not Determined
Maximum Limit
Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA HAZARD RATINGS:

0 Minimal Hazard 1 Slight Hazard 2 Moderate Hazard 3 Severe Hazard 4 Extreme Hazard ACD Acidic ALK Alkaline COR Corrosive		
2 Moderate Hazard 3 Severe Hazard 4 Extreme Hazard ACD Acidic ALK Alkaline	0	Minimal Hazard
3 Severe Hazard 4 Extreme Hazard ACD Acidic ALK Alkaline	1	Slight Hazard
4 Extreme Hazard ACD Acidic ALK Alkaline	2	Moderate Hazard
ACD Acidic ALK Alkaline	3	Severe Hazard
ALK Alkaline	4	Extreme Hazard
	ACD	Acidic
COR Corrosive	ALK	Alkaline
	COR	Corrosive
₩ Use No Water	W	Use No Water
OX Oxidizer	OX	Oxidizer



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s								
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal								
ppm	Concentration expressed in parts of material per million parts								
TD _{io}	Lowest dose to cause a symptom								
TCLo	Lowest concentration to cause a symptom								
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic								
TC, TC _o , LC _{io} , & LC _o	effects								
IARC	International Agency for Research on Cancer								
NTP	National Toxicology Program								
RTECS	Registry of Toxic Effects of Chemical Substances								
BCF	Bioconcentration Factor								
TLm	Median threshold limit								
log Kow or log Koc	Coefficient of Oil/Water Distribution								

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
CPR	Canada's Controlled Product Regulations

EC INFORMATION:

		1×	¥	8		×	×
С	E	F	Ν	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

WHMIS INFORMATION:

\oslash	۲	۲		1	۲		R
Α	В	С	D1	D2	D3	E	F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive