

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.1

MSDS Revision Date: 05/01/2006

1. PRODUCT IDENTIFICATION

1.1	Product Name: BC REPAIR RESCUE TOTAL REPAIR TREATMENT
1.2	Chemical Name: AQUEOUS SOLUTION
1.3	Synonyms: NA
1.4	Trade Names: NA
1.5	Product Use: PROFESSIONAL OR SUNDRY USE ONLY
1.6	Distributor's Name: SCHWARZKOPF, INC.
1.7	Distributor's Address: 6047 BRISTOL PARKWAY, SUITE 200, CULVER CITY, 90230 USA
1.8	Emergency Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-3887
1.9	Business Phone: +1 (310) 641-4600

2. HAZARD IDENTIFICATION

2.1	Hazard Identification: In case of eye contact, rinse immediately with water. For external use only. Keep out of reach of children. Use only as directed.						
2.2	Routes of Entry:	Inhalation:	NO	Absorption:	YES	Ingestion:	YES
2.3	Effects of Exposure: INGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea. EYES: Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. SKIN: May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. INHALATION: None expected.						
2.4	Symptoms of Overexposure: Overexposure in eyes may cause redness, itching and watering. Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals.						
2.5	Acute Health Effects: Moderate irritation to eyes. Moderate irritation to skin near affected areas.						
2.6	Chronic Health Effects: No harmful or chronic health effects are expected to occur from a single accidental ingestion.						
2.7	Target Organs: Eyes						

3. COMPOSITION & INGREDIENT INFORMATION

CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	EXPOSURE LIMITS IN AIR (mg/m ³)					
					ACGIH - ppm		OSHA - ppm		OTHER	
					TLV	STEL	PEL	STEL		IDLH
WATER	7732-18-5	ZC0110000	231-791-2	NA	NE	NE	NE	NE	NE	
CETEARYL ALCOHOL	8005-44-5	NA	267-008-6	NA	NE	NE	NE	NE	NE	
PARAFINNUM LIQUIDUM (MINERAL OIL)	8012-95-1	NA	232-384-2	NA	NA	NA	NA	NA	NA	
CYCLOPENTASILOXANE	541-02-6	NA	208-764-9	NA	NA	NA	NA	NA	NA	
DISTEAROYLETHYL HYDROXYETHYLAMONIUM METHOSULFATE	NA	NA	NA	NA	NA	NA	NA	NA	NA	
QUATERNIUM-87	NA	NA	NA	NA	NA	NA	NA	NA	NA	
ISOPROPYL MYRISTATE	110-27-0	XB8600000	203-751-4	NA	5000	30000	5000	NE	NE	
PROPYLENE GLYCOL	57-55-6	TY2000000	200-338-0	NA	NE	NE	NE	NE	NE	

NA = Not Available; ND = Not Determined; NE = Not Established; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used
NOTE: All WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2004 format.

3. COMPOSITION & INGREDIENT INFORMATION – cont'd

CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	EXPOSURE LIMITS IN AIR (mg/m ³)					
					ACGIH – ppm		OSHA - ppm			OTHER
					TLV	STEL	PEL	STEL	IDLH	
MEL (HONEY) EXTRACT	91052-92-5	NA	293-255-4	NA	NA	NA	NA	NA	NA	NA
GUAR HYDROXYPROPYL TRIMONIUM CHLORIDE	65497-29-2	NA	NA	NA	NA	NA	NA	NA	NA	NA
CETYL PALMITATE	540-10-3	RT4750000	208-736-6	NA	NA	NA	NA	NA	NA	NA
STEARAMIDOPROPYL DIMETHYLAMINE	7651-02-7	NA	NA	NA	NA	NA	NA	NA	NA	NA
DIMETHICONOL	31692-79-2	NA	NA	NA	NA	NA	NA	NA	NA	NA
POLYQUATERNIUM-37	26161-33-1	KQ6300000	NA	NA	NE	NE	NE	NE	NE	NE
PPG-1 TRIDECETH 6	NA	NA	NA	NA	NE	NE	NE	NE	NE	NE
DICAPRYLATE/DICAPRATE	68583-51-7	NA	271-516-3	NA	NA	NA	NA	NA	NA	NA
LACTIC ACID	79-33-4	OD3100000	201-196-2	NA	NE	NE	NE	NE	NE	NE
FRAGRANCE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
PHENOXYETHANOL	122-99-6	KM0350000	204-589-7	NA	NA	NA	NA	NA	NA	NA
METHYLPARABEN	99-76-3	DH2450000	202-785-7	NA	NE	NE	NE	NE	NE	NE

4. FIRST AID MEASURES


4.1	<p>First Aid:</p> <p>INGESTION: DO NOT INDUCE VOMITING. Contact ChemTrec at 703-527-3887 or the nearest Poison Control Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.</p> <p>EYES: If product gets in the eyes, flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If irritation persists, seek medical attention.</p> <p>SKIN: Remove contaminated clothing and wash affected areas with soap and water. If irritation persists, seek prompt medical attention. Do not wear contaminated clothing until after it has been properly cleaned.</p> <p>INHALATION: Remove victim to fresh air at once.</p>										
4.2	<p>Medical Conditions Aggravated by Exposure:</p> <p>None reported by the manufacturer.</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="background-color: #0056b3; color: white;">HEALTH</td> <td style="text-align: center;">1</td> </tr> <tr> <td style="background-color: #ff0000; color: white;">FLAMMABILITY</td> <td style="text-align: center;">0</td> </tr> <tr> <td style="background-color: #ffff00;">REACTIVITY</td> <td style="text-align: center;">0</td> </tr> <tr> <td style="background-color: #000000; color: white;">PROTECTIVE EQUIPMENT</td> <td style="text-align: center;">A</td> </tr> <tr> <td>EYES</td> <td></td> </tr> </table>	HEALTH	1	FLAMMABILITY	0	REACTIVITY	0	PROTECTIVE EQUIPMENT	A	EYES	
HEALTH	1										
FLAMMABILITY	0										
REACTIVITY	0										
PROTECTIVE EQUIPMENT	A										
EYES											

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.1

MSDS Revision Date: 05/01/2006

5. FIREFIGHTING MEASURES

5.1	Flashpoint & Method: NA				
5.2	Autoignition Temperature: NA				
5.3	Flammability Limits:	Lower Explosive Limit (LEL):	NA	Upper Explosive Limit (UEL):	NA
5.4	Fire & Explosion Hazards: When involved in a fire, this product may decompose to form toxic gases (e.g., CO, CO₂, and NO_x).				
5.5	Extinguishing Methods: Water Fog, Foam, Dry Chemical, CO₂				
5.6	Firefighting Procedures: As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies.				

6. ACCIDENTAL RELEASE MEASURES

6.1	Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Remove any contaminated clothing and wash thoroughly before reuse. For spills ≥ 1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid absorbent material to separate containers for proper disposal. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.
-----	--

7. HANDLING & STORAGE INFORMATION

7.1	Work & Hygiene Practices: Do not eat, drink, or smoke while handling this product.
7.2	Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive heat and open flames.
7.3	Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1	Ventilation & Engineering Controls: Use with adequate ventilation (e.g., open doors and windows, local exhaust ventilation). Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station). Use in a chemical fume hood when working with large quantities of product and provide adequate ventilation (e.g., local exhaust ventilation, fans).
8.2	Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia.
8.3	Eye Protection: Avoid eye contact. Safety glasses with side shields should be used when handling large quantities (e.g., ≥ 1 gallon) of this product.
8.4	Hand Protection: None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon), wear rubber or impervious plastic gloves.
8.5	Body Protection: No apron required when handling small quantities. When handling large quantities (e.g., ≥ 1 gallon), eye wash stations and deluge showers should be available.

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.1

MSDS Revision Date: 05/01/2006

9. PHYSICAL & CHEMICAL PROPERTIES

9.1	Density:	NA
9.2	Boiling Point:	NA
9.3	Melting Point:	NA
9.4	Evaporation Rate:	NA
9.5	Vapor Pressure:	NA
9.6	Molecular Weight:	NA
9.7	Appearance & Color:	White viscous liquid with a fresh odor.
9.8	Odor Threshold:	NE
9.9	Solubility:	Soluble.
9.10	pH	NA
9.11	Viscosity:	NA
9.12	Other Information:	NA

10. STABILITY & REACTIVITY

10.1	Stability:	This product is stable.
10.2	Hazardous Decomposition Products:	Oxides of carbon (CO, CO₂) and sulfur (SO₂).
10.3	Hazardous Polymerization:	Will not occur.
10.4	Conditions to Avoid:	Open flames, sparks and high heat.
10.5	Incompatible Substances:	None known.

11. TOXICOLOGICAL INFORMATION

11.1	Toxicity Data:	The product has not been tested for specific toxicity data.
11.2	Acute Toxicity:	See section 2.5
11.3	Chronic Toxicity:	See section 2.6
11.4	Suspected Carcinogen:	No
11.5	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:	This product is not reported to produce teratogenic effects in humans.
	Reproductive Toxicity:	This product is not reported to produce reproductive effects in humans.
11.6	Irritancy of Product:	See Section 2.3
11.7	Biological Exposure Indices:	NE
11.8	Physician Recommendations:	Treat symptomatically.

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.1

MSDS Revision Date: 05/01/2006

12. ECOLOGICAL INFORMATION

- | | |
|------|--|
| 12.1 | Environmental Stability:
There is no specific data available for this product. |
| 12.2 | Effects on Plants & Animals:
There is no specific data available for this product. |
| 12.3 | Effects on Aquatic Life:
There is no specific data available for this product. |

13. DISPOSAL CONSIDERATIONS

- | | |
|------|---|
| 13.1 | Waste Disposal:
Dispose of in accordance with federal, state and local regulations. |
| 13.2 | Special Considerations:
NA |

14. TRANSPORTATION INFORMATION

The basic description (proper shipping name, hazard class & division, ID Number, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.

- | | |
|------|--|
| 14.1 | 49 CFR (GND):
NOT REGULATED |
| 14.2 | IATA (AIR):
NOT REGULATED |
| 14.3 | IMDG (OCN):
NOT REGULATED |
| 14.4 | TDGR (Canadian GND):
NOT REGULATED |
| 14.5 | ADR/RID (EU):
NOT REGULATED |
| 14.6 | SCT (MEXICO):
NOT REGULATED |

15. REGULATORY INFORMATION

- | | |
|------|---|
| 15.1 | SARA Reporting Requirements:
NA |
| 15.2 | SARA Threshold Planning Quantity:
NA |
| 15.3 | TSCA Inventory Status:
All chemical substances of this product are listed on the TSCA inventory or are otherwise exempted from inventory status. |
| 15.4 | CERCLA Reportable Quantity (RQ):
NA |
| 15.5 | Other Federal Requirements:
This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics). |
| 15.6 | Other Canadian Regulations:
This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDL. None of the components of this product are listed on the Priorities Substances List. |
| 15.7 | State Regulatory Information:
No components of this product are listed on the California Proposition 65 lists. |
| 15.8 | 67/548/EEC (European Union) Requirements:
The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC. |

16. OTHER INFORMATION

16.1 Other Information:

For external use only. Use only as directed. Discontinue use immediately if irritation develops.

16.2 Terms & Definitions:

See page 7 of this MSDS.

16.3 Disclaimer:

This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Schwarzkopf's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

16.4

Prepared for:

Schwarzkopf, Inc.
6047 Bristol Parkway, Suite 200
Culver City, CA 90230 USA
Tel: +1 (310) 641-4600
Fax: +1 (310) 641-4601
<http://www.schwarzkopf.com>



16.5

Prepared by:

ShipMate, Inc.
18436 Hawthorne Boulevard, Suite 201
Torrance, CA 90504
310-370-3600 phone
310-370-5700 fax
<http://www.shipmate.com>



Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.1

MSDS Revision Date: 05/01/2006

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
----------------	----------------------------------

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
TLV	Threshold Limit Value
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
IDLH	Immediately Dangerous to Life and Health

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.
------------	--



































HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS













HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:

A		G	  
B	 	H	   
C	  	I	  
D	  	J	   
E	  	K	   
F	   	X	Consult your supervisor or S.O.P. for special handling directions.

 Safety Glasses	 Splash Goggles	 Face Shield & Eye Protection	 Gloves
 Boots	 Synthetic Apron	 Full Suit	 Dust Respirator
 Vapor Respirator	 Dust & Vapor Respirator	 Full Face Respirator	 Airline Hood/Mask or

Note: the dotted circle indicates that this respiratory protective equipment is required for high concentrations or for large volume spills or releases of product.

FLAMMABILITY LIMITS IN AIR:


Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
OX	Oxidizer











TOXICOLOGICAL INFORMATION:

LD₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD₀₁	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD₀₁, LD₀₁, & LD₀₁ or TC, TC₀₁, LC₀₁, & LC₀₁	Lowest dose (or concentration) to cause lethal or toxic effects
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL_m	Median threshold limit
log K_{ow} or log K_{oc}	Coefficient of Oil/Water Distribution








REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
CPR	Canada's Controlled Product Regulations

EC INFORMATION:

							
C	E	F	N	O	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

WHMIS INFORMATION:

							
A	B	C	D1	D2	D3	E	F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive