

Page 1 of 7

IG-009

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 MSDS Revision Date: 01/01/2006 PRODUCT IDENTIFICATION Product Name: IGORA VARIO BLOND PLUS 1.2 Chemical Name: PERSULFATE MIXTURE 1.3 NA 1.4 Trade Names: ΝΔ 1.5 Product Use: PROFESSIONAL OR SUNDRY USE ONLY 1.6 Distributor's Name SCHWARZKOPF, INC. 1.7 Distributor's Address: 6047 BRISTOL PARKWAY, SUITE 200, CULVER CITY, 90230 USA 1.8 CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-3887 19 Business Phone: +1 (310) 641-4600 2. HAZARD IDENTIFICATION This product is intended for professional salon use to bleach and lighten hair. Product contains an oxidizer, which may contribute to or accelerate a fire. Wear protective clothing to prevent skin contact. Keep out of the reach of children. May be irritating to the eyes. Prolonged skin contact may cause skin irritation. May be harmful if swallowed. Avoid breathing vapors, or dusts. Use with adequate ventilation. Avoid contact with eyes, skin, and clothes. Wash thoroughly after handling. 2.2 Routes of Entry: Inhalation: YES YES YES Absorption: Ingestion: Effects of Exposure: 2.3 INGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea. EYES: Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. SKIN: May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. INHALATION: Moderately irritating to the throat, esophagus and other tissues of the digestive system 2.4 Contact may cause eye irritation including stinging, watering and redness. May cause redness or itching on the skin at the contact site. May cause stinging, irritation and redness of throat, esophagus and intestinal tract. Symptoms of overexposure by inhalation can include coughing, wheezing, nasal congestion, and difficulty breathing. Acute Health Effects May cause irritation under normal conditions; will cause stinging and burning sensation to open cuts or abraded skin. SKIN. May cause redness, burning, stinging, possible serious injury or blindness if left untreated. EYES: INGESTION: May cause irritation in mouth, chest and stomach resulting in vomiting and shortness of breath. INHALATION: May cause irritation to respiratory system resulting in hoarseness and tightness of throat in cases of prolonged 2.6 Chronic Health Effects No chronic health effects are expected to occur from a single accidental ingestion. May develop sensitivity. If rash occurs, stop using and obtain medical attention. Target Organs: 2.7 Eyes & skin. NA = Not Available; ND = Not Determined; NE = Not Established; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used NOTE: All WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2004 format.



Page 2 of 7

IG-009

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 MSDS Revision Date: 01/01/2006 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) ACGIH - ppm OSHA - ppm **OTHER** % CAS No. RTECS No. **EINECS No. CHEMICAL NAME(S)** TLV **STEL PEL** STEL **IDLH PROPRIETARY INGREDIENTS** NA NA NA NA NA NA NA NA NA 7727-21-1 SE0400000 231-781-8 ≤ 35.0 POTASSIUM PERSULFATE (2) NE NA NA NA AMMONIUM PERSULFATE 7727-54-0 SE0350000 ≤ 10.0 231-786-5 (2) (0.1)NA (0.1)NA 7631-86-9 SILICA VV7565000 231-545-4 ≤ 2.0 (10)(6) NA NA 4. FIRST AID MEASURES 4.1 First Aid: If ingested, do not induce vomiting. Drink plenty of water or milk. If the patient is vomiting, continue to offer plenty of INGESTION: water or milk. Never give water or milk to an unconscious person. If large quantities are ingested, contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time and amount of the substance that was swallowed. Get medical attention immediately. EYES: If product is in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open and close eyelid(s) to ensure thorough irrigation. If problem persists, consult a physician. SKIN: If redness, dryness or other signs of irritation to the skin develop, remove contaminated clothing and wash affected skin areas with plenty of warm water and soap. If irritation persists, consult a physician. INHALATION: Remove victim to fresh air at once. Give oxygen as necessary. 4.2 Medical Conditions Aggravated by Exposure: 2 HEALTH At increased risk from exposure are persons with preexisting skin and eye conditions. 0 **FLAMMABILITY** REACTIVITY 1 PROTECTIVE EQUIPMENT В **SKIN EYES** 5. FIREFIGHTING MEASURES Flashpoint & Method: 5.1 NΔ Autoignition Temperature: 5.2 NA 5.3 Flammability Limits: Lower Explosive Limit (LEL): NA Upper Explosive Limit (UEL): NA 5.4 Fire & Explosion Hazards: Will not burn, but decomposition may result in the formation of oxides of carbon, nitrogen and sulfur and ammonia. May release oxygen which contributes to the fire. 5.5 Extinguishing Methods: Use only large quantities of water. Flood with water and use water spray to cool fire-exposed containers and structures. 5.6 Firefighting Procedures As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fireexposed surfaces and to protect personnel. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous decomposition products.



9 11

9.12

Viscosity:

Other Information:

NA

NA

MATERIAL SAFETY DATA SHEET

Page 3 of 7

IG-009

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 MSDS Revision Date: 01/01/2006 6. ACCIDENTAL RELEASE MEASURES Spills: 6.1 Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. Small Spills: Wear appropriate protective equipment including gloves and protective eyewear. Use a non-combustible material such as vermiculite or sand to soak up the product and place into a container for later disposal. Large Spills: Keep incompatible materials (e.g., organics such as oil) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant. 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Avoid contact with incompatible materials (see Section 10). Keep bulk covered. Use chemical goggles if eye contact is possible. Wash unintentional residues with soap and warm water. 7.2 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Avoid temperatures above 120 °F. Keep away from incompatible substances. Protect containers from physical damage. To avoid unintentional spraying keep cap in place when not in use. 7.3 Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION Ventilation & Engineering Controls General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. 8.2 Respiratory Protection None required if used in a well-ventilated area. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrants a respirator's use. 8.3 Avoid eye contact. Use approved safety glasses or goggles. 8.4 Hand Protection Rubber or latex gloves. Avoid contact with skin, eyes and clothing. 9. PHYSICAL & CHEMICAL PROPERTIES Density: 0.70-0.78 9.2 **Boiling Point** NA 9.3 Meltina Point: NA 9.4 **Evaporation Rate:** NA 95 Vapor Pressure ND 9.6 Molecular Weight: NA Appearance & Color 9.7 Blue powder with perfumery odor. 98 Odor Threshold ND 9.9 Solubility: Insoluble 9.10 11.8-12.2



Page 4 of 7

IG-009

-	ared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards	MSDS Revision: 1.0	MSDS Revision Date: 01/01/2006		
	10. STABILITY	Y & REACTIVITY			
0.1	Stability: Stable under normal conditions; unstable with heat or contami	nation.			
10.2	Hazardous Decomposition Products: Oxides of carbon (CO, CO ₂) and sulfur (SO ₂), hydrogen sulfide	(H₂S), and ammonia.			
10.3	Hazardous Polymerization: Will not occur.				
10.4					
10.5	Incompatible Substances: Strong acids, flammable liquids, acid chlorides, excessive hea	t or flame.			
	11. TOXICOLOGI	ICAL INFORMATION			
11.1	Toxicity Data: The product has not been tested for specific toxicity data.				
11.2	Acute Toxicity: See section 2.5				
11.3	Chronic Toxicity: See section 2.6				
11.4					
11.5	Reproductive Toxicity: This product is not reported to produce reproductive toxicity in	humans.			
	Mutagenicity: This product is not reported to produce mutagenic effects in hu	umans.			
	Embryotoxicity: This product is not reported to produce embryotoxic effects in humans.				
	Teratogenicity: This product is not reported to produce teratogenic effects in h	umans.			
	Reproductive Toxicity: This product is not reported to produce reproductive effects in	humans.			
11.6	Irritancy of Product: See Section 2.3				
11.7	Biological Exposure Indices: NE				
11.8	Physician Recommendations: Treat symptomatically.				
	12. ECOLOGIC	AL INFORMATION			
12.1	Environmental Stability: There is no specific data available for this product.				
12.2	Effects on Plants & Animals: There is no specific data available for this product.				
12.3	Effects on Aquatic Life: Persulfates are harmful to aquatic organisms.				
	13. DISPOSAL (CONSIDERATIONS			
13.1	Waste Disposal: Dispose of in accordance with federal, state and local regulation				
13.2	Special Considerations:				



Page 5 of 7

IG-009

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 01/01/2006

14. TRANSPORTATION INFORMATION

The basic description (proper shipping name, hazard class & division, ID Number, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.

14.1	49 CFR (GND): CONSUMER COMMODITY, ORM-D (≤ 1.0 KG) UN3215, PERSULFATES, INORGANIC, N.O.S. (POTASSIUM PERSULFATE, POTASSIUM PERSULFATE), 5.1, III	
14.2	IATA (AIR): UN3215, PERSULFATES, INORGANIC, N.O.S. (POTASSIUM PERSULFATE, POTASSIUM PERSULFATE), 5.1, III, LTD QTY (IP WGT ≤ 0.5 KG, OP WGT ≤ 1.0 KG)	
14.3	IMDG (OCN): UN3215, PERSULFATES, INORGANIC, N.O.S. (POTASSIUM PERSULFATE, POTASSIUM PERSULFATE), 5.1, III,	



LTD QTY (≤ 1.0 KG) 14.4

TDGR (Canadian GND): MARK PACKAGE "LIMITED QUANTITY" or "QUANTITÉ LIMITÉE" or "LTD QTY" or "QUANT LTÉE (WGT ≤ 1.0 KG)

14.5

UN3215, PERSULFATES, INORGANIC, N.O.S. (POTASSIUM PERSULFATE, POTASSSIUM PERSULFATE), 5.1, III, LTD QTY (≤ 1.0 KG)

14.6 SCT (MEXICO)

> UN3215, PERSULFATOS INORGANICOS, N.E.P. (PERSULFATO DE POTASIO, PERSULFATO DE AMONIO), 5.1, III, LTD QTY (≤ 1.0 KG)

15. REGULATORY INFORMATION

15.1	SARA Reporting Requirements:
13.1	JAKA REPORTING REQUIRENTED IS.

NA

15.2 SARA Threshold Planning Quantity

NA

15.3 TSCA Inventory Status:

All chemical substances of this product are listed on the TSCA inventory or are otherwise exempted from inventory status.

15.4 CERCLA Reportable Quantity (RQ):

NA

15.5 Other Federal Requirements:

This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).

15.6

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.





15.7 State Regulatory Information: The components of this product are not listed on the California Proposition 65 lists or other state criteria lists.

67/548/EEC (European Union) Requirements:

The primary component of this product is listed in Annex I of EU Directive 67/548/EEC:

Potassium Persulfate: Harmful, Oxidizer (Xn, O). R: 22-36/37/38-42/43 - Harmful if swallowed. Irritating to eyes, respiratory system and skin. May cause sensitization by inhalation and skin contact. Contact with combustible material may cause fire. S: 26-36/37/39-45 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Ammonium Persulfate: Harmful, Oxidizer (Xn, O). R: 22-34-42/43 - Harmful if swallowed. Causes burns. May cause sensitization by inhalation and skin contact. Contact with combustible material may cause fire. S: 17-22-24-36/37/39-45 - Keep away from combustible material. Do not breathe dust. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).







Page 6 of 7

IG-009

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 MSDS Revision Date: 01/01/2006 16. OTHER INFORMATION Other Information: For external use only. Use only as directed. Discontinue use immediately if irritation develops. 16.2 See page 7 of this MSDS. 16.3 Disclaimer This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Schwarzkopf's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. 16.4 Prepared for: Schwarzkopf, Inc. 6047 Bristol Parkway, Suite 200 Schwarzkopf Culver City, CA 90230 USA Tel: +1 (310) 641-4600 Fax: +1 (310) 641-4601 http://www.schwarzkopf.com Prepared by: ShipMate, Inc. 18436 Hawthorne Boulevard, Suite 201 Torrance, CA 90504 310-370-3600 phone Dangerous Goods 310-370-5700 fax Training & Consulting http://www.shipmate.com



Page 7 of 7

IG-009

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 01/01/2006

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH American Conference on Governmental Industrial Hygienists		
TLV	TLV Threshold Limit Value	
OSHA	OSHA U.S. Occupational Safety and Health Administration	
PEL Permissible Exposure Limit		
IDLH	Immediately Dangerous to Life and Health	

FIRST AID MEASURES:

	Cardiopulmonary resuscitation - method in which a person
CPR	whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the
	hody


HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:


0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:







FLAMMABILITY LIMITS IN AIR:


Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an implifien source.

OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
₩	Use No Water
ОХ	Oxidizer



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{lo}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic
TC, TCo, LCio, & LCo	effects
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System	
DOT	U.S. Department of Transportation	
TC	Transport Canada	
EPA	U.S. Environmental Protection Agency	
DSL	Canadian Domestic Substance List	
NDSL	Canadian Non-Domestic Substance List	
PSL	Canadian Priority Substances List	
TSCA	U.S. Toxic Substance Control Act	
EU	EU European Union (European Union Directive 67/548/EEC)	
CPR	Canada's Controlled Product Regulations	

EC INFORMATION:

T.		*	*		*	×	X
С	E	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

WHMIS INFORMATION:

\oslash				(T)	®		R
Α	В	С	D1	D2	D3	E	F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive