

Eyes

MATERIAL SAFETY DATA SHEET

Page 1 of 8

IG-505

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards MSDS Revision: 1.0 MSDS Revision Date: 11/21/2012 1. PRODUCT IDENTIFICATION Product Name: 1 1 **IGORA VIVIANCE** 1.2 Chemical Name: NA 1.3 Synonyms: NA 1.4 Trade Names: IGORA VIVIANCE: 0-00 (Shine Gloss); 1-0 (Black); 1-1 (Blue Black); 3-0 (Dark Brown); 4-0 (Medium Brown); 4-65 (Medium Brown Chocolate Gold); 4-66 (Medium Brown Chocolate Extra); 4-68 (Medium Brown Chocolate Red); 4-89 (Medium Brown Red Velvet); 4-99 (Medium Brown Velvet Extra); 5-0 (Light Brown); 5-1 (Light Brown Cendre); 5-4 (Light Brown Beige); 5-5 (Light Brown Gold); 5-63 (Light Brown Chocolate Matte); 5-65 (Light Brown Chocolate Gold); 5-68 (Light Brown Chocolate Red); 5-7 (Light Brown Copper); 5-88 (Light Brown Red Extra); 5-99 (Light Brown Violet Extra); 6-0 (Dark Blonde); 6-55 (Dark Blonde Gold Extra); 6-66 (Dark Blonde Chocolate Extra); 6-68 (Dark Blonde Chocolate Red); 6-7 (Dark Blonde Copper); 6-89 (Dark Blonde Red Violet); 7-0 (Medium Blonde); 7-4 (Medium Blonde Beige); 7-5 (Medium Blonde Gold); 7-65 (Medium Blonde Chocolate Gold); 7-77 (Medium Blonde Copper Extra); 7-88 (Medium Blonde Red Extra); 8-0 (Light Blonde); 8-4 (Light Blonde Beige); 8-5 (Light Blonde Gold); 8-65 (Light Blonde Chocolate Gold); 9-0 (Extra Light Blonde); 9-1 (Extra Light Blonde Cendre); 9-65 (Extra Light Blonde Chocolate Gold); 9-88 (Extra Light Blonde Red Extra); 91/2-1 (Platinum Blonde Cendre); 9½-4 (Platinum Blonde Beige); 9½-5 (Platinum Blonde Gold) PROFESSIONAL OR SUNDRY USE ONLY 1.6 Distributor's Name: SCHWARZKOPF, INC. 1.7 Distributor's Address 600 CORPORATE POINTE, SUITE 1100, CULVER CITY, CA 90230 USA CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-3887 1.9 **Business Phone** +1 (310) 641-4600 / +1(800) 707-9997 2. HAZARD IDENTIFICATION This product is NOT classified as a HAZARDOUS SUBSTANCE or as DANGEROUS GOODS according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia). KEEP OUT OF REACH OF CHILDREN. Avoid getting into the eyes. Use only as directed. WARNING! CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE IRRITATION. MAY CAUSE RESPIRATORY IRRITATION. Hazard Statements (H): H315-Causes skin irritation. H319-Causes serious eye irritation. H335-May cause respiratory Precautionary Statements (P): P261-Avoid breathing dust/fume/gas/mist/vapors/spray. P264-Wash skin thoroughly after handling. P270-Do not eat, drink or smoke when using this product. P281-Use personal protective equipment as required. P302 + P352-IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332 + P313-If skin irritation occurs: Get medical advice/attention. P337 + P313-If eye irritation persists: Get medical advice/attention. P403 + P233-Store in a well-ventilated place. Keep container tightly closed. 22 Routes of Entry: Inhalation: NO Absorption: YES Ingestion: YES Effects of Exposure INGESTION: If product is swallowed may cause nausea, vomiting and/or diarrhea. Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, stinging, irritation and EYES: watering. May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) or sensitization in SKIN: some sensitive individuals. May cause mild, transient respiratory irritation. Avoid prolonged contact with concentrated vapors or mists. INHALATION: Overexposure in eyes may cause redness, stinging, itching and watering. Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) or sensitization in some sensitive individuals. Moderate irritation to eyes. Symptoms of overexposure may include redness, itching, stinging, irritation and watering. Moderate irritation to skin near affected areas. 2.6 Chronic Health Effects No harmful or chronic health effects are expected to occur from a single accidental ingestion. Propylene glycol, contained in very small quantities in this product may be mild allergens to some sensitive individuals. 2.7 Target Organs:



Page 2 of 8

IG-505

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 11/21/2012

	3. COM	NPOSITION	N & INGRE	DIEN	TINF	ORM	ATIO	N					
					EXPOSURE LIMITS IN AIR (mg/m³)								
					AC	GIH	N	IOHSC	;		OSHA		
					pp	m		ppm	1		ppm		OTHER
				%			ES-	ES-	ES-				
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.		TLV	STEL	TWA		PEAK		STEL	IDLH	
WATER (AQUA/EAU)	7732-18-5	ZC0110000	231-791-2	NA	NA	NA	NF	NF	NF	NA	NA	NA	
CETEARYL ALCOHOL	36653-82-4	MM0225000	253-149-0	NA	NA	NA	NF	NF	NF	NA	NA	NA	
ETHANOLAMINE	141-43-5	KJ5775000	205-483-3	NA	3	6	3	NF	NF	3	6	30	
TOLUENE-2,5-DIAMINE SULFATE	615-50-9	NA	210-431-8	NA	NA	NA	NF	NF	NF	NA	NA	NA	
COCONUT ALCOHOL	NA	NA	NA	NA	NA	NA	NF	NF	NF	NA	NA	NA	
COCAMIDOPROPYL BETAINE	61789-40-0	NA	263-058-8	NA	NA	NA	NF	NF	NF	NA	NA	NA	
COCOS NUCIFERA (COCONUT) OIL	8001-31-8	GG6040000	232-282-8	NA	NA	NA	NF	NF	NF	NA	NA	NA	
GARDENIA TAHITENSIS FLOWER EXTRACT	NA	NA	NA	NA	NA	NA	NF	NF	NF	NA	NA	NA	
CETEARETH-20	68439-49-6	NA	500-212-8	NA	NA	NA	NF	NF	NF	NA	NA	NA	
PEG-12 DIMETHICONE	68937-54-2	NA	NA	NA	NA	NA	NF	NF	NF	NA	NA	NA	
CARBOMER	50-81-7	CI7650000	200-066-2	NA	NA	NA	NF	NF	NF	NA	NA	NA	
RESORCINOL	108-46-3	VG9625000	203-585-2	NA	NA	NA	NF	NF	NF	NA	NA	NA	
POTASSIUM HYDROXIDE	1310-58-3	TT2100000	215-181-3	NA	(2)	NA	(2)	NF	NF	(2)	NA	NA	(2) NIOSH
ASCORBIC ACID	50-81-7	CI7650000	200-066-2	NA	NA	NA	NF	NF	NF	NA	NA	NA	. ,
SODIUM SULFITE	7757-83-7	NA	231-824-4	NA	NA	NA	NF	NF	NF	NA	NA	NA	
SODIUM CHLORIDE	7647-14-5	NA	231-598-3	NA	NA	NA	NF	NF	NF	NA	NA	NA	
SODIUM SILICATE	6834-92-0	VV9275000	229-912-9	NA	NA	NA	NF	NF	NF	NA	NA	NA	
PARFUM (FRAGRANCE)	NA	NA	NA NA	NA	NA	NA	NF	NF	NF	NA	NA	NA	
ETIDRONIC ACID	2809-21-4	NA	220-552-8	NA	NA	NA	NF	NF	NF	NA	NA	NA	
PEG-14M	25322-68-3	NA	500-038-2	NA	NA	NA	NF	NF	NF	NA	NA	NA	
MAY ALSO CONTAIN:	23022-00-0	JIVA	300-000-2	IVA	IIA.	IVA	141	141	IVI	IIA	IVA	IIA	
1-HYDROXYETHYL-4.5-													
DIAMINOPYRAZOLE SULFATE	155601-30-2	NA	NA	NA	NA	NA	NF	NF	NF	NA	NA	NA	
2,4-DIAMNOPHENOXY- ETHANOL HCL	104-10-9	NA	203-174-8	NA	NA	NA	NF	NF	NF	NA	NA	NA	
2-AMINO-3-HYDROXYPYRIDINE	16867-03-1	NA	240-886-8	NA	NA	NA	NF	NF	NF	NA	NA	NA	
2-AMINO-4-HYDROXYETHYL- AMINOANISOLE SULFATE	83763-48-8	NA	280-734-8	NA	NA	NA	NF	NF	NF	NA	NA	NA	
2-AMINO-6-CHLORO-4- NITROPHENOL	6358-09-4	NA	228-762-1	NA	NA	NA	NF	NF	NF	NA	NA	NA	
2-METHYLRESORCINOL	608-25-3	VH2009500	210-155-8	NA	NA	NA	NF	NF	NF	NA	NA	NA	
4-AMINO-2-HYDROXYTOLUENE	2835-95-2	NA	220-618-6	NA	NA	NA	NF	NF	NF	NA	NA	NA	
4-CHLORORESORCINOL	95-88-5	NA	202-462-0	NA	NA	NA	NF	NF	NF	NA	NA	NA	
6-METHOXY-2-METHYLAMINO-		IVA	202-402-0	IIA	IIA.	NA.	141	141	141	IVA	IVA	IVA	
3-AMINOPYRIDINE HCL	90817-34-8	NA	NA	NA	NA	NA	NF	NF	NF	NA	NA	NA	
HC BLUE 12	132885-85-9	NA	NA	NA	NA	NA	NF	NF	NF	NA	NA	NA	
HC YELLOW 13	10442-83-8	NA	NA	NA	NA	NA	NF	NF	NF	NA	NA	NA	
HYDROXYETHYL-2-NITRO- p-TOLUIDINE	100418-33-5	NA	NA	NA	NA	NA	NF	NF	NF	NA	NA	NA	
m-AMINOPHENOL	591-27-5	NA	209-711-2	NA	NA	NA	NF	NF	NF	NA	NA	NA	
PHENOXYETHANOL	122-99-6	KM0350000	204-589-7	NA	NA	NA	NF	NF	NF	NA	NA	NA	
4-AMINO-m-CRESOL	2835-99-6	NA	220-621-2	NA	NA	NA	NF	NF	NF	NA	NA	NA	
SULFURIC ACID	7664-93-9	W\$5600000	231-639-5	NA	(1)	(3)	(1)	NF	NF	(1)	(3)	15	
1-NAPHTHOL	90-15-3	NA	201-969-4	NA	NA	NA	NF	NF	NF	NA	NA	NA	
4-AMINO-3-NITROPHENOL	610-81-1	NA	210-236-8	NA	NA	NA	NF	NF	NF	NA	NA	NA	
2,6-DIHYDROXYETHYLAMINO-													
ANISOLE SULFATE	148330-25-6	NA	NA	NA	NA	NA	NF	NF	NF	NA	NA	NA	
HC YELLOW 2	4926-55-0	NA	225-555-8	NA	NA	NA	NF	NF	NF	NA	NA	NA	
3-NITRO-p- HYDROXYETHYLAMINOPHENOL	65235-31-6	NA	265-648-0	NA	NA	NA	NF	NF	NF	NA	NA	NA	



Page 3 of 8

IG-505

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 11/21/2012

3. COMPOSITION & INGREDIENT INFORMATION – cont'd
--

							EXPOS	JRE LIA	AITS IN	AIR (mg/m	³)	
					AC	GIH	1	OHSC			OSHA	ı	
					pr	om		ppm			ppm		OTHER
				0/			ES-	ES-	ES-				
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	TLV	STEL	IDLH	
3-AMINO-2,4-DICHLORO-	61693-43-4	NA	NA	NA	NA	NA	NF	NF	NF	NA	NA	NA	
PHENOL HCL	01073-43-4 INA	7-43-4 INA	1 NA	INA	INA	117	INI	INI	INI	IVA	INA	IVA	
4-HYDROXYPROPYLAMINO-	92952-81-3	NA	NA	NA	NA	NA	NF	NF	NF	NA	NA	NA	
3-NITROPHENOL	72752-01-3	INA	INA	NA	NA	NA	NF	NF	NF	NA	NA	NA	
N,N-bis-(2-HYDROXYETHYL)-	94047 77 0	NA	NI A	NIA	NIA	NIA	NIE	NE	NE	NIA	NI A	NIA	
2-NITRO-p-PHENYLENEDIAMINE	84U4/-//-U NA	84047-77-0 NA	NA	NA	NA	NA	NF	NF	NF	NA	NA	NA	

4. FIRST AID MEASURES

4.1 First Aid:

INGESTION: DO NOT INDUCE VOMITING. Contact ChemTrec at +1 (703) 527-3887 or the nearest Poison Control Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs

emergency relegation from the form assistance and instructions. Seek influential mental and the second form and form and the second form and the s

spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.

EYES: If product gets in the eyes, flush eyes thoroughly with copious amounts of water for at

If product gets in the eyes, flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If the eyes or face becomes swollen during or following use, consult a physician or

emergency room immediately.

SKIN: Remove contaminated clothing and wash affected areas with soap and water. If discomfort persists and/or the skin

reaction worsens, contact a physician immediately. In cases where discomfort persists and/or medical attention is sought, do not use hair color products again until the specific nature of the skin reaction and the causative agent has been identified by a dermatologist, and appropriate medical advice provided. Do not wear contaminated clothing

until after it has been properly cleaned.

INHALATION: Remove victim to fresh air at once. Under extreme conditions, if breathing stops, perform artificial respiration. Seek

immediate medical attention.

4.2 Medical Conditions Aggravated by Exposure:

Pre-existing dermatitis, other skin conditions, and disorders of the target organs (eyes, skin, and respiratory system) or impaired kidney function may be more susceptible to the effects of this substance.

FLAMMABILITY

HEALTH

PHYSICAL HAZARDS 1

PROTECTIVE EQUIPMENT

EYES SKIN

5. FIREFIGHTING MEASURES

5.1 Flashpoint & Method:

This product is not flammable.

Autoignition Temperature:

NA

5.2

5.3 Flammability Limits: Lower Explosive Limit (LEL): NA Upper Explosive Limit (UEL):

5.4 Fire & Explosion Hazards:

NA

5.5 Extinguishing Methods:

Water Fog, Foam, Dry Chemical, CO₂

5.6 Firefighting Procedures:

Fight fires as for surrounding materials. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon and/or nitrogen, hydrocarbons and/or derivatives. Firefighters should wear a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Fire should be fought from a safe distance. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway.



NA

1

0

В



Page 4 of 8

IG-505

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 11/21/2012

6. ACCIDENTAL RELEASE MEASURES

6.1 Spil

Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment (PPE). Use safety glasses or safety goggles if splash hazards exist; use gloves and other protective clothing (apron, boots, etc.) to prevent skin contact.

<u>Small Spills</u>: Wear appropriate protective equipment including gloves and protective eyewear. Use a non-combustible material such as vermiculite or sand to soak up the product and place into a container for later disposal.

<u>Large Spills</u>: Keep incompatible materials (e.g., organics such as oil) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant.

7. HANDLING & STORAGE INFORMATION

7.1 Work & Hygiene Practices:

Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Avoid contact with eyes, skin, and clothing. Do not expose to heat and flame. Use only in ventilated areas. Keep out of the reach of children. Wash unintentional residues with soap and warm water.

7.2 Storage & Handling:

Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Avoid temperatures above 120°F. Keep away from incompatible substances. Protect containers from physical damage. To avoid unintentional spraying keep cap in place when not in use. Keep away from children at all times

7.3 Special Precautions:

Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1 Ventilation & Engineering Controls:

General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station).

8.2 Respiratory Protection:

No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia.

8.3 Eye Protection:

Avoid eye contact. Safety glasses with side shields should be used when handling large quantities (e.g., ≥ 1 gallon) of this product.

8.4 Hand Protection:

None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., \geq 1 gallon), wear rubber or impervious plastic gloves.

8.5 Body Protection:

No apron required when handling small quantities. When handling large quantities (e.g., ≥ 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.

9. PHYSICAL & CHEMICAL PROPERTIES

9.1	Density:	0.99 ± 0.02
9.2	Boiling Point:	> 100 °C (> 212 °F)
9.3	Melting Point:	NA NA
9.4	Evaporation Rate:	NA NA
9.5	Vapor Pressure:	ND
9.6	Molecular Weight:	NA NA
9.7	Appearance & Color:	Cream with perfumery or ammoniacal odor. Various colors (see section 1.4).
9.8	Odor Threshold:	ND
9.9	Solubility:	Slightly soluble in water
9.10	рН	10.0 ± 0.5
9.11	Viscosity:	NA NA
9.12	Other Information:	Complies with Federal and State regulations for VOC content.



Page 5 of 8

IG-505

Prepa	ared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards MSDS Revision: 1.0 MSDS Revision Date: 11/21/2012
	10. STABILITY & REACTIVITY
0.1	Stability: Stable under normal conditions; unstable with heat or contamination.
0.2	Hazardous Decomposition Products:
0.3	Oxides of carbon (CO, CO ₂), nitrogen (NO _x) and sulfur (SO ₂). Hazardous Polymerization:
0.4	Will not occur. Conditions to Avoid:
0.5	Open flames, sparks, high heat, incompatible substances and direct sunlight. Incompatible Substances:
5.5	Avoid extreme heat and ignition sources. Store away from oxidizers.
	11. TOXICOLOGICAL INFORMATION
1.1	Toxicity Data: The product has not been tested for specific toxicity data.
1.2	Acute Toxicity: See section 2.5
1.3	Chronic Toxicity:
11.4	See section 2.6 Suspected Carcinogen:
	The following ingredient is listed on IARC 3 - Group 3 (Not classifiable as to its carcinogenicity to humans): Resorcinol. The following ingredient is listed on IARC 1 – Group 1 (Sufficient evidence of carcinogenicity in humans) under certain expose
	circumstances (occupational exposure to strong inorganic acid mists containing sulfuric acid): Sulfuric Acid.
1.5	Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans.
	Mutagenicity: This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity: This product is not reported to produce embryotoxic effects in humans.
•	Teratogenicity: This product is not reported to produce teratogenic effects in humans.
•	Reproductive Toxicity:
1.6	This product is not reported to produce reproductive effects in humans. Irritancy of Product:
1.7	See Section 2.3 Biological Exposure Indices:
1.8	NE Physician Recommendations:
1.0	Treat symptomatically.
	12. ECOLOGICAL INFORMATION
2.1	Environmental Stability: There is no specific data available for this product.
2.2	Effects on Plants & Animals:
2.3	There is no specific data available for this product. Effects on Aquatic Life:
	There is no specific data available for this product.
	13. DISPOSAL CONSIDERATIONS
13.1	Waste Disposal: Products covered by this MSDS, in their original form, when disposed as waste, are considered non hazardous waste according Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with local, state and federal regulations. Dispose of accordance with federal, state and local regulations.
13.2	Special Considerations: California Waste Code: 331



Page 6 of 8

IG-505

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 11/21/2012

14. TRANSPORTATION INFORMATION

The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.

14.1	49 CFR (GND):
	NOT REGULATED
14.2	IATA (AIR):
	NOT REGULATED
14.3	IMDG (OCN):
	NOT REGULATED
14.4	TDGR (Canadian GND):
	NOT REGULATED
14.5	ADR/RID (EU):
	NOT REGULATED
14.6	SCT (MEXICO):
	NOT REGULATED
14.7	ADGR (AUS):
	NOT REGULATED

15. REGULATORY INFORMATION

15.1 SARA Reporting Requirements:

<u>Sulfuric Acid</u> is subject to the reporting requirements of SARA Title III, Sections 313.

15.2 SARA Threshold Planning Quantity:

This product is not subject to the reporting requirements of SARA Title III, Section 302.

15.3 TSCA Inventory Status

All chemical substances of this product are listed on the TSCA inventory or are otherwise exempted from inventory status.

15.4 CERCLA Reportable Quantity (RQ):

Sulfuric Acid: 1000 lbs (454 kg); Potassium Hydroxide: 1000 lbs (454 kg)

15.5 Other Federal Requirements:

This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).

15.6 Other Canadian Regulations:

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.



15.7 State Regulatory Information:

Sulfuric Acid can be found on the following state criteria lists: Florida Toxic Substances List (FL); Illinois Hazardous Substances List (IL); Massachusetts Hazardous Substances List (MA); Minnesota Hazardous Substances List (MN); New Jersey Right-to-Know List (NJ); Pennsylvania Right-to-Know List (PA); Rhode Island Hazardous Substances List (RI); Washington Permissible Exposures List (WA). Potassium Hydroxide is listed on the following state criteria lists: FL, MA, MN, NJ, PA, WA. Oleic Acid is listed on the following state criteria lists: FL, MA, MN, PA, WA. Resorcinol is found on the following state criteria lists: FL; MA; MN; PA; WA; Wisconsin Hazardous Substances List (WI). Phenoxyethanol is found on the following state criteria lists: NJ, MA, PA.

No components of this product are listed on the California Proposition 65 lists.

15.8 67/548/EEC (European Union) and other Requirements:

The primary component of this product is listed in Annex I of EU Directive 67/548/EEC:

Ethanolamine: Harmful (Xi). Potassium Hydroxide: Harmful (Xi)

Risk Phrases (R): 22-41-43 Harmful if swallowed. Risk of serious damage to eyes. May cause sensitization by skin contact.

<u>Safety Phrases</u> (S): 2-3/7-20-26-37/39 - Keep away from children. Keep container tightly closed in a cool place. When using do not eat or drink. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable gloves and eye/face protection.

WARNING! CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE IRRITATION. MAY CAUSE RESPIRATORY IRRITATION. Hazard Statements (H): H315-Causes skin irritation. H319-Causes serious eye irritation. H335-May cause respiratory irritation.

<u>Precautionary Statements</u> (P): P261-Avoid breathing dust/fume/gas/mist/vapors/spray. P264-Wash skin thoroughly after handling. P270-Do not eat, drink or smoke when using this product. P281-Use personal protective equipment as required. P302 + P352-IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332 + P313-If skin irritation occurs: Get medical advice/attention. P337 + P313-If eye irritation persists: Get medical advice/attention. P403 + P233-Store in a well-ventilated place. Keep container tightly closed.

<u>HazChem Code</u>: None allocated <u>Poison Schedule</u>: None allocated







Fax: +1 (310) 370-5700 http://www.shipmate.com

MATERIAL SAFETY DATA SHEET

Page 7 of 8

IG-505

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards MSDS Revision: 1.0 MSDS Revision Date: 11/21/2012 16. OTHER INFORMATION 16.1 Other Information: For external use only. Use only as directed. Discontinue use immediately if irritation develops. 16.2 Terms & Definitions Please see last page of this MSDS. This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Schwarzkopf's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. Prepared for: Schwarzkopf, Inc. 600 Corporate Pointe, Suite 1100 Schwarzkopf Culver City, CA 90230 USA Tel: +1 (310) 641-4600 Fax: +1 (310) 641-4601 PROFESSIONAL http://www.schwarzkopf.com 16.5 Prepared by: ShipMate, Inc. P.O. Box 787 Sisters, OR. 97759-0787 Tel: +1 (310) 370-3600



Page 8 of 8

IG-505

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

MSDS Revision: 1.0 MSDS Revision Date: 11/21/2012

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

EXPOSURE LIMITS IN AIR:				
ACGIH	American Conference on Governmental Industrial Hygienists			
TLV	Threshold Limit Value			
OSHA	U.S. Occupational Safety and Health Administration			
PEL	Permissible Exposure Limit			
IDLH	Immediately Dangerous to Life and Health			

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose
	heart has stopped receives manual chest compressions and breathing
	to circulate blood and provide oxygen to the body

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

CAS No. Chemical Abstract Service Number


0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:







OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:						
Autoignition	Minimum temperature required to initiate combustion in air with no					
Temperature	other source of ignition					
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that					
	will explode or ignite in the presence of an ignition source					
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume,					
	that will explode or ignite in the presence of an ignition source					

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
ОХ	Oxidizer
TREFOIL	Radioactive



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed						
	animals s						
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed						
	animal						
ppm	Concentration expressed in parts of material per million parts						
TD _{Io}	Lowest dose to cause a symptom						
TCLo	Lowest concentration to cause a symptom						
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects						
TC, TCo, LCio, & LCo							
IARC	International Agency for Research on Cancer						
NTP	National Toxicology Program						
RTECS	Registry of Toxic Effects of Chemical Substances						
BCF	Bioconcentration Factor						
TLm	Median threshold limit						
log Kow or log Koc	Coefficient of Oil/Water Distribution						

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System						
DOT	U.S. Department of Transportation						
TC	Transport Canada						
EPA	U.S. Environmental Protection Agency						
DSL	Canadian Domestic Substance List						
NDSL	Canadian Non-Domestic Substance List						
PSL	Canadian Priority Substances List						
TSCA	U.S. Toxic Substance Control Act						
EU	European Union (European Union Directive 67/548/EEC)						
WGK	Wassergefährdungsklassen (German Water Hazard Class)						

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

	(*)			(1)	®		R
Α	В	С	D1	D2	D3	E	F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

	F.J.		M	*		9	X	X
	С	E	F	N	0	T+	Xi	Xn
Ī	Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\Leftrightarrow		***
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment