

Customer No.: 222397 Shipping Address: 21551 Prairie Avenue Chatsworth, CA 91311 (818) 435-0800

# **Big Sexy Powder Play**

## Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: January 6, 2010

REVISION DATE: N/A SUPERSEDES: N/A FORMULA: GMS042709C

PREPARED AND REVISED BY: Jose J. Soto GENERIC/CHEMICAL NAME: Hair powder PRODUCT TYPE/CHEMICAL FAMILY: NA PRODUCT CODE: 15PWDR01; 15PWDR005

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 21551 Prairie Street, Chatsworth, CA 91311

#### **EMERGENCY PHONE NUMBERS:**

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls

accepted)

# Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure L TLV ppm	imits in Air PEL ppm
None	None	None	None	

## Section III - HAZARDS IDENTIFICATION

# POTENTIAL HEALTH EFFECTS

**EYE CONTACT**: May cause eye irritation.

**SKIN CONTACT**: May be irritating to extra-sensitive skin

**INHALATION**: Not Applicable

INGESTION: Harmful if swallowed. May cause gastrointestinal irritation.

# **Section IV - FIRST AID**

**EYE CONTACT**: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

**SKIN CONTACT**: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard. If symptoms persist, get medical attention.

**INHALATION**: Not Applicable.

**INGESTION**: Do not induce vomiting, drink glasses of water. Get prompt medical attention.

# **Section V - FIRE FIGHTING MEASURES**

FLASH POINT: N/A

**AUTOIGNITION TEMPERATURE: N/A** 

FLAMMABILITY LIMITS IN AIR (% V): Not Flammable

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Water, Fog, Sand/Earth

SPECIAL FIRE FIGHTING PROCEDURES: Must wear NIOSH approved self-contained breathing

apparatus and protective clothing. Cool fire exposed container with water spray.

UNUSUAL FIRE & EXPLOSION HAZARDS: N/A

## Section VI - ACCIDENTAL RELEASE MEASURES

**SPILL ON LAND**: Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

# Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient LOADING/UNLOADING TEMPERATURE: Ambient

**STORAGE AND HANDLING**: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

# Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

**RESPIRATORY PROTECTION**: None Required

**VENTILATION**: Normal Ventilation adequate for recommended uses.

**PROTECTIVE CLOTHING:** Not necessary except as a good industrial practice.

**EYE PROTECTION**: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Caution! Spilled material is slippery

## Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: White non-fragranced powder

STATE: Powder

**ODOR**: Unfragranced.

PERCENT VOLATILE: ~90%

SPECIFIC GRAVITY: N/A

VISCOSITY: N/A

**EVAPORATION RATE:** Slower than ether VAPOR PRESSURE mm Hg @ 20°C: ND

**BOILING POINT: ND** 

VAPOR DENSITY (Air=1): Heavier than air

**SOLUBILITY IN WATER:** Soluble

## Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling **CONDITIONS TO AVOID INSTABILITY**: Extreme temperatures

HAZARDOUS POLYMERIZATON: Will not occur.

CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: None known

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Strong acids and oxidizing

agents.

# Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

## Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

# Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

## Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME: Powder Play U. S. DOT HAZARD CLASS: None U. S. DOT LABELS REQUIRED: None U. S. DOT PLACARDS REQUIRED: None **EMERGENCY RESPONSE GUIDE NUMBER:** None

IATA PROPER SHIPPING NAME: Powder Play IATA HAZARD CLASS: None IATA LABELS REQUIRED: None BILL OF LADING DESCRIPTION: Powder Play UN/NA CODE: None PACKING INSTRUCTIONS: None

**EMERGENCY RESPONSE GUIDE NUMBER:** None

**EMERGENCY RESPONSE NUMBERS:** CHEMTREC:

> Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls

accepted)

IMDG PROPER SHIPPING NAME: Powder Play

IMDG HAZARD CLASS:

IMDG LABELS REQUIRED:

IMDG SECONDARY LABELS REQUIRED:

IMDG PLACARDS REQUIRED:

None

BILL OF LADING DESCRIPTION:

None

Powder Play

MARINE POLLUTANT: No
EMERGENCY RESPONSE GUIDE NUMBER: None
EMS NUMBER: None
MFAG NUMBER: None

EMERGENCY RESPONSE NUMBERS: CHEMTREC:

Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls

accepted)

IMDG PAGE NUMBER: None UN/NA CODE: None

# **Section XV - REGULATORY INFORMATION**

TSCA: N/A

SARA TITLE III, Section 311-312: N/A SARA TITLE III, Section 313: N/A CALIFORNIA PROPOSITION 65: N/A

# **Section XVI - OTHER INFORMATION**

**HAZARD RATING SYSTEMS**: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH FLAMMABILITY REACTIVITY	1 0 0	NA NA NA	4=Severe/Extreme 3=Serious/High 2=Moderate/Moderate
			1=Slight/Slight 0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

**EXPLANATION OF ABBREVIATIONS:** 

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993