



Customer No.: 222397
Shipping Address:
21551 Prairie Street
Chatsworth, CA 91311
(818) 435-0800

HEALTHY SEXY HAIR SOY RENWAL

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: May 27, 2009

REVISION DATE: N/A

SUPERSEDES:

FORMULA: TB-177-6

PREPARED AND REVISED BY: Alison Robinson

GENERIC/CHEMICAL NAME: Hair Soy Renewal

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE:

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 21551 Prairie Street, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
Ethanol	64-17-5	< 3.0 %	1000	1000
Decamethylcyclpentasiloxane	541-02-6	> 75.0%	ND	ND

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Direct contact of product with eyes may cause irritation and/or blurry vision.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting.

Section IV - FIRST AID

EYE CONTACT: If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. If symptoms persist, get medical attention.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Give several glasses of water to dilute. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: 80.6°F (27°C) closed cup

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): NA

EXTINGUISHING MEDIA: Water, Carbon Dioxide, Foam, Dry Chemical

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: NA

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Caution! Floors may become slippery. Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required. If vapors are generated, respirator required.

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear, viscous serum

STATE: Viscous Liquid

ODOR: Characteristic
PERCENT VOLATILE: > 75% D5 and Ethanol
SPECIFIC GRAVITY: NA
VISCOSITY: Min. 800 cps
EVAPORATION RATE: NA
VAPOR PRESSURE mm Hg @ 20°C: NA
BOILING POINT: 100°C
VAPOR DENSITY (Air=1): NA
SOLUBILITY IN WATER: Soluble
pH VALUE: Min. NA
MELTING/FREEZING POINT: 0°C

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: Extreme heat, open flames
HAZARDOUS POLYMERIZATION: Will not occur
HAZARDOUS DECOMPOSITION PRODUCTS: Under severe heat or ignition will generate carbon monoxide, oxides of nitrogen, and other organic breakdown fumes.
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None known.

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Consumer Commodity
U. S. DOT HAZARD CLASS:	ORM-D
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	NAERG# 171

IATA PROPER SHIPPING NAME:	Consumer Commodity ORM-D (Domestic) Ethyl Alcohol Solution, UN1170, PG II (Export)
IATA HAZARD CLASS:	3
IATA LABELS REQUIRED:	Consumer Commodity ORM-D-AIR (Domestic) Flammable Liquid

BILL OF LADING DESCRIPTION: Consumer Commodity ORM-D-AIR, 3, UN1170 (Domestic)
 Ethanol Solution, 3, UN1170, PG II (Export)

UN/NA CODE: NA (Domestic)
 UN1170 (Export)

PACKING INSTRUCTIONS: 305 (Domestic)
 Y305 (Export)
 Authorization: Limited Quantity

EMERGENCY RESPONSE GUIDE NUMBER: 126

EMERGENCY RESPONSE NUMBERS: CHEMTREC:
 Domestic North America 800-424-9300
 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME: Ethyl Alcohol Solution

IMDG HAZARD CLASS: 3

IMDG LABELS REQUIRED: Flammable Liquids

IMDG SECONDARY LABELS REQUIRED: NA

IMDG PLACARDS REQUIRED: None

BILL OF LADING DESCRIPTION: Ethyl Alcohol Solution, 3, UN1170, PGII

MARINE POLLUTANT: No

EMERGENCY RESPONSE GUIDE NUMBER: 126

EMS NUMBER: 3-06

MFAG NUMBER: 144

EMERGENCY RESPONSE NUMBERS: CHEMTREC:
 Domestic North America 800-424-9300
 International: 01-703-527-3887 (Collect calls accepted)

IMDG PAGE NUMBER: 47, Volume 2

UN/NA CODE: UN1170

U. S. DOT PROPER SHIPPING NAME: Not Regulated

U. S. DOT HAZARD CLASS: None

U. S. DOT LABELS REQUIRED: None

U. S. DOT PLACARDS REQUIRED: None

EMERGENCY RESPONSE GUIDE NUMBER: None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory

SARA TITLE III, Section 311-312: Acute and Fire Hazard (Ethanol)

SARA TITLE III, Section 313: None noted

CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme

FLAMMABILITY	3	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

- ACGIH - American Conference of Governmental Industrial Hygienists
- CAS# - Chemical Abstract System No.
- DOT -Department Of Transportation
- IMDG - International Maritime Dangerous Goods code
- NA - Not Applicable
- ND - Not Determined
- NFPA - National Fire Protection Association
- OSHA - Occupational Safety and Health Administration
- PEL - Permissible Exposure Limits
- ppm - Parts Per Million
- PMCC - Pensky-Martin Closed Cup (flash point)
- SARA - Superfund Amendments and Reauthorization Act Title I, II, III
- TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993