



# STYLE SEXY HAIR MOLDING PASTE

## SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: August 7, 2013

REVISION DATE:

SUPERSEDES:

FORMULA: **188-10C-1**

PREPARED AND REVISED BY: Teresa Romero

GENERIC/CHEMICAL NAME:

PRODUCT TYPE/CHEMICAL FAMILY: Molding paste

PRODUCT CODE: **TBD**

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 21551 Prairie, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

## SECTION 2. HAZARDOUS INGREDIENT INFORMATION

CHEMICAL NAMES	CAS NO.	% (In Total Formula)	FLASHPOINT	EXPOSURE LIMITS IN AIR		OTHER
				TLV ppm	PEL ppm	
None present						

## SECTION 3. HAZARD INFORMATION

<b>3.1 Routes of Entry:</b>	<b>Skin</b>	X	<b>Inhalation</b>	<b>Eyes</b>	X	<b>Ingestion</b>	X
<b>3.2 Effects of Exposure</b>							
INGESTION:	May cause gastrointestinal irritation						
EYES:	Liquid and vapor may cause mild to severe eye irritation.						
SKIN:	Repeated contact may cause irritation and drying of the skin.						
INHALATION:	Vapor may cause irritation to the upper respiratory tract						

## SECTION 4. FIRST AID MEASURES

- 4.1 First Aid:**  
INGESTION: Drink enough water to dilute. Consult physician immediately  
EYES: Flush eyes with plenty of water to ensure complete flushing. If irritation persists, seek medical attention  
SKIN: Wash thoroughly with mild soap and water. If irritation persists, seek medical attention  
INHALATION: Remove victim to fresh air at once. If breathing is difficult, seek medical attention
- 4.2 Medical Conditions Aggravated by Exposure:** Pre-existing respiratory and skin disorder

## SECTION 5. FIREFIGHTING MEASURES

- 5.1 Flammability Results & Method:**  $\geq 200^{\circ}\text{F}$  ASTM D56-05 Standard Test Method For Flash Point By Tag Closed Cup Tester
- 5.2 Flammability Classification:** Noncombustible
- 5.3 Extinguishing Methods:** CO<sub>2</sub>, Foam, Dry Chemical, and Water Spray
- 5.4 Firefighting Procedures:** Fire should be fought from a safe distance. Firefighters should wear full face, self-contained breathing apparatus and full protective clothing.
- 5.5 Fire or Explosion Hazards:** Closed containers exposed to excessive heat may rupture. Do not crush or puncture containers.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

- 6.1 Spills**  
Exclude sources of ignition and ventilate the area. Avoid breathing vapors. Refer to protective measures in section 7 and 8.

## SECTION 7. HANDLING & STORAGE INFORMATION

- 7.1 Work and Hygiene Practices:**  
Wash hands thoroughly after using this product and before eating, drinking, or smoking
- 7.2 Storage and Handling**  
Keep away from excessive heat, open flames, sparks, and other possible source of ignition. Do not store in damaged or unmarked containers or storage devices. For warehouse storage, pallets and cases should be placed to avoid damage or rupture from material handling equipment.
- 7.3 Special Precautions:**  
Empty containers may contain residual amounts of product

## SECTION 8. EXPOSURE CONTROLS & PERSONAL PROTECTION

- 8.1 Ventilation:** Use with adequate ventilation
- 8.2 Respiratory:** None required, when used with adequate ventilation
- 8.3 Personal Protective Equipment:** None required under normal conditions of use. When handling large quantities (e.g.,  $\geq 1$  gallon), wear protective eyeglasses, gloves, boot, and apron per OSHA regulations (29 CFR 1910.133)

## SECTION 9. PHYSICAL & CHEMICAL PROPERTIES - TENTATIVE

- 9.1 Appearance:** OPAQUE PASTE
- 9.2 Color:** WHITE
- 9.3 Specific Gravity:**  $< 1.0$
- 9.4 pH:**  $\geq 4.0 - \leq 10.0$
- 9.5 Viscosity:** THICK

## 10. STABILITY & REACTIVITY

- 10.1 Stability:** Stable under normal conditions of use
- 10.2 Hazardous Decomposition Products:** Irritating vapors and toxic gases when involved in fire

- 10.3 Hazardous Polymerization:** Will not occur  
**10.4 Conditions to Avoid:** Use or storage near open flames, sparks, high heat (>100°F) or other heat sources  
**10.5 Incompatible Substances:** Strong oxidizing agents

## SECTION 11. TOXICOLOGICAL

- 11.1** There is no data available on the product itself

## SECTION 12. ECOLOGICAL

- 12.1** There is no data available on the product itself. VOC = N/A  
**12.2** The product should not be allowed to enter drains or water courses or be deposited where it can affect ground or surface water.

## SECTION 13. DISPOSAL

- 13.1** Dispose of in accordance with federal, state or local regulations.

## SECTION 14. TRANSPORTATION INFORMATION

- 14.1 SHIPPING NAME:** Not regulated  
**14.2 HAZARD CLASS:** Not regulated  
**14.3 HAZCHEM CODE:** Not regulated

## SECTION 15. REGULATORY

- 15.1** Contents of this MSDS comply with the OSHA Hazard Communication Standard CFR 1910.1200  
**15.2 EPA SARA Title III Chemical Listings**  
Section 302 Extremely Hazardous Substances: None Section 304 CERCLA Hazardous Substances: None  
Section 313 Toxic Chemicals: None present or none present in regulated quantities.  
**15.3** California Proposition 65: No reportable components  
**15.4** Contents of this MSDS comply with the OSHA Hazard Communication Standard CFR 1910.1200

## SECTION 16. OTHER

- |   |   |
|---|---|
| <b>16.1 Hazardous Material Identification System (HMIS)</b> | <b>National Fire Protection Association (NFPA) Ratings:</b> |
| Health Hazard: 0  | Health: 0   |
| Flammability Hazard: 0                                      | Fire: 0   |
| Physical Hazard: 0  | Reactivity Hazard: 0  |
| PPE Rating: B   |   |

- 16.2 Disclaimer:**  
This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR § 1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of 2-2-0 Laboratories Inc.'s knowledge, the information contained herein is reliable and accurate as of the date issued; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided.

