

Customer No.: 222397

Shipping Address:

21551 Prairie Avenue Chatsworth, CA 91311

(818) 435-0800

SHORT SEXY HAIR JUST GELLING FLEXIBLE LIQUID GEL

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: July 7, 2010

REVISION DATE: N/A SUPERSEDES: N/A FORMULA: SP-203-10

PREPARED AND REVISED BY: Alison Robinson

GENERIC/CHEMICAL NAME:Gel

PRODUCT TYPE/CHEMICAL FAMILY: N/A

PRODUCT CODE: 35GEL01;35GEL04

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 21551 Prairie, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls

accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm PEL ppm	
N/A	N/A	N/A	N/A	

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation

SKIN CONTACT: May cause mild to moderate irritation. INHALATION: May cause irritation to upper respiratory tract. INGESTION: If ingested, may cause gastrointestinal irritation

Section IV - FIRST AID

EYE CONTACT: Flush eyes with plenty of water to ensure complete flushing. If irritation persists, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. If symptoms persist, get medical attention.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If breathing is difficult, get medical attention. **INGESTION**: Do not induce vomiting. Give several glasses of water to dilute. Seek medical attention or Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: NA

AUTOIGNITION TEMPERATURE: NA FLAMMABILITY LIMITS IN AIR (% V): NA

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical,

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: None expected

Section VI - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Caution! Floor may become slippery. Absorb spilled material with inert material such as sawdust, sand, or earth. Final cleaning may require use of steam, solvents, or detergents. Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient STORAGE/TRANSPORT PRESSURE: Ambient LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required. If vapors are generated, respirator required.

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Read and follow all label directions and cautions. Use only as directed.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Semi-viscous spray gel

STATE: Liquid ODOR: Characteristic

PERCENT VOLATILE: >75% as water

SPECIFIC GRAVITY: min 0.99 VISCOSITY: min 2,800 cps EVAPORATION RATE: N/A

VAPOR PRESSURE mm Hg @ 20°C: N/A

BOILING POINT: 100°C

VAPOR DENSITY (Air=1): N/A SOLUBILITY IN WATER: N/A

pH VALUE: min 5.9

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling CONDITIONS TO AVOID INSTABILITY: High temperature

HAZARDOUS POLYMERIZATON: Will not occur

CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION Extreme temperatures

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Use or storage near open

flames, sparks high heat or other heat sources

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME: Not Regulated

U. S. DOT HAZARD CLASS: None
U. S. DOT LABELS REQUIRED: None
U. S. DOT PLACARDS REQUIRED: None
EMERGENCY RESPONSE GUIDE NUMBER: None

IATA PROPER SHIPPING NAME: Not Regulated

IATA HAZARD CLASS: None IATA LABELS REQUIRED: None

BILL OF LADING DESCRIPTION: Just Gelling Flexible Liquid Gel

UN/NA CODE: None
PACKING INSTRUCTIONS: None
EMERGENCY RESPONSE GUIDE NUMBER: None

EMERGENCY RESPONSE NUMBERS: CHEMTREC:

Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls

accepted)

IMDG PROPER SHIPPING NAME: Not Regulated.

IMDG HAZARD CLASS: None IMDG LABELS REQUIRED: None IMDG SECONDARY LABELS REQUIRED: None

IMDG PLACARDS REQUIRED: Just Gelling Flexible Liquid Gel

MARINE POLLUTANT: No EMERGENCY RESPONSE GUIDE NUMBER: None EMS NUMBER: None MFAG NUMBER: None

EMERGENCY RESPONSE NUMBERS: CHEMTREC:

Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls

accepted)

IMDG PAGE NUMBER: None UN/NA CODE: None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory

SARA TITLE III, Section 311-312: None present SARA TITLE III, Section 313: None present

CALIFORNIA PROPOSITION 65: No reportable components

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993