



**Customer No.:** 222397  
**Shipping Address:**  
 21551 Prairie Street  
 Chatsworth, CA 91311  
 (818) 435-0800

**SILKY SEXY HAIR  
 FRIZZ ELIMINATOR  
 LITE FOR  
 FINE/NORMAL HAIR**

**Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

**MSDS FIRST PREPARATION DATE:** December 4, 2008  
**REVISION DATE:**N/A  
**SUPERSEDES:** N/A  
**FORMULA:** TB-162-43  
**PREPARED AND REVISED BY:** Joe Mendoza  
**GENERIC/CHEMICAL NAME:** Silky Frizz Eliminator LITE for Fine/Normal Hair  
**PRODUCT TYPE/CHEMICAL FAMILY:** NA  
**PRODUCT CODE:**  
**SYNONYMS:** None  
**CONTACT ADDRESS:** Sexy Hair Concepts, 21551 Prairie Street, Chatsworth, CA 91311

**EMERGENCY PHONE NUMBERS:**  
 CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

**Section II - COMPOSITION/INFORMATION ON INGREDIENTS**

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
Decamethylcyclopentasiloxane	541-02-6	50-75%	10 ppm TWA	

**Section III - HAZARDS IDENTIFICATION**

**POTENTIAL HEALTH EFFECTS**  
**EYE CONTACT:** May cause stinging and irritancy with direct eye contact.  
**SKIN CONTACT:** Not Known  
**INHALATION:** Not Known  
**INGESTION:** If ingested, may cause nausea and vomiting.

**Section IV - FIRST AID**

**EYE CONTACT:** If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.  
**SKIN CONTACT:** Clean affected areas with mild soap and water. If symptoms persist, get medical attention.

**INHALATION:** If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

**INGESTION:** Give several glasses of water to dilute. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or Poison Control Center.

## **Section V - FIRE FIGHTING MEASURES**

**FLASH POINT:** 80-82° C (Closed Cup)

**AUTOIGNITION TEMPERATURE:** N/A

**FLAMMABILITY LIMITS IN AIR (% V):** N/A

**EXTINGUISHING MEDIA:** Carbon Dioxide, Foam, Dry Chemical

**SPECIAL FIRE FIGHTING PROCEDURES:** Not known.

**UNUSUAL FIRE & EXPLOSION HAZARDS:** N/A

## **Section VI - ACCIDENTAL RELEASE MEASURES**

**SPILL ON LAND:** Caution, floors may become slippery. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

## **Section VII - STORAGE AND HANDLING**

**STORAGE TEMPERATURE:** Ambient

**STORAGE/TRANSPORT PRESSURE:** Ambient

**LOADING/UNLOADING TEMPERATURE:** Ambient

**STORAGE AND HANDLING:** Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

## **Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION**

**RESPIRATORY PROTECTION:** None Required. If vapors are generated, respirator required.

**VENTILATION:** Normal Ventilation adequate for recommended uses.

**PROTECTIVE CLOTHING:** Not necessary except as a good industrial practice.

**EYE PROTECTION:** Avoid contact with eyes. Wear protective goggles.

**OTHER PRECAUTIONS:** Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed.

## **Section IX - PHYSICAL AND CHEMICAL PROPERTIES**

**APPEARANCE:** Clear, thin gel

**STATE:** Gel

**ODOR:** Characteristic

**PERCENT VOLATILE:** 50-75% as Decamethylcyclopentasiloxane

**pH:** N/A

**SPECIFIC GRAVITY:** min 0.94  
**VISCOSITY:** min. 750 cps  
**EVAPORATION RATE:** N/A  
**VAPOR PRESSURE mm Hg @ 20°C:** N/A  
**BOILING POINT:** 100° C  
**VAPOR DENSITY (Air=1):** N/A  
**SOLUBILITY IN WATER:** Dispersible

## **Section X - REACTIVITY**

**STABILITY:** Stable under normal conditions of storage and handling  
**CONDITIONS TO AVOID INSTABILITY:** High Temperature  
**HAZARDOUS POLYMERIZATION:** Will not occur  
**CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION:** N/A  
**MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY:** None Known  
**HAZARDOUS DECOMPOSITION PRODUCTS:** Under severe heat or ignition will generate carbon monoxide, oxides of nitrogen, and other organic breakdown fumes.

## **Section XI - TOXICOLOGICAL INFORMATION**

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

## **Section XII - ECOLOGICAL INFORMATION**

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

## **Section XIII - DISPOSAL CONSIDERATIONS**

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

## **Section XIV - TRANSPORT INFORMATION**

<b>U. S. DOT PROPER SHIPPING NAME:</b>	Consumer Commodity
<b>U. S. DOT HAZARD CLASS:</b>	ORM-D
<b>U. S. DOT LABELS REQUIRED:</b>	None
<b>U. S. DOT PLACARDS REQUIRED:</b>	None
<b>EMERGENCY RESPONSE GUIDE NUMBER:</b>	None

---

<b>IATA PROPER SHIPPING NAME:</b>	UN1993, Flammable Liquids, N.O.S., (Cyclosiloxane)
<b>IATA HAZARD CLASS:</b>	9 (Limited Quantities – LTD QTY)
<b>IATA LABELS REQUIRED:</b>	LTD QTY (IATA 4.2.5 & 5.2.1.3)
<b>BILL OF LADING DESCRIPTION:</b>	UN1993, Flammable Liquids, N.O.S., LTD QTY
<b>UN/NA CODE:</b>	UN 1993
<b>PACKING INSTRUCTIONS:</b>	Y309
<b>EMERGENCY RESPONSE GUIDE NUMBER:</b>	2008 ERG 128
<b>EMERGENCY RESPONSE NUMBERS:</b>	CHEMTREC: Domestic North America 800-424-9300

International: 01-703-527-3887 (Collect calls accepted)

---

**IMDG PROPER SHIPPING NAME:** UN1993, Flammable Liquids, N.O.S.  
(Cyclosiloxane)  
**IMDG HAZARD CLASS:** 3, III  
**IMDG LABELS REQUIRED:** LTD QTY (IMDG 3.4.5.2)  
**IMDG SECONDARY LABELS REQUIRED:** None  
**IMDG PLACARDS REQUIRED:** None (IMDG 3.4.5.2)  
**BILL OF LADING DESCRIPTION:** UN1993, Flammable Liquids, N.O.S., 3, III LTD QTY  
**MARINE POLLUTANT:** N/A  
**EMERGENCY RESPONSE GUIDE NUMBER:** 2008 ERG 128  
**EMS NUMBER:** EmS F-E/S-E  
**MFAG NUMBER:** N/A  
**EMERGENCY RESPONSE NUMBERS:** CHEMTREC:  
Domestic North America 800-424-9300  
International: 01-703-527-3887 (Collect calls accepted)  
**IMDG PAGE NUMBER:** 2008 IMDG pg. #98  
**UN/NA CODE:** UN1993

### Section XV - REGULATORY INFORMATION

**TSCA:** Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory  
**SARA TITLE III, Section 311-312:** Acute, Fire, Sudden Release (Ethane,1,1-Difluoro-; Acute and Fire Hazard Ethane,1,1-Difluoro-, Ethanol)  
**SARA TITLE III, Section 313:** None noted  
**CALIFORNIA PROPOSITION 65:** None known.

### Section XVI - OTHER INFORMATION

**HAZARD RATING SYSTEMS:** This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

---

	<b>NPCA-HMIS</b>	<b>NFPA 704</b>	<b>KEY:NPCA-HMIS/NFPA 704</b>
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	2	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

---

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993